



11th Edition

OEM ATF AND CONVERSION CHART



HOW TO USE THIS CHART

STEP 1: Determine your vehicles OEM recommended automatic transmission fluid (ATF) found in this chart. *Always confirm OEM fluid type in your owner's manual/or dipstick

STEP 2: Choose Option 1 if servicing the transmission using the OEM required ATF or, adding to the existing fluid to improve shifting, eliminate shudder, lower the temperature, extend the life of the fluid, etc.

Choose Option 2 if you are servicing the transmission and looking for an OEM fluid alternative. Use the recommended base ATF with ONE of the appropriate LUBEGARD Conversion Supplements.

STEP 3: OPTIONAL RECOMMENDATION: For total transmission care, flush out old degraded fluid and unwanted by-products safely with the use of LUBEGARD Automatic Transmission Flush PN/95001.

STEP 4: Add one ounce of LUBEGARD to every quart of ATF for the total capacity of the transmission. *Please refer to the product package or www.Lubegard.com for full instructions.

Whole Fluid Option Lubegard now offers whole fluid options for ATF, CVT fluid and DCT fluid applications. *see chart to determine compatibility



Please note that ALL Lubegard conversion products & whole fluids have the benefits of our protectants built right into their formulations!



OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



A

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
ACURA																	
CL	96-97	L4	2.2L	A6VA	6.3/6	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
	98-99	L4	2.3L	B6VA	6.4/6.1	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	96-99	V6	3.0L	M7ZA	7.6/7.2	3.2/3				Honda Genuine ATF Z-1				DM, DVI, MV			
ILX	01-03	V6	3.2L	BGFA, MGFA	7.6/7.2	3.1/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
	13-15	L4	2.0L, 2.4L	M9DA	6.7/6.4	2.6/2.5				Honda Genuine ATF DW-1				DVI			
	16-17	L4	2.4L	M4JA	7.7/7.3	4.3/4.1				Acura ATF Type 2.0				DVI			
Integra	86-87	L4	1.6L	CA	5.7/5.4	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
	88-89	L4	1.6L	P1	5.7/5.4	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
	90	L4	1.8L	RO	6.7/6.3	3.2/3				Honda Genuine ATF Z-1				DM, DVI, MV			
	94	L4	1.8L	MP7A	6.2/5.9	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	95	L4	1.8L	SP7A	6.2/5.9	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	96-01	L4	1.8L	SKWA	6.2/5.9	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	91-93	L4	1.8L	MPRA	6.7/6.3	3.2/3				Honda Genuine ATF Z-1				DM, DVI, MV			
Legend	86	V6	2.5L	G4	6.9/6.5	3.4/3.2				Honda Genuine ATF Z-1				DM, DVI, MV			
	87	V6	2.5L 4 Door	G4	6.9/6.5	3.4/3.2				Honda Genuine ATF Z-1				DM, DVI, MV			
	87	V6	2.7L 2 Door	L5	6.9/6.5	3.4/3.2				Honda Genuine ATF Z-1				DM, DVI, MV			
	88-89	V6	2.7L	L5	6.9/6.5	3.4/3.2				Honda Genuine ATF Z-1				DM, DVI, MV			
	90	V6	2.7L	PL5X	6.9/6.5	3.4/3.2				Honda Genuine ATF Z-1				DM, DVI, MV			
	91-95	V6	2.7, 3.2L	MPYA	9.2/8.7	3.4/3.2				Honda Genuine ATF Z-1				DM, DVI, MV			
	01-02	V6	3.2L	BGHA, MGHA	8.9/8.5	4/3.8				Honda Genuine ATF Z-1				DM, DVI, MV			
MDX	03-06	V6	3.2L	MDKA, BDKA	7.7/7.3	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	07-13	V6	3.7L (J37A1)	BYFA	8.3/7.9	3/2.8				Honda Genuine ATF Z-1				DM, DVI, MV			
	14-15	V6	3.7L (J37A1)	BYFA	8.5/8.0	3.3/3.1				Honda Genuine ATF DW-1				DVI			
NSX	16-17	V6	3.5L	BYFA	8.5/8.0	3.3/3.1				Honda Genuine ATF DW-1				DVI			
	91-05	V6	3.0L	MR9A	7.4/7.0	3.1/23.0				Honda Genuine ATF Z-1				DM, DVI, MV			
	17			Dual Clutch					X								
RL	96-04	V6	3.5L	M5DA	9.1/8.6	3.2				Honda Genuine ATF Z-1				DM, DVI, MV			
	05-08	V6	3.5L (35A8)	MJBA	7.6/7.2	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	09-10	V6	3.7L (J37A2)	MJBA	8.1/7.7	3.0/2.8				Honda Genuine ATF Z-1				DM, DVI, MV			
RDX	11-12	V6	3.7L (J37A2)	MJBA	8.2/7.8	3.3/3.1				Honda Genuine ATF DW-1				DVI			
	07-09	L4	2.3L (K23A1)	BWEA	8.2/7.8	3.1/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
	10-12	L4	2.3L (K23A1)	BT3A, BWEA	8.8/8.3, 8.2/7.8	3/2.8, 3.1/2.9				Honda Genuine ATF DW-1				DVI			
RLX Hybrid	13-17	V6	3.5L	M9RA	7.4/7.0	3.3/3.1				Honda Genuine ATF DW-1				DVI			
	14	V6	3.5L	DC M9TF	4.8/4.5	3.7/3.5				Honda Genuine ATF DW-1				DVI			
	16-17	V6	3.5L	DC M9TF	4.8/4.5	3.7/3.5				Honda Genuine ATF DW-1				DVI			
RSX	02-07	L4	2.0L	MRMA	6.9/6.5	2.9/2.7, 3.1/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
SLX	96-99	V6	3.2, 3.5L	4L30-E	9.1/8.6	4/3.8				DEXRON III				DM, DVI			
	95-98	L4	2.5L	M1WA	7.6/7.2	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
	99	V6	3.2L	M5HA	7.6/7.2	3.1/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
TL	2000	V6	3.2L	M7VA	7.6/7.2	2.8/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	01-03	V6	3.2L	B7WA	7.6/7.2	2.8/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	04-08	V6	3.2L	BDGA	9.2/8.7	3.2/3				Honda Genuine ATF Z-1				DM, DVI, MV			
	09-14	V6	3.5 (35Z6), 3.7L (37A4)	BK3A, BK4A	7.9/7.5, 8.1/7.7	3/2.8, 3.5/3.3				Honda Genuine ATF DW-1				DVI			
	15-16	L4	2.4L	MDSA	4.1/4.3	7.3/7.7				Acura ATF Type 2.0				DVI			
TLX	17	L4	2.4L	MDSA	3.9/4.1	7.3/7.7				Acura ATF Type 2.0				DVI			
	15-17	V6	3.5	Q5J4, Q5L9	3.3/3.5, 3.3/3.5	6.2/6.6, 7.2/7.6				Acura ATF Type 2.0				DVI			
	04-08	L4	2.4L (K24AZ)	MCTA	6.9/6.5	3.2/3				Honda Genuine ATF Z-1				DM, DVI, MV			
TSX	09	L4	2.4L (K24Z3)	MM7A	6.9/6.5	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
	10-14	L4	3.5L (J35Z6)	MM2A	7.9/7.5	3.5/3.3				Honda Genuine ATF Z-1				DM, DVI, MV			
Vigor	92-94	L5	2.5L	MPWA	7.6/7.2	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
ZDX	10-14	V6	3.7L (J37A5)	M7PA	8.5/8	3.3/3.1				Honda Genuine ATF DW-1				DVI			
ALLISON																	
Series 1000 / 2000 / 2400	Various	N/A	N/A	N/A	N/A	N/A				Allison Transynd (TES-295)				SYN DM, MV			
Series MD / HD B 300	Various	N/A	N/A	N/A	N/A	N/A				Allison Transynd (TES-295)				SYN DM, MV			
Series B 400 / B 500	Various	N/A	N/A	N/A	N/A	N/A				Allison Transynd (TES-295)				SYN DM, MV			

A

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Series AT 500 / MT 600	Various	N/A	N/A	N/A	N/A	N/A				Allison Transynd (TES-295)				SYN DM, MV			
Series HT 700 / V 700	Various	N/A	N/A	N/A	N/A	N/A				Allison Transynd (TES-295)				SYN DM, MV			
AUDI																	
A3, Quattro, Cabriolet	05-11	L4, V6	2.0 (CBFA) (CCTA), 3.2L (CBRA)	DSG, 02E	7.6/7.2	5.8/5.5				G 052 182 A2 (DSG)				LUBEGARD DCTF			
	06-09	L4, V6	2.0 (CBFA) (CCTA), 3.2L (CBRA)	AW TF60SM	7.4/7	2.9/2.7				G 055 025 A2				* DM, MV			
	06-13	L4, V6	2.0 (CBFA) (CCTA), 3.2L (CBRA)	09E	11/10.4	10.6/10				G 055 005 A2				DVI, MLV			
A3	15-16	L4	1.8	OD9	7.3/6.9	5.4/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	17	L4	2.0L	OGC	N/A	N/A				G 055 529 A2				LUBEGARD DCTF			
A3 e-tron	16-17	L4	1.4L	ODD 6-speed e-tron	6.3/6.0					NS				N/A			
A3, Quattro	15-17	L4	2.0L	OD9	7.3/6.9	5.5/5.2				G 052 182 A2 (DSG)				LUBEGARD DCTF			
A4 Avant	95-07	L4, V6	2.4L, 2.6, 2.8L	ZF 5HP19	9.5/9	2.7/2.6				Esso Type LT 71141				SYN DM, MV			
	04-09	L4, V6	1.8, 3.0L (CCAA)	01J (CVT)	7.9/7.5	4.7/4.5				G 052 180 A2 (CVT)				LUBEGARD CVT Fluid			
	10-11	L4, V6	2.0 (CAEB), 3.2L (CALA)	01J (CVT)	7.9/7.5	5.3/5				G 052 180 A2 (CVT)				LUBEGARD CVT Fluid			
	12-13	L4, V6	2.0 (CAEB), 3.2L (CALA)	01J (CVT)	8.5/8	6.3/6				GO 52 516 A2 (CVT)				LUBEGARD CVT Fluid			
	10-16	L4, V6	2.0 (CAEB), 3.2L (CALA)	0AW (CVT)	7.4/7	6.3/6				G 052 516 A2 (CVT)				LUBEGARD CVT Fluid			
	17			OCC-OCL (Auto)		3.7/3.5				GO 055 529 A2				LUBEGARD DCTF			
	17			OCC-OCL (Manual)		4/3.8				GO 052 549 A2				GFS			
	04-08	L4, V6	1.8, 3.0L (CCAA)	01V	9.5/9	3.4/3				G 052 162 A2				* DM, DVI, MV			
A4, Cabriolet, S4, RS4	06-09	L4, V6	2.0 (BWT), 3.2 (BKH), 4.2L (BVJ)	09L	10.4/9.8	8.5/8				G 060 162 A2				DVI, MLV			
	08-10	L4, V6	2.0 (BWT), 3.2L (BKH)	0B6	11/10.4	N/A				G 060 162 A2				DVI, MLV			
	08-10	L4, V6	2.0 (CAEB), 3.2L (CALA)	0AW (CVT)	8.5/8	5.3/4.8				G 052 516 A2 (CVT)				LUBEGARD CVT Fluid			
	10	L4, V6	2.0 (BTW), 3.0L (CCAA)	0B5	7.9/7.5	7/6.7				G 055 145 A2				75W-90 GFS			
	10-12	L4, V6	2.0 (BTW), 3.0L (CCAA)	0BK (8 SPD)	N/A	4.2/4				G 055 145 A2				75W-90 GFS			
	10-12	L4, V6	2.0 (BTW), 3.0L (CCAA)	0AW (CVT)	8.5/8	6.3/6				G 052 516 A2 (CVT)				LUBEGARD CVT Fluid			
	95-97	V6	2.8L	ZF 4HP18	7.4/7	2.9/2.7				Esso Type LT 71141				SYN DM, MV			
	98-04	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6				Esso Type LT 71141				SYN DM, MV			
A6 Quattro	98-04	V6	2.8L	ZF 5HP18	9.5/9	2.7/2.6				Esso Type LT 71141				SYN DM, MV			
	05-07	V6, V8	3.2, 4.2L	ZF 6HP26 (09E)	9.5/9	4.2/4				G 055 005 A2				DVI, MLV			
	10-15	V6, V8	3.2, 4.2L	09L, 09E	10.4/9.8	8.5/8				G 060 162 A2				DVI, MLV			
	16-17	V8	3.0L	0BK (8 SPD)	9/8.6	4.2/4				G 060 162 A2				DVI, MLV			
	04-09	V8, V12	4.2 (BVJ), 6.0L (BSB)	09E	11/10.4	10.6/10				G 055 005 A2				DVI, MLV			
	05-10	V6, V8	3.0 (CCAA), 3.2 (BKH), 4.2L (BVJ)	09L	10.4/9.8	8.5/8				G 060 162 A2				DVI, MLV			
A8	10-11	V8	4.2L (BVJ)	0BK	9.1/8.6	4.5/4				G 060 162 A2				DVI, MLV			
	15-17			OGC	N/A	N/A				G 052 529 A2				LUBEGARD DCTF			
S3	08-12	V6, V8	3.2 (CALA), 4.2L (CAUA)	0B6	11/10.4	7/6.7				G 055 005 A2				DVI, MLV			
	10	L4	2.0L (BWT)	0AW (CVT)	8.5/8	6/5.5				G 052 516 A2 (CVT)				LUBEGARD CVT Fluid			
	10-15	V8	4.2L (BVJ)	0B5 (7 SPD)	7.9/7.5	7/6.7				G 052 529 A2				LUBEGARD DCTF			
S5	16-17	V	3.3	0B5 (7 SPD)	7.9/7.5	7/6.7				G 052 529 A2				LUBEGARD DCTF			
	10-12	V8	4.2L (BVJ)	09E (6 SPD) ZF6HP26	11/10.4	10.6/10				G 055 005 A2				DVI, MLV			
S6 Quattro	02-03	V8	4.2L	ZF 5HP24	9.5/9	4.2/4				Esso Type LT 71141				SYN DM, MV			
S7	16-17	V8	4.0L	0B5 (7 SPD)	7.9/7.5	7/6.7				G 052 529 A2				LUBEGARD DCTF			
S7 Quattro	13-15			0B5 (7 SPD)	7.9/7.5	7/6.7				G 052 529 A2				LUBEGARD DCTF			
S8	13-17	V8	4.0L	0BK (8 SPD)	9/8.6	4.2/4				G 060 162 A2				DVI, MLV			
A7 Quattro	12-15	V6	3.0L	0BK (8 SPD)	9/8.6	4.2/4				G 060 162 A2				DVI, MLV			
	16-17	V6	3.3L	0BK (8 SPD)	9/8.6	4.2/4				G 060 162 A2				DVI, MLV			
A8	97-99	V6	2.8L	ZF 4HP18	9.5/9	2.7/2.6				Esso Type LT 71141				SYN DM, MV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM DEXRON®/MERCON®
DVI DEXRON® VI
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV
LGB Lifeguard® 6

LGB
DHP
GFS
*

Lifeguard® 8
Dexron® HP
Gear Fluid Supplement
Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Base Fluid	68112	56032	69032
							60902	63010			61910	62005	63010		CVT	DCT	ATF
A8 Quattro	97-99	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6				Esso Type LT 71141							
	99-03	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6				Esso Type LT 71141							
	04-07	V8	4.2L	ZF 6HP26 (09E)	11/10.4	N/A				G 055 005 A2							
	04-07	W12	6.0L	ZF 6HP32	11/10.4	N/A				G 055 005 A2							
	11-17	W12	6.0L	OBK (8 SPD)	9/8.6	4.2/4				G 060 162 A2							
R8	07-13	V8, V10	4.2 (BYH), 5.2L (BSM)	R TRONIC 086 (6SPD)	4.2/4	3.7/3.5				G 052 171 A2 (R Tronic)							
	14-15	V6, V8	3.0, 4.0L	Tiptronic 7-speed	11/10.5	8.4/8				GO 52 529 A2							
	17	V10	5.2L	Tiptronic 7-speed	12.4/11.8	11/10.5				GO 52 529 A2							
S8	01-03	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6				Esso Type LT 71141							
	07-10	V10	5.2L (BSM)	ZF 6HP26	11/10.4	N/A				G 055 005 A2							
Cabriolet	94-02	V6	2.8L	97	5.7/5.4	3.2/3				Esso Type LT 71141							
	03-07	L4, V6	1.8, 3.0L	AWTF60SM	7.4/7	2.9/2.7				G 055 025 A2							
TT	07-10	L4	2.0L (BPY) (CDMA) (CCTA)	DSG, 02E	7.3/6.9	5.8/5.5				G 052 182 A2 (DSG)							
	08-17	V6	3.2L (CBRA)	DSG, 02E	7.3/6.9	5.8/5.5				G 052 182 A2 (DSG)							
TT Quattro	04-09	L4, V6	2.0 (BPY), 3.2L (CBRA)	09E	9.5/9	4.2/4				G 055 005 A2							
	08-17	L4, V6	2.0 (BPY), 3.2L (CBRA)	09G (6 SPD)	7.4/7	N/A				G 055 025 A2							
Q3, Q3 Quattro	15-17	L4	2.0L	09M	7.4/7	N/A				G 055 025 A2							
	09-10	V6	3.2L (CBRA)	0B6	11/10.4	7/6.7				G 060 162 A2							
Q5	11-12	V6	3.2L (CBRA)	0B6	11/10.4	7/6.7				G 060 162 A2							
	09-10	L4, V6	3.0 (CCAA), 3.2 (BKH), 4.2L (BVJ)	0B5	7.9/7.5	N/A				G 052 529 A2							
	11-17	V6	3.2L (CBRA)	OBK/OBL (8 SPD)	9.5/9	4.2/4				G 055 145 A2							
Q7	11-12	L4	2.0L	0B6	11/10.4	4.2/4				G 060 162 A2							
	07-10	V8	3.0 (CCAA), 3.6, 4.2L (BVJ)	0AT	9.1/8.6	N/A				G 060 162 A2							
	07-10	V6, V8	4.2L (BAR)	09D	9.5/9	N/A				G 055 025 A2							
	11-16	V6	3.0L Diesel	OC8 8 SPD	13.5/12.8	N/A				G 055 540 A2							
SQ5	17	V6	3.0L	0D5	9/8.6	4.2/4				G 060 162 A2							
	14-17	V6	3.0L	OBK/OBL (8 SPD)	9.5/9	4.2/4				G 060 162 A2							
BUICK																	
Allure	05	V6	3.8L	4T65-E	13.4/12.7	7.4/7				DEXRON III							
	06-09	V6	3.8 (L26), 5.3L (LS4)	4T65-E	13.4/12.7	7.4/7				DEXRON VI							
Cascada	10	L4, V6	2.4 (LE5), 3.0 (LF1), 3.6L (LLT)	6T70 (MH2/4), 6T75 (MH7/8)	9.5/9	4.2-6.3/4-6				DEXRON VI							
	16-17	L4	1.6L	6T45	4.0/4.2	8.5/9.0				DEXRON VI							
Century	84-96	V6	3.1L	TH125C (3T40)	6.9/6.5	4/3.8				DEXRON III							
	94-05	V6	3.1L	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III							
Century Wagon	95-02	V6	3.1L	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III							
	08-17	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6				DEXRON VI							
Encore	13-17	L4	1.4L	6T40	4.0/4.2	8.5/9				DEXRON VI							
Envision	16-17	L4	2.0L, 2.5L	6T50, 6T45	4.0/4.2	8.5/9				DEXRON VI							
Estate Wagon	95-03	V6	3.8L	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III							
	05	V6	3.8L	4T65-E	13.4/12.7	7.4/7				DEXRON III							
LaCrosse (Allure)	06-09	V6, V8	3.8 (L26), 5.3L (LS4)	4T65-E	13.4/12.7	7.4/7				DEXRON VI							
	10-16	L4, V6	2.4 (LE5), 3.0 (LF1), 3.6L (LLT)	6T70 (MH2/4), 6T75 (MH7/8)	9.5/9	4.2-6.3/4-6				DEXRON VI							
LeSabre	17		3.6L	AF50-8	NA	7.1/7.5				GM 19256039 (AW-1)							
	95-05	V6	3.8L	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III							
Lucerne	06-11	V6	3.8 (L26) (L67), 3.9L (LGD) (LZ9)	4T65-E (M15)	13.4/12.7	7.4/7				DEXRON VI							
	06-11	V8	4.6L (LD8) (L37)	4T80-E (MH1)	15/14.2	7.4/7				DEXRON VI							
Park Avenue	91-03	V6	3.8L & SC	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III							
Park Avenue	02-07	V6, V8	4.2, 5.3L	4T65-E AWD	10.4/ 9.8	7.8/7.4				DEXRON III, VI							

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Ranier	91-03	V6	3.8L & SC	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III				DM, DVI			
	02-07	V6, V8	4.2, 5.3L	4T65-E AWD	10.4/9.8	7.8/7.4				DEXRON III, VI				DM, DVI			
	04-07	L6	4.2L	4L60-E	11.2/10.6	5/4.7				DEXRON III, VI				DM, DVI			
	06-07	L6	4.2L	4L60-E	11.2/10.6	5/4.7				DEXRON VI				DM, DVI			
Regal	95-02	V6	3.8, 3.1, 3L & SC	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III				DM, DVI			
	11-17	L4, V6	2.0 (LHU), 2.4 (LAF), 3.6L	6T45 (MH7)	8.5/8	4.2-6.3/4-6				DEXRON VI				MLV			
	11-17	L4, V6	2.0 (LHU), 2.4 (LAF), 3.6L	AF40-6 (MDK) (M36)	8.45/8	N/A				GM 19256039 (AW-1)				SYN DM, DVI, MV			
Rendezvous	02	V6	3.4L	4T65-E FWD	10/9.5	7.4/7				DEXRON III				DM, DVI			
	02-05	V6	3.5L	4T60-E, 4T65-E	10/9.5	7.8/7.4				DEXRON III				DM, DVI			
	02-07	V6	3.4, 3.6L	4T65-E AWD	10.4/9.8	7.8/7.4				DEXRON III, VI				DM, DVI			
	06-07	V6	3.5L	4T65-E	10/9.5	7.8/7.4				DEXRON VI				MLV			
Riviera	95-99	V6	3.8L	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III				DM, DVI			
	95-96	V8	5.7L	4L60-E	11.2/10.5	5/4.7				DEXRON III				DM, DVI			
Roadmaster Sedan/Wagon	94-98	N/A	N/A	TH125 (3T40)	9/8.5	4/3.8				DEXRON III				DM, DVI			
	95-98	L4, V6	2.3, 2.4, 3.1L	4T60-E	11/10.4	6/5.7				DEXRON III				DM, DVI			
Skylark	95	L4	2.3L	3T40	6.9/6.5	4/3.8				DEXRON III				DM, DVI			
	97	L4	2.4L	4T40-E	9/8.5	4/3.8				DEXRON III				DM, DVI			
	05	V6	3.5L	4T65-E	10/9.5	7.8/7.4				DEXRON III				DM, DVI			
Terraza	06-07	V6	3.5L	4T65-E	10.4/9.9	7.8/7.4				DEXRON VI				MLV			
Verano	12-17	L4	2.0 (LE5), 2.4L (LF1)	6T70 (MH2)	9.5/9	4.2-6.3/4-6				DEXRON VI				MLV			
BMW																	
128i	08-13	L6	3.0L (N51), 3.0L (N52K)	6L45R/6L50	10/9.5	6.5/6.2				Dexron VI				LV			
135i	08-10	L6	3.0L (N54)	GA6HP19Z	9.4/8.9	4.2/4				Shell M-1375.4				DVI, LG6			
135i/is	11-13	L6	3.0L	GS7D36SG	8.2/7.8	N/A				BMW 83 22 2 148 578				DCT			
228i	14-16	L6		GA8HP45Z, GA8HP50Z	9.3/8.8	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
228ix	15-16	L6		GS7D36SG	8.9/8.4	N/A				BMW 83 22 2 148 578				DCT			
3 SERIES	92-00	ALL	ALL	4L30-E	9.3/8.8	3.2/3				DEXRON III				DM, DVI			
	95-99	ALL	ALL	ZF 5HP-18	9.4/8.9	3.2/3				BMW 83 22 9 407 807				DM, DVI			
	98-06	ALL	ALL	5L40-E	9.5/9	4.2/4				Texaco ETL-7045 E / DEXRON III				DM, DVI			
	00-06	ALL	2.5L	ZF 5HP-19	9.4/8.9	4.2/4				Esso Type LT 71141				SYN DM, DVI, MV			
	00-06	ALL	3.0L	ZF 5HP-19	9.2/8.7	4.2/4				Esso Type LT 71141				SYN DM, DVI, MV			
	06-13	ALL	ALL	6HP19Z, 6HP26Z	10.5/10	4.2/4				Shell M-1375.4				DVI, LG6			
335is, M3	11-13	L6	3.0L (N54), 3.0L (M57Y)	GS7D36SG	8.2/7.8	N/A				BMW 83 22 2 148 578				DCT			
328i	11-13	L6	3.0L (N51), 3.0L (N52)	GA6L45R	10/9.5	6.5/6.2				Dexron VI				MLV			
3 SERIES	12-16	ALL	ALL	GA8HP45Z	9/8.5	N/A				P/N 83 22 2 152 426				DEX HP, LG8			
	12-16	ALL	ALL	GA8HP70Z	N/A	N/A				P/N 83 22 2 152 426				DEX HP, LG8			
428i, xi	14-16	L4	2.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
435i, xi	14-16	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
525i	91-99	ALL	ALL	4L30-E	9.3/8.8	3.2/3				Texaco ETL-7045 E / DEXRON III				SYN DM, DVI, MV			
	95-03	ALL	ALL	ZF 5HP24	10.2/9.7	4.2/4				Texaco ETL-7045 E / DEXRON III				SYN DM, DVI, MV			
530i	93-95	V8	3.0L	ZF 5HP18	8.2/7.8	3.5/3				Esso Type LT 71141				SYN DM, DVI, MV			
540i	91-96	V8	4.0L	ZF 5HP30	13.7/13	5.8/5.5				BMW 83 22 9 407 765				SYN DM, DVI, MV			
	97-03	ALL	ALL	ZF 5HP-19	9.4/8.9					Esso Type LT 71141				SYN DM, DVI, MV			
5 SERIES	00-01	ALL	ALL	GM5L40-E	9.5/9	4.2/4				Texaco ETL-7045 E / DEXRON III				SYN DM, DVI, MV			
	04-10	ALL	ALL	GA ZF 6HP-19Z	9.5/9	4.2/4				Shell M-1375.4				DVI, LG6			
	04-10	ALL	ALL	GA ZF 6HP-26Z	9.5/9	4.2/4				Shell M-1375.4				DVI, LG6			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



B

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
5 SERIES	11-16	ALL	ALL	GA8HP45Z, GA8HP70Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
	11-16	ALL	ALL	GA8HP70H	N/A	4.9/4.6				BMW 83 22 2 152 426				DEX HP, LG8			
	13-16	ALL	ALL	GS7D36SG	9.3/8.8	N/A				BMW 83 22 2 148 578				DCT			
640i, ix	12-16	ALL	ALL	GA8HP45Z, GA8HP70Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
645Ci	04-05	V8	4.4L	GA6HP26Z	9.5/9	4.5/4				Shell M-1375.4				DVI, LG6			
650Ci	06	V8	4.4L	GA6HP26Z	9.5/9	4.5/4				Shell M-1375.4				DVI, LG6			
650ix	12-16	ALL	ALL	GA8HP45Z, GA8HP70Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
650i, M6	06-10	V8	4.8L (N62TU) (N62N)	GA6HP26Z	9.5/9	4.5/4				Shell M-1375.4				DVI, LG6			
	12-16	ALL	ALL	GS7D36SG	8.2/7.8	N/A				BMW 83 22 2 148 578				DCT			
7 SERIES	92-01	V8, V12	4.0L 5.4L	ZF 5HP-30	13.8/13.1	5.8/5.5				Esso Type LT 71141				SYN DM, MV			
740i	97-01	V8	4.4L	ZF 5HP-24	10.2/9.7	4.2/4				Esso Type LT 71141				SYN DM, MV			
740i, Li	11, 13	V6	3.0L	ZF 6HP19Z	9.5/9	4.2/4				Shell M-1375.4				DVI, LG6			
745, 750	02-12	V8, V12	4.4L, 4.8L, 6.0L	GA 6HP26Z	9.5/9	4.2/4				Shell M-1375.4				DVI, LG6			
760	02-12	V12	6.0L	GA 6HP26Z	11.8/11.2	4.2/4				Shell M-1375.4				DVI, LG6			
7 SERIES	11-16	ALL	ALL	GA 8HP45Z, GA8HP50Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
	11-16	ALL	ALL	GA8HP70H	N/A	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
	11-16	ALL	ALL	GA8H-P70Z, GA8HP75Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
	11-16	ALL	ALL	GA8HP90Z	10.5/10	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
840i	93-96	V8	4.4L	ZF 5HP30	13.7/13	5.8/5.5				Esso Type LT 71141				SYN DM, DVI, MV			
	96-97	V8	4.4L	ZF 5HP24	10.2/9.7	4.2/4				Esso Type LT 71141				SYN DM, DVI, MV			
850	95-97	V12	5.4L	ZF 5HP30	13.7/13	5.8/5.5				Esso Type LT 71141				SYN DM, DVI, MV			
M235i, ix	14-16	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
M2	14-16	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
M3	95-99	L6	3.0L, 3.2L	ZF 5HP18	9.4/8.9	3.2/3				Esso Type LT 71141				SYN DM, DVI, MV			
	06-13	V8	4.0L (S65B40), 4.4L (S65B44)	SMG GS7S47BG	9.5/9	N/A				BMW 83 22 0 440 214				DCT			
	11-13	V8	4.0L (S65B40), 4.4L (S65B44)	GS7D36SG	8.2/7.8	N/A				BMW 83 22 2 148 578				DCT			
M4	14-16	L6	3.0L (S55B30T0)	GS7D36SG	8.9/8.4	N/A				BMW 83 22 2 148 578				DCT			
	15-16	L6	3.0L (S55B30T0)	GS7D36SG	8.9/8.4	N/A				BMW 83 22 2 148 578				DCT			
M5	13-16	V10	5.0L (S85)	GS7D36SG	9.3/8.8	N/A				BMW 83 22 2 148 578				DCT			
M6	06-10	V10	4.8L (N62TU) (N62N)	SMG GS7S47BG	9.5/9	N/A				BMW 83 22 0 440 214				DCT			
	12-16	V10	ALL	GS7D36SG	8.2/7.8	N/A				BMW 83 22 2 148 578				DCT			
X1	13-16	L4, L6	2.0L, 3.0L	GA6HP19Z	10/9.5	N/A				Shell M-1375.4				D6, LG6			
	13-16	L4, L6	2.0L, 3.0L	GA 8HP45Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
X3	04-06	L6	2.5, 3.0	5L40-E	9.5/9	4.2/4				BMW 83 22 9 407 765				SYN DM, DVI, MV			
	07-10	L6	3.0L (N52K)	6L45R/ 6L50	10/9.5	N/A				BMW 83 22 0 403 249				DVI, LG6			
	11-15	L4, L6	2.0L, 3.0L (N52K)	GA8HP45Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
X4	16	L4, L6	2.0L, 3.0L (N52K)	GA8F22AW	7.4/7	N/A				BMW 83 22 2 355 599				DEX HP, LG8			
	15-16	ALL	ALL	GA8HP45Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
	16	ALL	ALL	GA8F22AW	7.4/7	N/A				BMW 83 22 2 355 599				DEX HP, LG8			
X5	99-03	V8	4.4, 4.6L	ZF 5HP24	10.2/9.7	4.2/4				Esso Type LT 71141				SYN DM, DVI, MV			
	01-06	V8	3.0L	5L40-E	9.5/9	4.2/4				Texaco ETL-7045				SYN DM, DVI, MV			
	04-11	V8	4.4L, 4.8L	GA6HP26Z	10.6/9.5	N/A				Shell M-1375.4				DVI, LG6			
	07-11	L6	3.0L	GA6HP19Z	9.5/9	4.2/4				Shell M-1375.4				DVI, LG6			
	11-16	L6, V8	3.0L, 4.4L	GA8HP45Z, GA8HP70Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
X5 Diesel	09-13	L6	3.0L Diesel	GA6HP26Z	10.6/9.5	N/A				Shell M-1375.4				DVI, LG6			
	11-16	L4, L6	2.0L Diesel, 3.0L Diesel	GA8HP45Z, GA8HP70Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
X6	08-10	L6, V8	3.0 (N54), 4.4L (N63)	ZF 6HP19, ZF 6HP21	9.5/9	4.2/4				Shell M-1375.4				DVI, LG6			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
X6	08-11	L6, V8	3.0 (N54), 3.5 (M57), 4.4L (N63)	ZF 6HP26, ZF 6HP28	10.6/10	4.5/4.2				Shell M-1375.4				DVI, LG6			
	11-16	V8	4.4L (N63)	ZF 8HP45, ZF 8HP70	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
X6 (HYBRID)	10-11	V8	4.4L (N63)	GA7AHSCD	12.7/12					DEXRON VI				MLV			
	96-00	L4, L6	1.9, 2.8L	4L30-E	9.3/8.8	3.2/3				Esso Type LT 71141				SYN DM, DVI, MV			
Z3	01-02	L4, L6	1.9, 2.8L	5L40-E	9.5/9	4.5/4.2				Esso Type LT 71141				SYN DM, DVI, MV			
	03-05	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	ZF 5HP-19	9.4/8.9	4.5/4.2				Esso Type LT 71141				SYN DM, DVI, MV			
Z4	06-13	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	GA6HP19Z	9.4/8.9	4.2/4				Shell M-1375.4				DVI, LG6			
	11-16	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	GS7D36SG	8.2/7.8	N/A				BMW 83 22 2 148 578				DCT			
	12-16	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	GA8HP45Z	9/8.5	N/A				BMW 83 22 2 152 426				DEX HP, LG8			
CADILLAC																	
ATS	13-15	L4	2.0L, 2.5	6L45	6.0/6.3	10.3/10.9				DEXRON VI				MLV			
	16-17	L4	2.0L, 2.5	8L45, 8L90	10.3/10.9	7/7.4				DEXRON HP				SYN DVI, LG6			
Catera	97-01	V6	3.0L	4L30-E	7/6.6	N/A				DEXRON III				DM, DVI			
	02-07	V6	3.2, 3.6L	5L40-E	7/6.4	N/A				DEXRON III, VI				DM, DVI			
Concours	95-99	V8	4.6L	4T80-E	15/14.2	11/10.4				DEXRON III				DM, DVI			
	95-99	N/A	N/A	4T80-E	15/14.2	11/10.4				DEXRON III				DM, DVI			
CTS/CTS-V	03-04	V6, V8	2.6 (L49), 3.2 (LA3), 3.6 (LY7), 5.7L	5L40-E (M82)	12.6/12	5/4.7				DEXRON III				DM, DVI			
	05	V6, V8	2.8 (LP1), 3.6 (LY7), 5.7L (LS6)	5L40-E (M82)	12.6/12	5/4.7				DEXRON VI				MLV			
	06-07	V6, V8	2.8 (LP1), 3.6 (LY7), 6.0L (LS2)	5L40-E (M82), 5L50-E	12.6/12	5/4.7				DEXRON VI				MLV			
	08	V6	3.6L (LLT)	6L50 (MYB)	11/10.5	6.7/6.3				DEXRON VI				MLV			
	08-13	V6	3.0 (LFI)	6L45 (MYA)	11/10.5	6.7/6.3				DEXRON VI				MLV			
	08-13	V6	3.6L (LLT)	6L50 (MYB)	11.4/10.8	6.7/6.3				DEXRON VI				MLV			
	08-13	V8	6.2L (L92) (L9H) (L94)	6L80 (MYC)	10.9/10.3	6.7/6.3				DEXRON VI				MLV			
DTS	08-13	V8	6.2L (LSA)	6L90 (MYD)	14/13.2	6.7/6.3				DEXRON VI				MLV			
	14-15	L4	2.0L	6L45	10.5/11.1	6.3/6.7				DEXRON VI				MLV			
	14	V6	3.6L	6L45	10.5/11.1	6.3/6.7				DEXRON VI				MLV			
	16-17	L4	2.0L	8L45	10.3/10.9	7/7.4				DEXRON HP				SYN DVI, LG6			
	06-11	V8	4.6L (LD8) (L37)	4T80-E (MH1)	15/14.2	7.4/7				DEXRON VI				MLV			
	95	V8	4.9L	4T60-E	13.4/12.7	6/5.7				DEXRON III				DM, DVI			
	95-99	N/A	N/A	4T80-E	15/14.2	11/10.4				DEXRON III				DM, DVI			
DeVille	96-05	V8	4.6L	4T80-E	15/14.2	11/10.4				DEXRON III, VI				DM, DVI			
	96-02	V8	4.6L	4T80-E	15/14.2	8/7.6				DEXRON III				DM, DVI			
Eldorado	14-156	L4	1.4L	4ET50	N/A	8.5/9				DEXRON VI				MLV			
ELR	99-05	V8	5.3, 5.7, 6.0L	4L60-E HD	13.5/12.8	7.7/7.3				DEXRON III, VI				DM, DVI			
	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L65-E, 4L70-E	11/10.6	5/4.7				DEXRON VI				MLV			
Escalade	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	08-10	V8	6.0L (LFA)	2ML70 (M99)	13/12.3	11.5/10.9				DEXRON VI				MLV			
	99-05	V8	5.3, 5.7, 6.0L	4L60-E	11/10.6	5/4.7				DEXRON III, VI				DM, DVI			
Escalade 2WD	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L65-E	11/10.6	5/4.7				DEXRON VI				MLV			
	07-10	V8	6.2L (L92)(L9H)(L94)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	11-12	V8	6.2L (L92) (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6				DEXRON VI				MLV			
	13-15	V8	5.3, 6.2L	6L80	12.4/11.7	6/5.7				DEXRON VI				MLV			
16-17	V8	6.2L	8L90	11.4/10.8	7.4/7				DEXRON HP				SYN DVI, LG6				



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Base Fluid	68112	56032	69032
							60902	63010			61910	62005	63010		CVT	DCT	ATF
Escalade 4WD	99-05	V8	5.3, 5.7, 6.0L	4L60-E	11/10.6	5/4.7				DEXRON III, VI				DM, DVI			
	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L65-E, 4L60-E	11/10.6	5/4.7				DEXRON VI				MLV			
	07-10	V8	6.2L (L92) (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	11-14	V8	6.2L (L92) (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6				DEXRON VI				MLV			
Escalade ESV	06	V8	4.8 (LR4), 5.3L (LM7) (L59)	4L60-E, 4L65-E	11/10.6	5/4.7				DEXRON VI				MLV			
	06	V8	6.0 (LQ4) (LQ9), 8.1L (L18)	4L80-E, 4L85-E	13.5/12.8	7.7/7.3				DEXRON VI				MLV			
	07-08	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	07-08	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	4L60-E, 4L65-E	11/10.6	5/4.7				DEXRON VI				MLV			
	07-08	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	4L80-E (MT1), 4L85-E (MN8)	7.7/7.3	7.7/7.3				DEXRON VI				MLV			
	09-10	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	15-17	V8	5.3, 6.2L	6L80, 8L90	12.4/11.7	6/5.7				DEXRON VI				MLV			
Escalade ESV 4WD	15-17	V8	6.2L	8L90	10.9/10.3	7.4/7				DEXRON HP				MLV			
	06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3				DEXRON VI				MLV			
	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7				DEXRON VI				MLV			
	07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L70E	11/10.6	5/4.7				DEXRON VI				MLV			
	08-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
Escalade EXT	11-12	V8	6.2L (L92) (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6				DEXRON VI				MLV			
	95-96	V8	5.7L	4L60-E	11.2/10.5	5/4.7				DEXRON III				DM, DVI			
	97-01	V8	4.6L	4T80-E	15/14.2	11/10.4				DEXRON III				DM, DVI			
	96-05	V8	4.6L	4T80-E	15/14.2	11/10.4				DEXRON III				DM, DVI			
SLS	08-09	V6, V8	3.6 (LY7), 4.6L (LH2)	5L40-E (M82), 6L50 (M22)	9.4/8.9, 10.7/10.1	5.0/4.7, 7.25/6.8				DEXRON VI				MLV			
SRX	04-05	V6, V8	3.6, 4.6L	5L40-E, 5L50-E	12.6/12	6.3/6				DEXRON III				DM, DVI			
	06	V6	3.6L	5L50-E	12.6/12	6.3/6				DEXRON VI				MLV			
	07-09	V6, V8	3.6 (LY7), 4.6L (LH2)	6L50	N/A	7.3-6.9				DEXRON VI				MLV			
	07-09	V6, V8	3.6 (LY7), 4.6L (LH2)	5L50-E	9/8.5	7.4/6				DEXRON VI				MLV			
	10-16	V6	2.8 (LAU), 3.0L (LF1)	6T70 (MH2) (MH4)	9.5/7.4	6.3/5.5				DEXRON VI				MLV			
	10-16	V6	2.8 (LAU), 3.0L (LF1)	AF 40-6 (MXE)	N/A	8.0/7.3				AW-1 19256039				MLV			
STS	93-04	V8	4.6L	4T80-E	15/14.2	8/7.6				DEXRON III				MLV			
	05-09	V6	3.6 (LLT) (LY7), 2.8L (LP1)	5L50-E	12.6/12	6.3/6				DEXRON VI				MLV			
	06-07	V8	4.4 (LC3), 4.6L (LH2)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	07-09	V8	4.4 (LC3), 4.6L (LH2)	6L50 (MYB), 6L45 (MYA)	11.4/10.8	6.7/6.3				DEXRON VI				MLV			
	08-11	V6, V8	3.0 (LF1), 3.6 (LLT), 4.6L (LH2)	6L50 (MYB), 6L45 (MYA)	11.4/10.8	6.7/6.3				DEXRON VI				MLV			
XLR	08-11	V8	4.4 (LC3), 4.6L (LH2)	6L90 (MYD)	14/13.2	6.7/6.3				DEXRON VI				MLV			
	04-06	V8	4.6L	5L50-E	9.4/8.9	7.4/7				DEXRON VI				MLV			
	06-09	V8	4.4 (LC3), 4.6L (LH2)	6L80 (MYC)	10/9.5	6.5/6.2				DEXRON VI				MLV			
XTS	13	V6	3.6L	6T70/6T75	9.5/9	6.3/6				AW-1 19256039				MLV			
	14-17	V6	3.6L	6T70/6T75	9.5/9	4.2/4.0				DEXRON VI				MLV			
	17	V6	3.6L	AF50-8	7.5/7.1	N/A				AW-1 19256039				MLV			
CHEVROLET																	
Astro	92-05	V6	4.3L	4L60-E	11.5/10.8	5/4.7				DEXRON III				DM, DVI			
Avalanche	02-05	V8	5.3, 8.1L	4L60-E, 4L80-E	11/10.4, 6.3/6	5/4.7, 6/5.7				DEXRON III				DM, DVI			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Avalanche	06-07	V8	5.3, 6.0, 8.1L	4L60-E, 4L80-E	11/10.4, 6.3/6	5/4.7, 6/5.7				DEXRON VI				MLV			
	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7				DEXRON VI				MLV			
	06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3				DEXRON VI				MLV			
	07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L70E	11/10.6	5/4.7				DEXRON VI				MLV			
	08-12	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	11-12	V8	5.3 (LMG), 6.0 (L96)	4L60-E, 4L65-E	11/10.6	5/4.7				DEXRON VI				MLV			
Aveo	11-12	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6				DEXRON VI				MLV			
	04-11	L4	1.6L (LXT) (LXV)	A 81-40LE (MLQ)	6.2/5.8	2.2/2.1				GM 88900925				* DM, MV			
	89-90	N/A	N/A	4L60	11.5/10.8	5/4.7				DEXRON III				DM, DVI			
	91-92	V6	N/A	4L60	8.4/7.9	5/4.7				DEXRON III				DM, DVI			
	91-92	V8	5.0L	4L60	11.1/10.5	5/4.7				DEXRON III				DM, DVI			
	93	V6	N/A	4L60-E	8.4/7.9	5/4.7				DEXRON III				DM, DVI			
	93	V8	N/A	4L60-E	10.8/10.2	5/4.7				DEXRON III				DM, DVI			
	94-96	V6	3.4, 3.8L	4L60-E	8.4/7.9	5/4.7				DEXRON III				DM, DVI			
Camaro	94-96	V8	5.7L	4L60-E	10.8/10.2	5/4.7				DEXRON III				DM, DVI			
	97-02	V6	3.4, 3.8L	4L60-E	8.8/8.3	5/4.7				DEXRON III				DM, DVI			
	97-02	V8	5.7L	4L60-E	11.2/10.6	5/4.7				DEXRON III				DM, DVI			
	10-12	V6, V8	3.6 (LLT), 6.2L (LS3)	6L50 (MYB), 6L80 (MYC)	11.4/10.8, 10/9.5	6.7/6.3, 6.5/6.2				DEXRON VI				MLV			
	14-15	V8	6.2L	6L90 (MYD)	14.5/13.5	6.7/6.3				DEXRON VI				MLV			
	16-17	V6, V8	3.6L, 2.0L	8L45/8L90	11.4/10.8	7.4/7				DEXRON HP				SYN DVI, LG6			
	87-96	V6, V8	4.3, 5.7L	4L60-E	11.2/10.6	5/4.7				DEXRON III				DM, DVI			
	13-17	V6, V8	3.6 (LLT), 6.2L (LS3)	6L50 (MYB), 6L80 (MYC)	11.4/10.8, 10/9.5	6.7/6.3				DEXRON VI				MLV			
Caprice	09-10	V6, L4	2.0, 2.4, 3.2, 3.6L	AF33-5 (M98)	8.2/7.8	4.3/4				GM 88900925				* DM, MV			
	09-10	V6, L4	2.0, 2.4, 3.2, 3.6L	6T40 (MH8)	8.5/8	5.3/5				DEXRON VI				MLV			
	06-08	L4, V6	2.0, 2.4, 3.2L	55-51LE	7.5/7.1	N/A				JWS 3309				* DM, MV			
Cavalier	94-99	L4	2.2L	3T40	9/8.5	4/3.8				DEXRON III				DM, DVI			
	95-05	L4	2.2, 2.3, 2.4L	4T40-E	12.9/12.2	6.9/6.5				DEXRON III				DM, DVI			
	05-08	L4	2.0 (LSJ), 2.2 (L61), 2.4L (LE5)	4T40-E, 4T45-E (MN5)	9.5/9	6.9/6.5				DEXRON VI				MLV			
Cobalt	09-10	L4	2.0L (LAP) (LNF)	4T45-E (MN5)	9.5/9	6.9/6.5				DEXRON VI				MLV			
	94-96	V8	5.7L	4L60-E	11.2/10.7	5/4.7				DEXRON III				DM, DVI			
	97-05	V8	5.7L	4L60-E	10.8/10.2	5/4.7				DEXRON III, VI				DM, DVI			
	06-08	V8	6.0 (LS2), 7.0L (LS7)	6L80 (MYC)	13.2/12.5	6.5/6.2				DEXRON VI				MLV			
	08-14	V8	6.2 (LS3) (LS9), 7.0L (LS7)	6L80 (MYC)	13.2/12.5	6.5/6.2				DEXRON VI				MLV			
	15-17	V8	6.2L	8L90	11.8/11.2	7.4/7				DEXRON HP				SYN DVI, LG6			
Corvette	10-12	L4	2.0 (LLW), 1.6L (LXT) (LXV)	6T30 (MH9)	8.5/8	5.3/5				DEXRON VI				MLV			
	10-16	L4	2.0 (LLW), 1.6L (LXT) (LXV)	6T40 (MH8), 6T45 (MH7)	9/8.5	6.3/6				DEXRON VI				MLV			
	17	L4	1.4L	6T35	9/8.5	4.2/4				DEXRON VI				MLV			
Epica (Export)	06-08	L4	1.8 (LDA), 2.0 (LBM), 2.5L (LBK)	55-51E (M98)	7.5/7.1	N/A				JWS 3309				* DM, MV			
	08-10	L4	2.0 (LBM), 2.5L (LBK)	6T40 (MH8), 6T45 (MH7)	8.5/8	5.3/5				DEXRON VI				MLV			
Equinox	05-09	V6	3.4 (LNJ), 3.6L (LY7)	AF 33-5 (M98)	8.2/7.8	4.3/4				GM 88900925				* DM, MV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Equinox	08-10	L4, V6	2.4 (LAF), 3.0L (LF1)	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5				DEXRON VI				MLV			
	10	L4, V6	2.4 (LAF), 3.0L (LF1)	6T45 (MH7) (MHC)	8.5/8	5.3/5				DEXRON VI				MLV			
HHR	05-11	L4	2.0 (LNF), 2.2 (LE8), 2.4L (LE9)	4T45-E (MN5)	9.5/9	6.9/6.5				DEXRON VI				MLV			
Impala	94-96	V6, V8	3.8, 5.7L	4L60-E	11.2/10.6	5/4.7				DEXRON III				DM, DVI			
	05-09	V6, V8	3.5, 3.8, 3.9, 5.3L	4T65-E (M15), 4T65-E HD (MN7)	13.4/12.7	7.4/7				DEXRON VI				MLV			
	10-11	V6	3.5 (LZ4) (LZE), 3.9L (LG9)	4T65-E (M15)	13.4/12.7	7.4/7				DEXRON VI				MLV			
Impala Limited	12-17	V6	3.6L (LY7)	6T70 (MH2)	9/8.5	6.3/6				DEXRON VI				MLV			
Lumina	14-17	V6	3.6L	6T70 (MH2)	9/8.5	6.3/6				DEXRON VI				MLV			
	93-96	V6	3.1L	3T40	6.9/6.5	4/3.8				DEXRON III				DM, DVI			
Lumina (Export)	95-05	V6	3.1, 3.4, 3.8L	4T60/65E	13.4/12.7	7.4/7				DEXRON III				DM, DVI			
	94-96	V6	3.4, 3.8L	4T60-E	8/7.6	6/5.7				DEXRON III				DM, DVI			
	06-09	V6, V8	3.0, 3.6, 6.0, 6.2L	5L50-E	12.6/12	6.3/6				DEXRON VI				MLV			
	06-10	V6, V8	3.0, 3.6, 6.0, 6.2L	4L60-E, 4L65-E	11/10.6	5/4.7				DEXRON VI				MLV			
Malibu (Classic)	06-10	V6, V8	3.0, 3.6, 6.0, 6.2L	6L50 (MYB), 6L80 (MYC)	11.4/10.8, 10/9.5	6.7/6.3, 6.5/6.2				DEXRON VI				MLV			
	97-02	L4, V6	2.4, 3.1L	4T40-E	9.5/9	6.9/6.5				DEXRON III				DM, DVI			
	03-05	L4, V6	2.2, 3.5L	4T45-E	12.9/12.2	6.9/6.5				DEXRON III				DM, DVI			
Malibu	06-08	L4, V6	2.2 (L61), 3.5 (LZ4), 3.9L (LZ9)	4T45-E (MN5)	9.5/9	6.9/6.5				DEXRON VI				MLV			
	06-08	L4, V6	2.2 (L61), 3.5 (LZ4), 3.9L (LZ9)	4T65-E (M15)	13.4/12.7	7.4/7				DEXRON VI				MLV			
Malibu	08-11	L4, V6	2.4, 3.5, 3.6L	6T70 (MH2)	9.5/7.4	6.3/6				DEXRON VI				MLV			
	08-11	L4, V6	2.4, 3.5, 3.6L	6T40 (MH8)	8.5/8	5.3/5				DEXRON VI				MLV			
	08-11	L4, V6	2.4, 3.5, 3.6L	4T45-E (MN5)	9.5/9	6.9/6.5				DEXRON VI				MLV			
	08-11	L4, V6	2.4, 3.5, 3.6L	4T45-E BAS HYBRID	9.5/9	6.9/6.5				DEXRON VI				MLV			
	11-15	L4	2.0 (LNF), 2.5L	6T40 (MH8), 6T70 (MH2)	9.0/8.5, 9.5/9	6.3/6				DEXRON VI				MLV			
Malibu Hybrid	16-17	L4	1.5L, 2.0L	6T40, 9T50	9/8.5, 9.5/10	6.3/6				DEXRON VI				MLV			
Malibu MAXX	16-17	L4	1.8L	5ET50	7.1/6.7	3.4/3.2				DEXRON VI				MLV			
	05	V6	3.5, 3.9L	4T45-E	12.9/12.2	6.9/6.5				DEXRON III				DM, DVI			
Malibu	06-07	V6	3.5, 3.9L	4T45-E	12.9/12.2	6.9/6.5				DEXRON VI				MLV			
Monte Carlo	93-05	V6	3.1, 3.4, 3.8L	4T60/65-E	11/10.4, 13.4/12.7	6/5.7, 7.4/7				DEXRON III				DM, DVI			
	06-07	V6	3.1, 3.4, 3.8L	4T60/65-E	13.4/12.7	N/A				DEXRON VI				MLV			
Omega (Export)	07-10	V6, V8	3.0, 3.6, 6.0, 6.2L	4L60-E, 4L65-E	11/10.6	5/4.7				DEXRON VI				MLV			
	07-10	V6, V8	3.0, 3.6, 6.0, 6.2L	6L50 (MYB), 6L80 (MYC)	11.4/10.8, 10/9.5	6.7/6.3, 6.5/6.2				DEXRON VI				MLV			
	07-10	V6, V8	3.0, 3.6, 6.0, 6.2L	5L50-E	12.6/12	6.3/6				DEXRON VI				MLV			
Optra (Export)	04-10	L4	1.6 (LXT), 2.0L (LMN)	81-40LE (MLQ)	6.2/5.8	2.2/2.1				GM 88900925				* DM, MV			
	07-10	L4	1.6 (LXT), 2.0L (LMN)	55-51LE (M98)	7.5/7.1	N/A				JWS 3309				* DM, MV			
Safari	04-10	L4	1.6 (LXT), 2.0L (LMN)	ZF 4HP16 (MFA)	7.3/6.9	4.2/4				Esso Type LT 71141				SYN DM, DVI, MV			
Sonic	92-03	V6	4.3L	4L60-E	11.5/10.8	5/4.7				DEXRON III				DM, DVI			
Spark (Export)	12-17	L4	1.4 (LUV), 1.8L (LUW)	6T30 (MH9)	8/7.5	5.8/5.5				DEXRON VI				MLV			
Spark	08-10	L4	1.0 (LMT), 1.2L (LMU)	JF405-E (MFL)	6.2/5.8	N/A				JWS 3314				DVI, MLV			
Spark EV	13-17	L4	1.2L (LMU)	Jatco CVT	6.5/6.2	N/A				AC Delco CVT							
SS	16	N/A	N/A	IET35	4.4/4.2	N/A				DEXRON VI				MLV			
Uplander	14-17	V8	6.2L (LS3)	6L80 (MYC)	11/10.4	6.7/6.3				DEXRON VI				MLV			
	05-06	V6	3.5 (LX9), 3.9L (LZD)	4T65-E (M15) (M76)	10.4/9.9	7.8/7.4				DEXRON VI				MLV			
Volt	07-09	V6	3.9L (LZ9) (LGD)	4T65-E (M15)	10.4/9.9	7.8/7.4				DEXRON VI				MLV			
	11-15	L4	1.4 (LUV)	4ET50	8.9/8.5	7.4/7				DEXRON VI				MLV			
Volt	16-17	L4	1.4 (LUV)	5ET50	7.1/6.7	3.4/3.2				DEXRON VI				MLV			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
CHEVY/GMC TRUCKS AND VANS																	
CHEVY/GMC TRUCKS AND VANS	95-02	V8	6.0, 8.1L	4L80-E	13.5/12.8	7.7/7.3				DEXRON III				DM, DVI			
	95-02	V8	6.5L	4L80-E	13/12.3	5/4.7				DEXRON III				DM, DVI			
	98-00	L4	1.6, 2.0L	03-72LE (A44DE)	6.7/6.3	2.7/2.6				DEXRON III				DM, DVI			
	98-00	V6	2.5L	4L60-E	11/10.4	5/4.7				DEXRON III				DM, DVI			
	01-07	L4	1.6, 2.0L	03-72LE (A44DE)	7.2/6.8	2.7/2.6				DEXRON III				DM, DVI			
	01-07	V6	2.5L	4L60-E	11/10.4	5/4.7				DEXRON III				DM, DVI			
	92-05	V8	5.3, 5.7L	4L60, 60-E, 80-E	11/10.6, 13.5/12.8	5/4.7, 7.7/7.3				DEXRON III				DM, DVI			
06-08	V8	5.3, 5.7L	4L60, 60-E, 80-E	11/10.6, 13.5/12.8	5/4.7, 7.7/7.3				DEXRON VI				MLV				
Acadia (GMC)	08-17	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6				DEXRON VI				MLV			
Acadia (GMC) Limited	17	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6				DEXRON VI				MLV			
Blazer/TrailBlazer/Jimmy	92-05	L4, V6	2.2, 4.2, 4.3L	4L60-E	11/10.6	5/4.7				DEXRON III				DM, DVI			
	12-15	L4	2.4L	AF 33-5 (M98)	8.2/7.8	4.3/4.1				TIV				DM, DVI			
Captiva Sport	12-15	V6	3.2L	6T45 (MH7) (MHC)	9.5/9	4.3/4				DEXRON VI				MLV			
City Express	15-17	L4	2.0L	Jatco CVT	7.8/7.4	N/A				ACDelco CVT 19260800							
C, K Series PU 1500-3500	95-05	V8	4.3, 4.8, 5.0, 5.3, 5.7, 6.0L	4L60-E	11/10.4	5/4.7				DEXRON III				DM, DVI			
	95-05	V8	5.0, 5.7, 6.0L	4L80-E	13.5/12.8	7.7/7.3				DEXRON III				DM, DVI			
	01-05	V8	8.1, 6.6L	Allison 1000	13/12.3	N/A				DEXRON III				DM, DVI			
	05-08	V8	8.1 (L18), 6.6L (LMM) (LBZ)	Allison LCT 1000 (LW7)	13/12.3	7.4/7				DEXRON VI				MLV			
	05-08	V8	5.7, 6.0L (LQ4)	4L80-E	13.5/12.8	7.7/7.3				DEXRON VI				MLV			
	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7				DEXRON VI				MLV			
	06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3				DEXRON VI				MLV			
	07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	4L60-E, 4L70E	11/10.6	5/4.7				DEXRON VI				MLV			
	08-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	09-12	V8	6.0L (L96) (LY6)	6L90 (MYD)	12.4/11.7	6.0/5.7				DEXRON VI				MLV			
	09-12	V8	6.6L (LMM)	Allison LCT 1000 (LW7), 2000	13/12.3	7.4/7				DEXRON VI				MLV			
	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	10-12	V8	6.0L (LFA)	2ML70 (M99)	13/12.3	11.5/10.9				DEXRON VI				MLV			
Colorado, Canyon	03-07	L4, V6	2.8, 3.5L	4L60-E	11.2/10.6	5/4.7				DEXRON III				DM, DVI			
	06-08	L4, V6	2.8, 3.5L	4L60-E	11.2/10.6	5/4.7				DEXRON VI				MLV			
	08-14	L4, L5, V8	2.9 (LLV), 3.7 (LLR) (LH8), 5.3L (LH9)	4L60-E	11.2/10.6	5/4.7				DEXRON VI				MLV			
	15-16	L4, V6	2.5, 3.6L	6L50	11.2/10.6	6.7/6.3				DEXRON VI				MLV			
17	L4, V6	2.5, 3.6L	8L45	11.4/10.8	7.4/7				DEXRON HP				SYN DVI, LG6				
Denali	99-00	V8	5.7L	4L80-E	13.5/12.8	5/4.7				DEXRON III				DM, DVI			
	01-05	V8	5.3, 5.7, 6.0L	4L80-E	13.5/12.8	7.7/7.3				DEXRON III				DM, DVI			
	06-09	V8	5.3, 5.7, 6.0L	4L80-E	13.5/12.8	7.7/7.3				DEXRON VI				MLV			
	10-14	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
Trailblazer/ Envoy	99-05	L4, V6	2.2, 4.3L	4L60-E	11.2/10.6	5/4.7				DEXRON III				DM, D6			
	06-09	L6, V8	4.2 (LL8), 5.3 (LH6), 6.0L (LS2)	4L60-E, 4L70E	11.2/10.6	5/4.7				DEXRON VI				LV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- | | | | |
|------|------------------|-----|--|
| DM | DEXRON®/MERCON® | LG8 | Lifeguard® 8 |
| DVI | DEXRON® VI | DHP | Dexron® HP |
| MV | MERCON® V | GFS | Gear Fluid Supplement |
| MLV | MERCON® LV | * | Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. |
| MULV | MERCON® Ultra LV | SYN | The use of a synthetic base fluid is required. |
| LG6 | Lifeguard® 6 | | |





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Equinox	05-09	V6	3.4 (LNJ), 3.6L (LY7)	AF33-5 (M98)	8.2/7.8	4.3/4				GM 88900925				* DM, MV			
	08-12	L4, V6	2.4 (LAF), 3.0L (LF1)	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5				DEXRON VI				MLV			
	10-12	L4, V6	2.4 (LAF), 3.0L (LF1)	6T45 (MH7) (MHC)	8.5/8	5.3/5				DEXRON VI				MLV			
	13-16	L4, V6	2.4 (LAF), 3.6L	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5				DEXRON VI				MLV			
	17	L4	1.5L	6T45 (MH7) (MHC)	8.5/8	5.3/5				DEXRON VI				MLV			
Express/Savana	03-07	V6, V8	4.3, 4.8, 5.3L	4L60-E	11.4/10.8, 11/10.4	8.4/7.9, 6.3/6				DEXRON III				DM, DVI			
1500/2500/3500	03-07	V8	6.0L	4L80-E	11/10.4	6.3/6				DEXRON III				DM, DVI			
	06-09	V6, V8	4.3, 4.8, 5.3, 6.0, 6.6L	4L60-E, 4L80/85E	11.4/10.8, 11/10.4	8.4/7.9, 6.3/6				DEXRON VI				MLV			
	10	V6, V8	4.3, 4.8, 5.3, 6.0, 6.6L	4L60-E, 6L80	11.2/10.6, 12.4/11.7	5/4.7, 6.0/5.7				DEXRON VI				MLV			
G & H Series Van 1500,2500	96-12	V6	4.3L	4L60-E	11/10.4	5/4.7				DEXRON III				SYN DVI, LG6			
	96-09	V8	5.0, 5.7L, 6.0L, 6.6L	4L80-E, 4L85E	13.5/12.8	7.7/7.3				DEXRON III				SYN DVI, LG6			
	10-17	V8	5.3, 6.0, 6.6L	6L90 (MYD)	12.4/11.7	6.3/6				DEXRON VI				SYN DVI, LG6			
	15-17	V8	5.3, 6.0, 6.6L	8L90	11.4/10.8	7.4/7				DEXRON HP				SYN DVI, LG6			
G Series Van 2500,3500	02	V6, V8	4.3, 4.8, 6, 8.1L	4L60-E, 4L80-E	13/12.3	7.7/7.3				DEXRON III				DM, DVI			
	97-01	V8	5.7, 7.4, 8.1L	4L60-E, 4L80-E	11.4/10.8	5/4.7				DEXRON III				DM, DVI			
	97-01	V8	6.5L	4L60-E, 4L80-E	13/12.3	7.7/7.3				DEXRON III				DM, DVI			
	97-02	V6	4.3L	4L80-E	13/12.3	7.7/7.3				DEXRON III				DM, DVI			
	02	V8	6.6L	Allison 1000	13/12.3	7.7/7.3				DEXRON III				DM, DVI			
G Series Van 3500 (only)	97-99	V6	4.3L	4L60-E	11/10.6	5/4.7				DEXRON III				DM, DVI			
Sierra HD	01-15	V8	6.0L, 6.6L, 8.1L	4L80-E	13.5/12.8	5/4.7				DEXRON VI				MLV			
Sierra LD	00-15	V6, V8	4.3L, 4.8L, 5.3L	4L60-E, 4L80-E	11.2/10.6, 13.5/12.8	5/4.7				DEXRON VI				MLV			
Sierra LD 4WD	15-17	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7				DEXRON VI				MLV			
	15-17	V8	6.2L	8L90	10.9/10.3	7.4/7				DEXRON HP				SYN DVI, LG6			
Silverado HD	15-17	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7				DEXRON VI				MLV			
Silverado LD	15-17	V8	6.2L	8L90	10.9/10.3	7.4/7				DEXRON HP				SYN DVI, LG6			
	92-05	L4, V6	2.2, 4.3L	4L60, 4L60-E	11.4/10.8	5/4.7				DEXRON III				DM, DVI			
Silverado LD 4WD	00-14	V6, V8	4.3L, 4.8L, 5.3L	4L80, 4L60-E	11.2/10.6	5/4.7				DEXRON VI				MLV			
	15-17	V8	6.2L	8L90	10.9/10.3	7.4/7				DEXRON HP				SYN DVI, LG6			
	SSR	03-07	V8	5.3L	4L60-E	11.4/10.8	N/A				DEXRON III, VI				DM, DVI		
SSR	06	V8	5.3L	4L60-E	11.4/10.8	N/A				DEXRON VI				MLV			
Suburban	92-05	V8	4.8, 5.0, 5.3L	4L60-E	11.5/10.9	5/4.7				DEXRON III				DM, DVI			
	06-08	V8	4.8, 5.0, 5.3L	4L60-E	11.5/10.9	5/4.7				DEXRON VI				MLV			
	06-08	V8	6.0, 6.5, 7.4, 8.1L	4L80-E	13.5/12.8	7.7/7.3				DEXRON VI				MLV			
	06-08	V8	6.0, 6.5, 7.4, 8.1L	4L85-E	13.5/12.8	7.7/7.3				DEXRON VI				MLV			
	10-14	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7, 6.3/6				DEXRON VI				MLV			
Suburban 4WD	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7				DEXRON VI				MLV			
	06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3				DEXRON VI				MLV			
	07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
	07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	4L60-E, 4L70E	11/10.6	5/4.7				DEXRON VI				MLV			
	08-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
2500	15-17	V8	5.3L	6L80	12.4/11.7	6/5.7				DEXRON VI				MLV			
	96-05	V8	5.7, 6.0, 7.4, 8.1L	4L80-E	13.5/12.8	7.7/7.3				DEXRON III				DM, DVI			
	95-05	V8	6.5, 6.6L	4L80-E	13.5/12.8	7.7/7.3				DEXRON III				DM, DVI			
Tahoe/Yukon	92-05	V8	4.8, 5.3, 5.7L	4L60-E	11/10.4	5/4.7				DEXRON III				DM, DVI			
	06-08	V8	4.8, 5.3, 5.7L	4L60-E	11/10.4	5/4.7				DEXRON VI				MLV			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Tahoe/Yukon	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	4L60-E, 4L65-E, 4L70-E	11/10.6	5/4.7				DEXRON VI				MLV			
	10-14	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7, 6.3/6				DEXRON VI				MLV			
Tahoe/Yukon 4WD	15-17	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7				DEXRON VI				MLV			
	15-17	V8	6.2L	8L90	10.9/10.3	7.4/7				DEXRON HP				SYN DVI, LG6			
Tracker	08-10	V8	6.0L (LFA)	2ML70 (M99)	13/12.3	11.5/10.9				DEXRON VI				MLV			
	98-02	L4	1.6L	3L30	5.4/5.1	3/2.8				DEXRON III				DM, DVI			
Terrain	03-07	V6	2.5L	4L60-E	7.4/7	3/2.8				DEXRON III, VI				DM, DVI			
	10-12	L4, V6	2.4 (LAF), 3.0L (LF1)	6T45 (MH7) (MHC)	8.5/8	5.3/5				DEXRON VI				MLV			
Terrain	13-16	L4, V6	2.4 (LAF), 3.6L	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5				DEXRON VI				MLV			
	17	L4	1.5L	6T45 (MH7) (MHC)	8.5/8	5.3/5				DEXRON VI				MLV			
Traverse	09-16	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6				DEXRON VI				MLV			
	17	L4, V6	2.0L, 3.6L	9T65	N/A	N/A				DEXRON HP				SYN DVI, LG6			
Venture APV	97-99	V6	3.4L	4T60-E	11/10.4	8/7.6				DEXRON III				DM, DVI			
	00-05	V6	3.4L	4T65-E	10/9.5	7.4/7				DEXRON III				DM, DVI			

CHRYSLER

200	11-14	L4	2.4L, 3.6L	40TES, 62TE	9.1/8.6	4/3.8, 5.5/5.2				Mopar ATF+4				* DM, MV			
	15-17	L4	2.4L, 3.6L	948TE	N/A	6.4/6				Mopar ZF 8&9 ATF				ZF LG8, MULV			
300	05-12	V8	5.7, 6.1L	NAG 1	8.1/7.7	5.3/5				Mopar ATF+4				* DM, MV			
	05-12	L4, V6	2.4, 2.7, 3.5L	42RLE	8.8/8.3	4/3.8				Mopar ATF+4				* DM, MV			
300M	11-13	V8	5.7, 6.4	ZF 8HP45 8 (SPD)	9.5/9	N/A				Shell L 12108				DVI, MLV			
	14-17	V6, V8	3.0, 3.6, 5.7, 6.2	ZF 8HP45 8 (SPD)	9.5/9	N/A				Mopar ZF 8&9 ATF				ZF LG8, MULV			
Aspen	99-04	V6	3.5L	42LE	9.2/8.8	4.5/4.3				Mopar ATF+4				* DM, MV			
	03-09	V6	4.7, 5.7L	545RFE	15.5/15	6.5/6.2				Mopar ATF+4				* DM, MV			
Cirrus	04-09	V6	3.7L	42RLE	8.8/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	09	V8	5.7L	EVT-ASH-T (2 MODE HYBRID)	13.2/12.5	11.6/11				DEXRON VI				MLV			
Concord	95-00	L4	2.4, 2.0L	41TE	9.1/8.6	4/3.8				Mopar ATF+4				* DM, MV			
	95-00	V6	2.5, 2.7L	41TE	9.1/8.6	4/3.8				Mopar ATF+4				* DM, MV			
Crossfire	02-07	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.3/8.8	4.5/4.2				Mopar ATF+4				* DM, MV			
	93-98	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.9/9.4	4.5/4.3				Mopar ATF+4				* DM, MV			
LHS/300M	04-08	V6	3.2L	NAG 1	8.2/7.7	5.3/5				MB 236.10				SYN DM, MV			
	99-04	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.9/9.4	4.5/4.3				Mopar ATF+4				* DM, MV			
New Yorker	02-07	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.3/8.8	4.5/4.2				Mopar ATF+4				* DM, MV			
	93-98	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.9/9.4	4.5/4.3				Mopar ATF+4				* DM, MV			
Pacifica	04-08	V6	3.5, 3.8L	41TE	9.7/9.2	4/3.8				Mopar ATF+4				* DM, MV			
	07-08	V6	4.0L	62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
PT Cruiser	17	V6	3.6L	ZF 8HP45 8 (SPD)	9.5/9	N/A				Mopar ZF 8&9 ATF				ZF LG8, MULV			
	00	L4	2.0L	31TH	9/8.6	4/3.8				Mopar ATF+4				* DM, MV			
Sebring	01-10	L4	2.0, 2.4L	41TE, 40TE	8.6/8.1	4/3.8				Mopar ATF+4				* DM, MV			
	95-05	L4	2.4, 2.0L	41TE, F4AC1	9.1/8.6	4/3.8				Mopar ATF+4				* DM, MV			
Convertible	95-05	V6	2.5, 2.7L	41TE, F4AC1	9.1/8.6	4/3.8				Mopar ATF+4				* DM, MV			
	07-08	V6	2.4, 2.7, 3.5L	62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
Coupe	99-06	L4	2.0, 2.4L	41TE	9.1/8.6	4/3.8				Mopar ATF+4				* DM, MV			
	99-06	V6	2.5, 2.7L	41TE	9.1/8.6	4/3.8				Mopar ATF+4				* DM, MV			
Coupe	01-07	L4	2.7L	41TE	8.9/8.4	5.8/5.5				Mopar ATF+4				* DM, MV			
	04-10	L4	2.0, 2.4L	40TE	8.6/8.1	4/3.8				Mopar ATF+4				* DM, MV			
Coupe	95-10	V6	2.7, 3.0L	41TE	8.6/8.1	5.8/5.5				Mopar ATF+4				* DM, MV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM	DEXRON®/MERCEN®	LG8	Lifeguard® 8
DVI	DEXRON® VI	DHP	Dexron® HP
MV	MERCEN® V	GFS	Gear Fluid Supplement
MLV	MERCEN® LV	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MULV	MERCEN® Ultra LV	SYN	The use of a synthetic base fluid is required.
LG6	Lifeguard® 6		





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



C
D
F

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Sebring (cont.)	07-10	V6	2.7, 3.5L	62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
Town & Country & Voyager	90-10	V6	3.0, 3.3, 3.4, 3.8L	41TE	8.6/8.1	4/3.8				Mopar ATF+4				* DM, MV			
	08-16	V6	2.8, 3.3, 3.8, 4.0L	62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
DODGE																	
Avenger	95-00	L4	2.0L, V6 2.5L	41TE	9/18.6	4/3.8				Mopar ATF+4				* DM, MV			
	07-14	L4	2.4L	40TE	8.6/8.1	4/3.8				Mopar ATF+4				* DM, MV			
	07-14	L4	2.4, 2.7L	41TE	8.6/8.1	4/3.8				Mopar ATF+4				* DM, MV			
Caliber	07-14	V6	2.7, 3.5L	62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
	07-12	L4	2.0, 2.4L	CVT2	8.6/8.1	7.4/7				Mopar CVT+4 (VTF)				LUBEGARD CVT Fluid			
Caravan/Grand Caravan	95-01	L4	2.4, V6 3.0L	31TH	8.5/8	4/3.8				Mopar ATF+4				* DM, MV			
	95-01	L4	3.3, 3.8L	41TE, 41AE	9/18.6	4/3.8				Mopar ATF+4				* DM, MV			
	95-06	L4, V6	2.4, 3.0, 3.3, 3.8L	31TH, 41TE, 41AE	8.6/9.1	3.8/4				Mopar ATF+4				* DM, MV			
	00-10	L4, V6	2.4, 3.0, 3.3, 3.4, 3.8L	41TE	8.6/8.1	4/3.8				Mopar ATF+4				* DM, MV			
Challenger (Includes SRT)	08-17	V6	2.8, 3.3, 3.8, 4.0L	62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
	09-10	V6, V8	3.5, 5.7L	42RLE	8.8/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	08-14	V6, V8	3.5, 5.7, 6.1L	NAG 1	8.2/7.7	5.3/5				Mopar ATF+4				* DM, MV			
	15-17	V6, V8	3.5, 5.7, 6.1L	845RE 8HP70, 8HP90	9.7/9.2	N/A				Mopar ZF 8&9 ATF				ZF L68, MULV			
Charger (Includes SRT)	05-12	V6, V8	2.7, 3.5L	42RLE	8.8/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	05-12	V6, V8	3.5, 5.7, 6.1L	NAG 1	8.2/7.7	5.3/5				Mopar ATF+4				* DM, MV			
	12-13	V6, V8	3.5, 5.7, 6.1L	845RE 8HP70, 8HP90	9.5/9.0	N/A				Mopar ZF 8&9 ATF				ZF L68, MULV			
Colt	89-97	L4	1.5, 1.8L	KM171/5-5, F3A21-2	6.3/6	N/A				Mopar ATF+3				DM, DVI, MV			
Dart	13-16	L4	2.0, 2.4L	6F24	7.5/7	5/4.7				ATF SPIV				DVI, MV			
Intrepid	93-01	V6	N/A	42LE	9.9/9.4	4.5/4.3				Mopar ATF+4				* DM, MV			
	09-12	L4	2.4, 2.7L	41TE	9.1/8.6	4/3.8				Mopar ATF+4				* DM, MV			
Journey	09-12	V6	2.7, 3.5L	62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
	11-17	L4, V6	2.0, 3.6L	62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
	05-09	V6	2.7, 3.5L	42RLE	8.8/8.3	4/3.8				Mopar ATF+4				* DM, MV			
Magnum	05-09	V8	3.5, 5.7, 6.1L	NAG 1	8.2/7.7	5.3/5				Mopar ATF+4				* DM, MV			
FIAT																	
BRAVA	96-01	L4	1.6L	N/A	N/A	4.3/3.9				DEXRON III				DM, DVI			
Marea	96-00	L4	1.6L	N/A	N/A	4.3/3.9				DEXRON III				DM, DVI			
Ulysse	99-00	L4	2.0L	N/A	N/A	2/1.9				DEXRON III				DM, DVI			
500	12-17	L4	1.4L	AW60T	6.6/6.2	N/A				Mopar AW-1				SYN DM, MV			
	16-17	L4	1.4L	948TE	6.4/6	N/A				Mopar ZF 8&9 ATF				ZF L68, MULV			
500e	12-17			Single Speed Auto		0.8L			X	BOT 533							
FORD																	
500	05-07	V6	3.0L	CVT	10/9.5	N/A				Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT Fluid			
	05-07	V6	3.0L	AF21-B	7.4/7	N/A				Motorcraft XT-8-QAW				* DM, MV			
Aspire	94-97	L4	1.6L	JATCO F3A	6/5.7	3/2.8				MERCON				DM, MV			
	94-97	L4	1.3L	JATCO F3A	6/5.7	3/2.8				MERCON				DM, MV			
C-Max	13-17	L4	1.6L	HF35	4.8/4.5	N/A				MERCON LV				DVI			
Contour	95-00	L4	2.0L	CD4E	9/8.5	4/3.8				MERCON				DM, MV			
	95-00	V6	2.5L	CD4E	10.3/9.7	4/3.8				MERCON				DM, MV			
	92-97	V8	4.6L	AOT, AOD, AOD-E	13.6/12.9	3/2.8				MERCON				DM, MV			
	92-95	V8	5.0L	AOD-E, 4R70W	13.6/12.9	3/2.8				MERCON				DM, MV			
Crown Victoria	96-07	V8	4.6L	4R70W	13.9/13.2	5/4.7				MERCON V				*DM			
	07-11	V8	4.6L (2V)	4R70-E/4R75-E	13.9/13.3	5/4.7				MERCON LV				DVI			
	07-14	L4, V6	2.0, 3.5, 3.7L	6F50	11/10.4	N/A				MERCON LV				DVI			
Edge	15-17	L4, V6	2.0, 2.7, 3.7L	6F50	11/10.4	N/A				MERCON LV				DVI			
Escort	97-02	L4	1.8, 1.9, 2.0L	4EAT-F	5.7/5.4	N/A				MERCON				DM, MV			
Fiesta	11-17	L4	1.6L	DPS6 DCT	1.8/1.7	N/A			X	XT-11-QDC				Use OEM Fluid			
Flex	09-17	V6	3.5L	6F50	11/10.4	N/A				MERCON LV				DVI			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Focus	00-03	L4	2.0L	4F27E	6.9/6.6	N/A				MERCON V				*DM			
	04-05	L4	2.0L	4F27E	6.9/6.6	N/A				MERCON V				*DM			
	06-07	L4	2.0L	4F27E	7.1/6.7	N/A				MERCON V				*DM			
	08-11	L4	2.0L	4F27E	6.9/6.6	5/4.7				MERCON LV				DVI			
	11-14	L4	2.0L	DPS6 DCT	1.8/1.7	N/A			X	XT-11-QDC				Use OEM Fluid			
	06-10	L4	2.3L	AW21/F21	7.4/7	N/A				TIV				*DM			
	14-16	L4	1.5L	6F15	9.2/8.6	1.9/1.8				MERCON LV				DVI			
Focus Electric	12-14			CVT	1.3/1.2	N/A				MERCON LV				DVI			
Freestar	03-05	V6	3.9, 4.2L	CVT	N/A	N/A				Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT Fluid			
	04-07	V6	3.9, 4.2L	AX4N	13.7/13	N/A				MERCON V				*DM			
Freestyle	06-07	V6	3.8, 3.9, 4.2L	AX4N	12.3/11.6	N/A				MERCON V				*DM			
	05-07	V6	3.0L	CVT	10/9.5	N/A				Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT Fluid			
	05-07	V6	3.0L	AF21-B	7.4/7	N/A				Motorcraft XT-8-QAW				* DM, MV			
Fusion	05-09	L4, V6	2.3, 3.0, 3.5L	FNR5	7/6.7	N/A				Mazda ATF M-V				* DM, DVI, MV			
	05-08	V6	3.0L	AWGA-EL	7.4/7	N/A				Motorcraft XT-8-QAW				* DM, MV			
	10-12	L4, V6	2.5, 3.0, 3.5L	6F35	9/8.5	N/A				MERCON LV				DVI			
	13-17	L4	2.0L	HF35	5.7/5.4	N/A				MERCON LV				DVI			
	13-16	L4	2.0, 2.5L	6F50	11.6/11	N/A				MERCON LV				DVI			
	14-17		1.5, 1.6L	6F35	9/8.5	N/A				MERCON LV				DVI			
	17	V6	2.7L	6F55	11.6/11	N/A				MERCON LV				DVI			
	06-10	L4, V6	2.5, 3.0, 3.5L	AW21	7.4/7	4/3.7				Motorcraft XT-8-QAW				* DM, MV			
	10-12	L4, V6	2.5, 3.0, 3.5L	AW21/F21	7.4/7	4/3.7				Motorcraft XT-8-QAW				* DM, MV			
	10-12	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A				MERCON LV				DVI			
Lightning Truck	00-05	V8	5.4L	ZF 6HP26	13.9/13.2	N/A				MERCON SP				DVI			
Mustang	93-94	L4, V6	2.3, 3.8L	AOD-E, AODE-W	12.5/11.8	N/A				MERCON				DM, MV			
	95	V6	3.8, V8 5.0L	AODE	13.6/12.9	N/A				MERCON				DM, MV			
	96-05	V6	3.8L	AOD-E, AODE-W	13.9/13.2	5/4.7				MERCON V				*DM			
	96-05	V8	4.6L	4R70W	12.8/12.1	5/4.7				MERCON V				*DM			
	05-12	V6, V8	4.0, 4.6, 5.4L	5R55S	11.9/11.2	N/A				MERCON V				*DM			
	11-14	V8	4.0, 4.6, 5.4L	6R80	11.8/11.2	N/A				MERCON LV				DVI			
	15-17	V6, V8	2.3, 3.7, 5.0L	6R80	12/11.4	N/A				MERCON LV				DVI			
Probe	93-95	V6	2.5L	GF4A-EL	9.3/8.8	N/A				MERCON				DM, MV			
	94-97	L4	2.0L	CD4E	9.2/8.7	N/A				MERCON				DM, MV			
	96-97	V6	2.5L	GF4A-EL	8.5/8	N/A				MERCON				DM, MV			
Taurus	99-03	V6	3.0, 3.2, 3.8L	AX4N	13.6/12.8	N/A				MERCON V				*DM			
	97-04	V6	3.0, 3.2, 3.8L	AX4S	12.3/11.6	N/A				MERCON V				*DM			
	04-05	V6, V8	3.0, 3.4L	AX4N	13.4/12.7	N/A				MERCON V				*DM			
	06-07	V6, V8	3.0, 3.4L	AX4N	13.7/13	N/A				MERCON V				*DM			
	08-09	V6	3.5L	6F50	10/9.5	N/A				MERCON V				*DM			
Taurus X	10-12	V6	3.5L	6F50, 6F55	10.9/10.3, 11.6/11	N/A				MERCON LV				DVI			
	08-09	V6	3.5L	6F50	10/9.5	N/A				MERCON LV				DVI			
08-17	V6	3.5L	6F55	11.6/11	N/A				MERCON LV				DVI				
Thunderbird	92-95	V6	3.8, V8 4.6L	AOD-E, 4R70W	12.5/11.8	N/A				MERCON				DM, MV			
	96-98	V6	3.8, V8 4.6L	AOD-E, 4R70W	13.9/13.2	5/4.7				MERCON				DM, MV			
Transit Connect	02-07	V8	3.9L	5R55N	11.5/10.9	N/A				MERCON, MERCON V				DM, MV			
	10-13	L4	2.0L	4F27E	7/6.7L	N/A				MERCON LV				DVI			
	10-17	L4	1.6, 2.5L	6F35	9/8.5	N/A				MERCON LV				DVI			
Windstar	95-97	V6	3.0, 3.8L	AX4N, AX4S	12.3/11.7	N/A				MERCON				DM, MV			
	97-00	V6	3.0, 3.8L	AX4S, AX4N	12.3/11.6	N/A				MERCON				DM, MV			
	01-07	V6	3.0, 3.8L	AX4S, AX4N	13.7/12.9	N/A				MERCON, MERCON V				DM, MV			
FORD TRUCKS & VANS																	
Aerostar	88-96	V6	4.0L	4R55-E	9.5/9	3/2.8				DEXRON III, MERCON				DM, DVI, MV			
Aerostar 2WD	88-97	V6	4.0L	5R55-E	9.5/9	3/2.8				MERCON V				*DM			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- or
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



F

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Base Fluid	Whole fluid option		
							60902	63010			61910	62005	63010		68112 CVT	56032 DCT	69032 ATF
Aerostar 4WD	88-97	V6	4.0L	5R55-E	9.8/9.3	3/2.8				MERCON V				*DM			
	88-97	V6	3.0L	4R44-E	9.5/9	3/2.8				MERCON V				*DM			
Bronco 3 SPD	88-96	V8	5.0, 5.8L	C6	13.5/12.8	6.3/6				DEXRON III, MERCON				DM, DVI, MV			
	96-07	V6	4.2L	4R70W	13.9/13.2	5/4.7				MERCON V				*DM			
Bronco II	96-07	V8	4.6, 5.0, 5.4L	4R70W	13.9/13.2	5/4.7				MERCON V				*DM			
	98	V8	5.4L	4R100	15.5/14.7	6.5/6.1				MERCON				DM, MV			
	98-05	V8	5.4L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
	05-10	V8	4.6, 5.4, 6.0, 6.8L	4R75-E	13.9/13.2	5.7/5				MERCON LV				DVI			
	05-10	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7				MERCON SP				DVI, LG 6			
E-150	06-08	V8	4.6, 5.4, 6.8L	4R70/75E-W	13.9/13.1	5/4.7				MERCON V				*DM			
	09-14	V8	4.6L, 5.4	4R70/75E-W	13.9/13.1	5/4.7				MERCON LV				DVI			
Econoline 250	84-96	L6	4.9L	C6	12/11.3	5/4.7				MERCON				DM, MV			
	84-96	V8	5.8, 7.5L	C6	12/11.3	6/5.6				MERCON				DM, MV			
	95-97	V8	5.4, 5.8, 6.8, 7.3L	E40D	15.5/14.7	8.5/8				MERCON				DM, MV			
Econoline 250 including S.Duty	95-97	V10	7.5L	E40D	15.5/14.7	8.5/8				MERCON				DM, MV			
	97-05	V6	4.2, V8 5.4L	4R70W	13.9/13.2	5/4.7				MERCON V				*DM			
	98	V8	5.4, 7.3L	4R100	15.5/14.7	6.5/6.1				MERCON				DM, MV			
	98	V10	6.8L	4R100	15.5/14.7	6.5/6.1				MERCON				DM, MV			
	99-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
	99-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
	05-08	V8	4.6, 5.4, 6.0, 6.8L	4R75-E	13.9/13.2	5.7/5				MERCON V				*DM			
	05-08	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7				MERCON SP				DVI, LG 6			
	09-12	V8	4.6, 5.4, 6.0, 6.8L	4R75-E	13.9/13.2	5/4.7				MERCON LV				DVI			
	09-12	V8	5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7.1				MERCON LV				DVI			
E-250	06-14	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.3/7				MERCON LV				DVI			
	15-17	V8	5.4, 6.2, 6.8L	6R140W	17.2/16.3	10/9.5				MERCON LV				DVI			
Econoline 350	84-96	L6	4.9L	C6	12/11.3	5/4.7				DEXRON III, MERCON				DM, DVI, MV			
	84-96	V8	5.8, 7.5L	C6	12/11.3	6/5.6				DEXRON III, MERCON				DM, DVI, MV			
Econoline 350 including S.Duty	95-97	V8	5.4, 5.8, 6.8, 7.3L	E40D	15.5/14.7	8.5/8				MERCON				DM, MV			
	98	V8	5.4, 7.3L	4R100	15.5/14.7	6.5/6.1				MERCON				DM, MV			
	99-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
E-350	05-12	V8	4.6, 5.4, 6.0, 6.8L	4R75W	13.9/13.2	5.7/5				MERCON LV				DVI			
	06-14	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.3/7				MERCON LV				DVI			
E-350 GAS & DIESEL	15-17	V8	5.4, 6.2, 6.8L	6R140W	17.2/16.3	10/9.5				MERCON LV				DVI			
	05-12	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7				MERCON SP				DVI, LG 6			
E-350 Diesel	11-12	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5				MERCON LV				DVI			
	11-12	V8	6.0, 6.4	6R140	18/17, 16.7/15.8	10/9.5				MERCON LV				DVI			
	95-98	V10	6.8, 7.5L	4R100, E40D	15.5/14.7	6.5/6.1, 8.5/8				MERCON				DM, MV			
	99-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
Econoline 450	06-08	V8	6.0, 6.8L	5R110W	18.8/17.7	N/A				MERCON SP				DVI			
	00-04	V6, V8	4.2, 4.6, 5.4, 6.8, 7.3L	4R100	17.1/16.2	6.5/6.1				MERCON LV				DVI			
	00-04	V6, V8	4.2, 4.6, 5.4, 6.8, 7.3L	4R70W	17.7/16.7	6.4/6.1				MERCON LV				DVI			
	05-12	V8	4.6, 5.4, 6.0, 6.8L	4R75W	13.9/13.2	5.7/5				MERCON LV				DVI			
	05-12	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7				MERCON SP				DVI, LG 6			
E-450	06-14	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.3/7				MERCON LV				DVI			
	15-17	V8	5.4, 6.8, 7.3L	6R140W	17.2/16.3	10/9.5				MERCON LV				DVI			
	01-04	L4, V6	2.0, 2.3, 3.0L	CD4E	9/8.5	3.9/3.7				MERCON V				*DM			
Escape	04-06	L4, V6	2.0, 2.3, 3.0L	CD4E	10/9.5	3.9/3.7				MERCON V				*DM			
	07-08	L4, V6	2.0, 2.3, 3.0L	CD4E	10/9.5	3.9/3.7				MERCON V				*DM			
	09-13	L4, V6	2.5, 3.0L	6F30	9.8/8.5	N/A				MERCON LV				DVI			
	13-17	L4	1.5, 2.0, 2.5L	6F35	9/8.5	N/A				MERCON LV				DVI			
	05-08	L4	2.3L	ECVT "PSE" (HYBRID)	4.3/4	N/A				MERCON LV				DVI			
Escape Hybrid	08-12	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A				MERCON LV				DVI			
Excursion	99-04	V8	5.4, 7.3L	4R100	17.1/16.1	6.5/6.1				MERCON				DM, MV			
	05-06	V8	5.4, 7.3L	5R110W	19.2/18	7.3/7				MERCON SP				DVI, LG 6			
Excursion 4X4 DIESEL	04-05	V8	6.0L	5R110W	18.8/17.7	N/A				MERCON SP				DVI, LG 6			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF	
Expedition	96-97	V8	5.4L	E40D	16.3/15.5	6.4/6.1				MERCON V				*DM				
	97-98	V8	5.4L 2WD	4R100, E40D	15.9/15.1	6.5/6.1				MERCON				DM, MV				
	97-98	V8	5.4L 4WD	4R100, E40D	16.4/15.6	6.5/6.1				MERCON				DM, MV				
	97-04	V8	4.6, 5.4L	4R70W	13.9/13.2	5/4.7				MERCON V				*DM				
	98-05	V8	5.4L	4R100	17.6/16.7	6.4/6.1				MERCON LV				DVI				
	98-05	V8	4.6L	4R70W	13.9/13.2	5/4.7				MERCON V				*DM				
	99-05	V8	5.4L	4R100, E40D	17.1/16.1	6.5/6.1				MERCON				DM, MV				
	05-06	V8	5.4L	4R75-E	13.9/13.2	5/4.7				MERCON V				*DM				
	05-08	V8	5.4L	ZF 6HP26	9.5/9	5/4.7				MERCON SP				DVI, LG 6				
	07-08	V8	5.4L	6R75	11/10.5	3.5/3				MERCON SP				DVI, LG 6				
09-17	V8	5.4L	6R80	13/12.3	3.5/3.3				MERCON LV				DVI					
Explorer	95-96	V6	4.0L	4R55-E	9.5/9	3/2.8				MERCON				DM, MV				
	97-98	V6	4.0L	4R44-E/4R55-E	9.5/9	3/2.8				MERCON V				*DM				
	99-04	V6	4.0L	5R55W	10/9.5	3.9/3.7				MERCON V				*DM				
	04-10	V6, V8	4.0, 4.6L	5R55S	12.4/11.7	N/A				MERCON V				*DM				
	06-08	V8	4.0, 4.6L	6R60	11/10.5	5/4.7				MERCON SP				DVI, LG 6				
	09-10	V6, V8	4.0, 4.6L	6R80	13/12.3	3.5/3.3				MERCON LV				DVI				
	11-17	V6, V8	2.5, 3.5, 3.7L	6F50, 6F55, 6F35	12.7/12, 11.6/11, 9/8.5	N/A				MERCON LV				DVI				
Explorer Police Utility	13-17	V6	3.5, 3.7L	6F50, 6F55, 6F35	11.6/11	N/A				MERCON LV				DVI				
	09	V6	3.5L	6F50/6F55	9.4/8.9	N/A				MERCON LV				DVI				
Flex	10-12	V6	3.5L	6F35, 6F50/6F55	9/8.5, 11/10.4, 11.6/11	N/A				MERCON LV				DVI				
F150	94-97	L6, V8	4.9, 5.0, 5.4, 5.8L	AOD-E	N/A	5/4.7				MERCON				DM, MV				
F150 2WD	92-97	L6, V8	4.9, 5.4L	E40D	15.9/15.1	6.5/6.1				MERCON				DM, MV				
F150 4WD	98-04	V8	5.4L	4R100	17.6/16.7	6.5/6.1				MERCON				DM, MV				
F150 2 & 4WD	04-05	V8	4.6, 5.4L	4R70W	13.9/13.2	5/4.7				MERCON				DM, MV				
	04-09	V6, V8	4.2, 4.6, 5.4L	4R70-E/4R75-E	13.9/13.2	5/4.7				MERCON V				*DM				
	09-10	V8	3.7, 4.6, 5.4, 6.2L	6R80	13/12.3	3.5/3.3				MERCON LV				DVI				
	11-13	V6, V8	2.7, 3.5, 3.7, 5.0, 6.2L	6R80	13.1/12.4	3.5/3.3				MERCON LV				DVI				
	17	V6	3.6L	10R80	13.1/12.4	N/A				MERCON ULV				DULV, ATF 134FE				
	95-96	L6	4.9L	C6	13.5/12.8	6/5.7				MERCON				DM, MV				
F250 including S.Duty	95-96	V8	5.8, 7.5L	C6	13.5/12.8	6/5.7				MERCON				DM, MV				
	95-97	L6	4.9, 5.4, 5.8, 7.5L	E40D	15.5/14.7	6.5/6.1				MERCON				DM, MV				
	95-97	V8	5.0L	E40D	15.5/14.7	6.5/6.1				MERCON				DM, MV				
	98-05	V6, V8	4.2, 4.6, 5.0, 5.4L	4R70W	13.9/13.2	5/4.7				MERCON, MERCON V				*DM				
	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV				
	98-07	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV				
	07-10	V8	5.4, 6.0, 6.8L	5R110W	19.2/18	7.5/7.1				MERCON SP				DVI, LG 6				
	11-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17/5/16.6	7.5/7				MERCON SP				DVI, LG 6				
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5				MERCON LV				DVI				
	17		6.2, 6.7L	6R100	16.7/15.8	6.5/6.2				MERCON LV				DVI				
	F250 including S.Duty Diesel	11-12	V8	6.0, 6.4	6R140	18/17, 16.7/15.8	10/9.5				MERCON LV				DVI			
	F350 including S. Duty	95-96	L6	4.9L	C6	13.5/12.8	6/5.7				MERCON				DM, MV			
95-96		V8	5.8, 7.5L	C6	13.5/12.8	6/5.7				MERCON				DM, MV				
95-97		L6, V8	4.9, 5.8L	E40D	15.5/14.7	6.5/6.1				MERCON				DM, MV				
98-05		V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV				
04-08		V8, V10	5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7.1				MERCON SP				DVI, LG 6				
09-10		V8	5.4, 6.4, 6.8L	5R110W	18.8/17.7	7.5/7				MERCON SP				DVI, LG 6				
13-17		V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17/5/16.6	7.5/7				MERCON SP				DVI, LG 6				
F350 including S. Duty	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5				MERCON LV				DVI				
	17	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2				MERCON LV				DVI				
	95-97	V10	7.5, 7.3L	E40D	15.5/14.7	6.5/6.1				MERCON				DM, MV				
	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV				
	04-08	V8	6.0L	5R110W	19.2/18	7.5/7.1				MERCON SP				DVI, LG 6				
	04-08	V8	6.0L PS	5R110W	19.2/18	7.3/7				MERCON SP				DVI				



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



F
G
H

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
F350 including S. Duty	05-08	V8	5.4, 7.3L	5R110W	19.2/18	7.5/7.1				MERCON SP				DVI			
	95-97	L6	4.9L	E40D	15.5/14.7	6.5/6.1				MERCON				DM, MV			
	95-97	V8	5.8L	E40D	15.5/14.7	6.5/6.1				MERCON				DM, MV			
	98-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
F450 including S. Duty	04-08	V8	6.0L PS DIESEL	5R110W	19.2/18	7.3/7				MERCON SP				DVI, LG 6			
	04-08	V8, V10	5.4, 6.8L	5R110W	19.2/18	7.5/7.1				MERCON SP				DVI, LG 6			
	04-08	V8	6.0L	5R110W	19.2/18	7.5/7.1				MERCON SP				DVI, LG 6			
	09-10	V8	5.4, 6.4, 6.8L	5R110W	18.8/17.7	7.5/7				MERCON SP				DVI, LG 6			
	13-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7				MERCON SP				DVI, LG 6			
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5				MERCON LV				DVI			
	17	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2				MERCON LV				DVI			
F450 including S. Duty DIESEL	95-97	V10	7.5, 7.3L	E40D	15.5/14.7	6.5/6.1				MERCON				DM, MV			
	98-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
	04-08	V8	5.4, 6.0, 6.8L	5R110W	19.2/18	7.5/7				MERCON SP				DVI, LG 6			
	04-08	V8, V10	5.4, 6.8L	5R110W	19.2/18	7.5/7.1				MERCON SP				DVI, LG 6			
	09-10	V8	5.4, 6.4, 6.8L	5R110W	19.2/18	7.5/7				MERCON SP				DVI, LG 6			
F550 including S. Duty	11-12	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5				MERCON LV				DVI			
	11-12	V8	6.0, 6.4	6R140	18/17, 16.7/15.8	10/9.5				MERCON LV				DVI			
	13-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7				MERCON SP				DVI			
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5				MERCON LV				DVI			
	17	V8, V10	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2				MERCON LV				DVI			
	04-08	V8	6.0L	5R110W	19.2/18	7.5/7.1				MERCON SP				DVI, LG 6			
F550 including S. Duty DIESEL	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
	09-12	V8	CAT 3126, CUMMINGS 1SB	ALLISON 2000/2400	14.8/14 (STD PAN)	10.6/10 (STD PAN)				Allison Transynd (TES-295)				SYN DM, MV			
Lightning Truck	00-05	V8	4.6L	ZF 6HP26	13.2/13.9	N/A				MERCON SP				DVI, LG 6			
	95-96	V6	4.0L	4R44-E/4R55-E	9.5/9	3/2.8				MERCON				DM, MV			
	97-98	L4	2.3L	5R44-E/5R55-E	9.5/9	3/2.8				MERCON V				*DM			
Ranger	99-07	L4, V6	2.3, 3.0, 4.0L	5R44-E/5R55-E	10/9.5	4/3.8				MERCON V				*DM			
	07-08	L4, V6	2.3, 3.0, 4.0L	5R44-E/5R55-E	10/9.5	N/A				MERCON V				*DM			
	09-11	L4, V6	2.3, 4.0L	5R44-E/5R55-E	10/9.5	N/A				MERCON V				*DM			
	10-13	L4	2.0L	4F27E	7/6.7L	N/A				MERCON LV				DVI			
Transit Connect	10-17	L4	1.6, 2.5L	6F35	9/8.5	N/A				MERCON LV				DVI			
GENESIS																	
G80	17	V6, V8	3.3, 5.0L	A8R1	11.1/10.5	N/A				SP-IV RR				SYN DVI, DHP			
G90	17	V6, V8	3.3, 5.0L	A8R1	11.1/10.5	N/A				SP-IV RR				SYN DVI, DHP			
GEO																	
Metro	85-02	L3, L4	1.0, 1.3L	MX17, A210	5.2/4.9	2/1.9				DEXRON III				DM, DVI			
	85-02	L4	1.6L	A131L, MX1	6.7/6.3	2.5/2.4				DEXRON III				DM, DVI			
Prizm	85-92	L4	1.6L	A240E, MS7	7.6/7.2	3.3/3.1				DEXRON III				DM, DVI			
	93-02	L4	1.6, 1.8L	A245E, MS7	8/7.6	3.3/3.1				DEXRON III				DM, DVI			
Tracker	89-02	L4	1.6L	3L30, TH180	5.4/5.1	3/2.8				DEXRON III				DM, DVI			
	96-02	L4	1.6L	03-72LE (A44DE)	6.7/6.3	2.7/2.6				DEXRON III				DM, DVI			
HONDA																	
Accord	95-97	L4	2.2L	MPOA/AOYA	6.3/6	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
	95-97	V6	2.7L	MPZA	7.5/7.1	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	98-00	L4	2.3L	BAXA	6.4/6.1	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	98-00	V6	3.0L	B7XA	7.6/7.2	3.1/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
	01-02	L4	2.3L	MAXA	7.5/7.1	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
	01-02	V6	3.0L	B7XA	7.5/7.1	3.1/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
	03-08	L4	2.4L (K24A8)	BCLA, MCLA	6.9/6.5	3/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
	03-08	V6	3.0L (J30A5)	BAYA, MAYA	7.4/7	3.2/3				Honda Genuine ATF Z-1				DM, DVI, MV			
	05-07	V6	3.0L (J30A5)	MURA (HYBRID)	6.9/6.5	3.1/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
	08-10	L4	2.4L (K24Z3)	B90A	6.9/6.5	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
	08-10	V6	3.5L (J35Z2) (J35Z3)	B97A	7.9/7.5	3.5/3.3				Honda Genuine ATF Z-1				DM, DVI, MV			



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Accord	11-12	L4	2.4L (K24Z3)	B90A	6.9/6.5	2.6/2.5				Honda Genuine ATF DW-1				DVI			
	11-12	V6	3.5L (J35Z2) (J35Z3)	B97A	7.9/7.5	3.5/3.3				Honda Genuine ATF DW-1				DVI			
	13-15	L4	2.4L (K24Z3)		6.5/6.1	2.6/2.5				Honda Genuine ATF DW-1				DVI			
	13-15	V6	3.5L (J35Z2) (J35Z3)		8.5/8	3.3/3.1				Honda Genuine ATF DW-1				DVI			
	13-17		2.4L	CVT	8/7.6	3.9/3.7				HCF-2 CVT Fluid				LUBEGARD CVT Fluid			
Accord Crosstour	10	V6	3.5L (J35Z2)	BBSA, BBTA	8.3/7.9	3.5/3.3				Honda Genuine ATF Z-1				DM, DVI, MV			
	11-13	V6	3.5L (J35Z2)	BBSA, BBTA	8.3/7.9	3.5/3.3				Honda Genuine ATF DW-1				DVI			
	14-15	L4	2.4L		6.5/6.1	2.6/2.5				Honda Genuine ATF DW-1				DVI			
	14-15	V6	3.5L		8.5/8	3.3/3.1				Honda Genuine ATF DW-1				DVI			
Accord Hybrid	13-17	L4	2.0L		4/3.8	2.5/2.4				Honda Genuine ATF DW-1				DVI			
	92-95	L4	1.5, 1.6L	M24A	6.2/5.9	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
Civic	96	L4	1.6L	A4RA	6.2/5.9	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	96-00	L4	1.6L	CVT, M4VA	6.8/6.4	4.1/3.9				Honda Genuine CVT				LUBEGARD CVT Fluid			
	97-00	L4	1.6L	B4RA, B46A, M4RA	6.3/5.7	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	01-05	L4	1.7L	BMXA, SLXA	6.3/6	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	01-05	L4	1.7L	SLYA (CVT)	5.9/5.6	3.3/3.1				Honda Genuine CVT				LUBEGARD CVT Fluid			
	06-10	L4	1.8L (R18A4) (R18A1)	SPCA	6.2/5.9	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
	08-10	L4	2.0L (K20Z3)	SPCA, MPC	6.2/5.9	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
	11-12	L4	1.8L (R18A4) (R18A1)	SPCA	6.2/5.9	2.5/2.4				Honda Genuine ATF DW-1				DVI			
	11-15	L4	2.0L (K20Z3)	SPCA, MPC	6.2/5.9	2.5/2.4				Honda Genuine ATF DW-1				DVI			
	16-17	L4		CVT	8/7.6	3.9/3.7				HCF-2 CVT				LUBEGARD CVT Fluid			
Civic/Hybrid	03-12	L4	1.3L (LDAZ)	SZCA	5.9/5.6	3.3/3.1				Honda Genuine CVT				LUBEGARD CVT Fluid			
	06-13	L4	1.3L (LDAZ)	SPSA (CVT)	5.4/5.1	3/2.8				Honda Genuine CVT				LUBEGARD CVT Fluid			
	14-15	L4	1.3L (LDAZ)		5.6/5.3	3/2.8				HCF-2 CVT				LUBEGARD CVT Fluid			
CR-V	97-01	L4	2.0, 2.4L	M4TA, MDLA	6.2/5.9	3/2.8				Honda Genuine ATF Z-1				DM, DVI, MV			
	02-04	L4	2.0, 2.4L	M4TA, MDMA, MRVA, MDLA, MCVA	6.8/6.5, 7.6/7.2	3.1/2.9, 3.3/3.1				Honda Genuine ATF Z-1				DM, DVI, MV			
	02-07	V6	2.3L	N/A	7.6/7.2	3.2/3.1				Honda Genuine ATF Z-1				DM, DVI, MV			
	05-07	L4	2.4L	MKYA, MKZA, GPLA, GPPA	6.8/6.5, 7.6/7.2	3.1/2.9, 3.3/3.1				Honda Genuine ATF Z-1				DM, DVI, MV			
	08-09	L4	2.4L (K24Z1) (K24Z6)	BZJA, BZHA, MZJA, MZHA	7.5/7.3	2.7/2.6				Honda Genuine ATF Z-1				DM, DVI, MV			
	10-16	L4	2.4L (K24Z1) (K24Z6)	M16A, M17A, BZJA, BZHA, MZJA, MZHA	7.6/7.2	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
	15-16	L4	2.4	CVT	8.9/8.4	4.5/4.3				HCF-2 CVT				LUBEGARD CVT Fluid			
CRZ	11-16	L4	1.3L (LDAZ)	SPSA (CVT)	5.4/5.1	3/2.8				Honda Genuine CVT				LUBEGARD CVT Fluid			
Del Sol	93-97	L4	1.6L	M24A, S24A	6.2/5.9	2.9/2.7				Honda Genuine ATF Z-1				DM, DVI, MV			
	03-04	L4	2.4L	BZKA	6.9/6.5	3.1/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
	03-06	L4	2.4L	MZKA	7.6/7.2	3.3/3.1				Honda Genuine ATF Z-1				DM, DVI, MV			
	05-06	L4	2.4L	BZKA	7.2/6.8	3.4/3.2				Honda Genuine ATF Z-1				DM, DVI, MV			
	07-08	L4	2.4L (K24A8)	BZNA, MZKA	7.6/7.2	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
	09-11	L4	2.4L (K24A8)	MNZA	7.4/7	2.7/2.6				Honda Genuine ATF Z-1				DM, DVI, MV			
	09-11	L4	2.4L (K24A8)	MKZA	7.6/7.2	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
	07-08	L4	1.5L (L15A7)	SMMA	6.3/6	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
Fit	09	L4	1.5L (L15A7)	SPAA	6.2/5.9	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
	10	L4	1.5L (L15A7)	SP5A, MP5A	6.2/5.9	2.6/2.5				Honda Genuine ATF Z-1				DM, DVI, MV			
	11-13	L4	1.5L (L15A7)	SP5A, MP5A	6.2/5.9	2.6/2.5				Honda Genuine ATF DW-1				DVI			
	15-17	L4	1.5L	CVT	6/5.7	3.6/3.4				HCF-2 CVT				LUBEGARD CVT Fluid			
HR-V	16-17	L4	1.8L	CVT	7.2/6.8	4.2/4				HCF-2 CVT				LUBEGARD CVT Fluid			
	98-99	L4	2.2L	MDWA	6.3/6	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
Insight Hybrid	99-01	V6	2.2, 2.3L	B7YA, B7TA	7.5/7.1	3.1/2.9				Honda Genuine ATF Z-1				DM, DVI, MV			
	02-04	V6	3.2, 3.5L	BYBA	8.3/7.9	3.5/3.3				Honda Genuine ATF Z-1				DM, DVI, MV			
	04-06	L3	1.0L	CVT (MHTA)	5.8/5.5	3.5/3.3				Honda Genuine CVT				LUBEGARD CVT Fluid			
	05-06	V6	3.2, 3.5L	BGRA	8.3/7.9	3.5/3.3				Honda Genuine ATF Z-1				DM, DVI, MV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- or
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Insight Hybrid	07-10	V6	3.5L (J35A6) (J35A7)	P36A	8/7.6	3.3/3.1				Honda Genuine ATF Z-1				DM, DVI, MV			
	10-14	L4	1.3L (LDA3)	SBLA (CVT)	5.5/5.2	2.8/3				Honda Genuine CVT				LUBEGARD CVT Fluid			
	11-14	V6	3.5L (J35A6) (J35A7)	P36A, P5FA	8/7.6	3.3/3.1				Honda Genuine ATF DW-1				DVI			
	95-97	L4	2.0L	MPJA	6.3/6	2.5/2.4				DEXRON III				DM, DVI			
	00-10	V6	3.5L	BYBA	8.5/8	3.3/3.1				Honda Genuine ATF Z-1				DM, DVI, MV			
Odyssey	11-13	V6	3.5L	5-speed	8/7.6	3.3/3.1				Honda Genuine ATF DW-1				DVI			
	11-13	V6	3.5L	6-speed	7.4/7	3.6/3.4				Honda Genuine ATF DW-1				DVI			
	14-17	V6	3.5L	6-speed	7.4/7	3.3/3.1				Honda Genuine ATF DW-1				DVI			
	94-04	L4	2.6, V6 3.2L	4L30-E	9.1/8.6	4/3.8				DEXRON III				DM, D6			
Pilot	03-04	V6	3.5L	BVGA	8.2/7.8	3.2/3				Honda Genuine ATF Z-1				DM, DVI, MV			
	05-07	V6	3.5L (J35Z4)	BVLA, BVGA	8.7/8.3	3.9/3.7				Honda Genuine ATF Z-1				DM, DVI, MV			
Pilot 2WD	08-10	V6	3.5L (J35Z4)	PN4A	8.6/8.1	3.6/3.4				Honda Genuine ATF Z-1				DM, DVI, MV			
Pilot	11-12	V6	3.5L (J35Z4)	PN4A	8.6/8.1	3.6/3.4				Honda Genuine ATF DW-1				DVI			
Pilot 4WD	08-10	V6	3.5L (J35Z4)	PN3A	8.6/8.1	3.6/3.4				Honda Genuine ATF Z-1				DM, DVI, MV			
Pilot	11-12	V6	3.5L (J35Z4)	PN3A	8.6/8.1	3.6/3.4				Honda Genuine ATF DW-1				DVI			
Prelude	90	L4	2.2L (Japan Built)	PX4B	6.3/6	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
	91	L4	2.2L (Japan Built)	MPXA	6.3/6	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
	91-92	L4	2.2L (US Built)	APX4	6.3/6	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
	92-02	L4	2.2, 2.3L	MP1A, M6HA	6.3/6	2.5/2.4				Honda Genuine ATF Z-1				DM, DVI, MV			
Ridgeline	05-08	V6	3.5L (J35A9)	MJFA, BJFA	8.5/8	3.3/3.1				Honda Genuine ATF Z-1				DM, DVI, MV			
	09-14	V6	3.5L (J35Z5)	P5FA	8.5/8	3.3/3.1				Honda Genuine ATF DW-1				DVI			
	15-17	V6	3.5L (J35Z5)	6-speed	8.5/8	3.3/3.1				Honda Genuine ATF DW-1				DVI			
HUMMER																	
H3	06-10	V6, V8	2.8 (LVC), 3.7 (LLR), 5.3L (LH9) (LH8)	4L60-E, 4L70E	11/10.6	5/4.7				DEXRON VI				MLV			
H2	03-08	V8	6.0L (LQ4)	4L65-E	11/10.6	5/4.7				DEXRON VI				MLV			
	08-09	V8	6.2L (LH9)	6L80 (MYC)	12.4/11.7	6/5.7				DEXRON VI				MLV			
HYUNDAI																	
Accent	95-01	L4	1.5, 1.6L	A4AF1/2/3	6.5/6.1	4.2/4				Hyundai SP-III				* DM, DVI, MV			
	95-08	L4	1.5, 1.6L	A4AF2, F4A32	6.5/6.1, 6.9/6.5	4.2/4				Hyundai SP-III				* DM, DVI, MV			
Accent LC	00-05	L4	1.5 (G4EB), 1.6L (G4ED)	A4AF3	6.3/6.1	4.2/4				Hyundai SP-III				* DM, DVI, MV			
Accent MC	06-12	L4	1.6L (G4ED)	A4AF3	6.4/6.1	4.2/4				Hyundai SP-III				* DM, DVI, MV			
Accent	12-17	L4		A6GF1	7.7/7.3	N/A				Hyundai SP-IV				DVI, MLV			
	06-10	V6	3.8 (G4DA), 3.3L (G4DB)	A5HF1-2, A5HF1	11.5/10.9	N/A				Hyundai SP-III				* DM, DVI, MV			
Azera	11-13	L4, V6	2.4, 3.0L	A6LF1	8.2/7.8	N/A				Hyundai SP-IV				DVI, MLV			
	14-17	L4, V6	2.4, 3.0L	A6F12	8.2/7.8	N/A				Hyundai SP-IV				DVI, MLV			
	96-00	L4	1.8, 2.0L	A4BF1, A4BF3	6.9/6.6	N/A				Hyundai SP-III				* DM, DVI, MV			
Elantra	01-06	L4	2.0L	F4A42	8.2/7.8	N/A				Hyundai SP-III				* DM, DVI, MV			
	07-13	L4	2.0L (G4GC)	A4CF2	6.9/6.6	N/A				Hyundai SP-III				* DM, DVI, MV			
Elantra HD	09-13	L4	2.0L (G4GC)	A4CF2	6.9/6.6	N/A				Hyundai SP-III				* DM, DVI, MV			
	14-17	L4	1.8, 2.0L	A6GF1	7.7/7.3	N/A				Hyundai SP-IV				DVI, MLV			
Entourage	07-10	V6	3.8L (G6DA)	A5HF1	11.5/10.9	N/A				Hyundai SP-III				* DM, DVI, MV			
	11	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A				Hyundai SP-III				* DM, DVI, MV			
Equus	11	V6, V8	3.8L, 5.0L	6HP26	10/9.5	N/A				Hyundai ATF RED 1K				DVI, MLV			
Equus	12-16	V6, V8	3.8L, 5.0L	A8TR1	10.7/10.1	N/A				Hyundai SP-IV				DVI, MLV			
Genesis Coupe BK	10-12	L4, V6	2.0 (G4KD), 3.8L (G6DA)	A5SR, ZF6HP19	10.6/10	N/A				Hyundai ATF RED 1K				DVI, MLV			
	09-12	V6, V8	4.6 (G8BA), 3.8 (G6DA), 3.3L (G6DB)	ZF 6HP26, TB60N, TB65N	9.7/9.2	N/A				Hyundai ATF RED 1K				DVI, MLV			
Genesis Sedan	12-16	V6, V8	3.8, 5.0L	A8R1	11.1/10.5	7.4/7				Hyundai SP-IV				DVI, MLV			
Genesis Coupe	13-16	V6, V8	3.8, 5.0L	A8TR1	10.1/9.6	N/A				Hyundai SP-IV				DVI, MLV			
	01-02	L4, V6	2.4, 2.7L	F4A51	8.9/8.5	N/A				Hyundai SP-III				* DM, DVI, MV			
	03-04	L4	2.4L	F4A51	8.2/7.8	N/A				Hyundai SP-III				* DM, DVI, MV			
	03	V6	2.7L	F4A51	8.9/8.5	N/A				Hyundai SP-III				* DM, DVI, MV			
	03	V6	3.5L	F5A51	11/10.4	N/A				Hyundai SP-III				* DM, DVI, MV			
	04	V6	2.7L	F4A51	8.2/7.8	N/A				Hyundai SP-III				* DM, DVI, MV			
	04	V6	3.5L	F5A51	8.9/8.5	N/A				Hyundai SP-III				* DM, DVI, MV			
	05-08	V6	2.7, 3.5L	F5A51	8.9/8.5	N/A				Hyundai SP-III				* DM, DVI, MV			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Santa Fe CM	07-09	L4, V6	2.7 (G4EA), 3.3L (G6DB)	F4A51-3, A5HF1	9/8.5	N/A				Hyundai SP-III				* DM, DVI, MV			
	10-11	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A				Hyundai SP IV				DVI, MLV			
Santa Fe	11-17	L4	2.0L, 2.4L	A6LF1, A6MF1	7.5/7.1	N/A				Hyundai SP IV				DVI, MLV			
	11-17	V6	3.3, 3.5L	A6LF2, A6MF2	8.2/7.8	N/A				Hyundai SP IV				DVI, MLV			
Sonata	94-05	V6	3.0L	F4A33-1	6.4/6.1	4.2/4				Hyundai SP-III				* DM, DVI, MV			
	94-99	L4	2.0L	KM175-5	6.1/5.8	4.2/4				Hyundai SP-III				* DM, DVI, MV			
	99-05	L4, V6	2.4L, 2.7L	F4A42	8.2/7.8	4.2/4				Hyundai SP-III				* DM, DVI, MV			
	06-10	L4	2.4L (G4KE)	F4A42-2, A5GF1	8.9/8.5	N/A				Hyundai SP-III				* DM, DVI, MV			
	06-10	V6	3.3L (G6DB)	A5HF1	11.5/10.9	N/A				Hyundai SP-III				* DM, DVI, MV			
	11-17	L4	2.0, 2.4L	A6MF2	7.5/7.1	N/A				Hyundai SP IV				DVI, MLV			
Sonata Hybrid	15-17	L4	1.6L	A6MF2	7.0/6.6	N/A				Hyundai SP IV				DVI, MLV			
	11-13	L4	2.0, 2.4L	A6MF1	7.5/7.1	N/A				Hyundai SP IV				DVI, MLV			
Tucson	14-17	L4	2.0L		7.7/7.3	N/A				Hyundai SP IV				DVI, MLV			
	97-08	L4, V6	2.0L, 2.7L	AFBF1, F4A32	8.2/7.8	4.2/4				Hyundai SP-III				* DM, DVI, MV			
Tiburon	05-09	L4, V6	2.0 (G4GC), 2.7L (G6BA)	F4A42-2, F4A51, W4A51	8.2/7.8	N/A				Hyundai SP-III				* DM, DVI, MV			
	10	L4	2.0 (G4KD), 2.4L (G4KE)	A6MF1	7.5/7.1	N/A				Hyundai SP IV				DVI, MLV			
Veloster	13-15	L4	1.6L	A6MF2	7.5/7.1	N/A				Hyundai SP IV				DVI, MLV			
	07-10	V6	3.0L, 3.8L (G6DA)	F21	7.4/7	N/A				Toyota Type T-IV				* DM, MV			
Vera Cruz	11-12	V6	3.0L, 3.8L (G6DA)	A6MF2, A6MF2H	7.7/7.3	N/A				Hyundai SP IV				DVI, MLV			
	XG300, XG350	99-05	V6	3.0, 3.5L	F5A51	8.9/8.5	N/A			Hyundai SP-III				* DM, DVI, MV			
INFINITI																	
FX35	08-12	V6	3.5L (VQ35HR)	RE5R05A	10.9/10.3	N/A				Nissan Matic-S				DVI, MLV			
	09-12	V6, V8	3.5, 4.5L	RE7R01A, RE7R01B	9.7/9.2	N/A				Nissan Matic-S				DVI, MLV			
FX35/50	03-08	V6, V8	3.5, 4.5L	RE5R05A	10.9/10.3	N/A				Nissan Matic-J				SYN DM, DVI, MV			
	09-13	V6	3.5L (VQ35HR)	RE7R01A	9.7/9.2	N/A				Nissan Matic-S				DVI, MLV			
FX45	09-13	V8	5.0L (VK50VE)	RE7R01B	12/11.3	N/A				Nissan Matic-S				DVI, MLV			
	03-08	V6, V8	3.5, 4.5L	RE5R05A	10.9/10.3	N/A				Nissan Matic-J				SYN DM, DVI, MV			
G20	91-02	L4	2.0L	RL4F03A/V	7.3/6.9	N/A				Nissan Matic-D				* DM, DVI, MV			
G25	11-12	V6	2.5L (VQ25HR)	RE7R01A	9.7/9.2	N/A				Nissan Matic-S				DVI, MLV			
G35 & Coupe	03-08	V6	3.5L	RE5R05A	10.8/10.3	N/A				Nissan Matic-J				SYN DM, DVI, MV			
	G37	09-13	V6	3.7L (VQ37VVR)	RE7R01A	9.7/9.2	N/A			Nissan Matic-S				DVI, MLV			
I30/I35	95-05	V6	3.0L	RE4F04A	10/9.5	N/A				Nissan Matic-D				* DM, DVI, MV			
	I35	04	V6	RE4F04A	10/9.5	N/A				Nissan Matic-D				* DM, DVI, MV			
J30	90-97	V6	3.0L	RE4R01A	8.7/8.2	N/A				Nissan Matic-D				* DM, DVI, MV			
JX35	13	V6	3.5	CVT	10.7/10.2	N/A				NS-3 CVT Fluid				LUBEGARD CVT Fluid			
	M30	90-97	V6	3.0L	RE4R01A	8.7/8.2	N/A				Nissan Matic-D				* DM, DVI, MV		
06-08		V6	3.5L	RE5R05A	10.8/10.3	N/A				Nissan Matic-J				SYN DM, DVI, MV			
M35	09-10	V6, V8	3.5 (VQ35HR), 4.5L (VQ45DE)	RE7R01A	9.7/9.2	N/A				Nissan Matic-S				DVI, MLV			
	M35H	12-13	V8	4.5L (VQ45DE)	RE701H	7.4/7	N/A			Nissan Matic-S				DVI, MLV			
M37	11-13	V6	3.7L (VQ37VVR)	RE7R01A	9.7/9.2	N/A				Nissan Matic-S				DVI, MLV			
M45	03-08	V8	4.5L	RE5R05A	10.9/10.3	N/A				Nissan Matic-J				SYN DM, DVI, MV			
M56	11-13	V8	5.5L (VK56VD)	RE7R01B	10.5/10	N/A				Nissan Matic-S				DVI, MLV			
	Q45	94-01	V8	4.1L	RE5R01A	11.1/10.5	N/A				Nissan Matic-D				* DM, DVI, MV		
02		V8	4.5L	RE4R05A	10.7/10.1	N/A				Nissan Matic-J				SYN DM, DVI, MV			
Q45	02-06	V8	4.5L	RE5R05A	10.8/10.3	N/A				Nissan Matic-J				SYN DM, DVI, MV			
	03-06	V8	4.5L	RE4R05A	10.9/10.3	N/A				Nissan Matic-J				SYN DM, DVI, MV			
	14-15	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A				Nissan Matic-S				DVI, MLV			
Q50	16-17	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A				Nissan Matic-S				DVI, MLV			
	16-17	L4, V6	2.0, 3.0L	RE7R01H	7.4/7	N/A				Nissan Matic-S				DVI, MLV			
Q50 Hybrid	14-15	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A				Nissan Matic-S				DVI, MLV			
	16-17	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A				Nissan Matic-S				DVI, MLV			
Q60	14-15	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A				Nissan Matic-S				DVI, MLV			
	16-17	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A				Nissan Matic-S				DVI, MLV			
Q70	15-17	V6, V8	3.7, 5.6L	RE7R01A	10.5/10	N/A				Nissan Matic-S				DVI, MLV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Whole fluid option			
							60902	63010			61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Q70 Hybrid	14-17	V6	3.4L	RE7R01H	7.4/7	N/A				Nissan Matic-S							
QX4	97-03	V6	3.3L	RE4R01A	9/8.5	N/A				DEXRON III							
QX30	17	L4	2.0L	GE7F30A	6.6/6.2	N/A			X	Shell DCT M-1							
QX50	14-17	L4, V6	2.0, 3.0L	RE7R01A	9.7/9.2	N/A				Nissan Matic-S							
QX 56	04-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A				Nissan Matic-S							
	11-13	V8	5.6L (VK56DE)	RE5R05A	10.6/10	N/A				Nissan Matic-S							
QX60	14-17	V6	3.5L	RE0F10E	9.3/8.8	N/A				NS-3 CVT Fluid							
QX60 Hybrid	14-17	L4	2.5L	RE0F02H	6.2/5.9	N/A				NS-3 CVT Fluid							
QX70	14-17	V6, V8	3.7, 5.6L	RE7R01B	12/11.3	N/A				Nissan Matic-S							
QX70 Hybrid	14-17	V6	3.7L	RE7R01H	9.7/9.2	N/A				Nissan Matic-S							
QX80	14-17	V8	5.6L	RE7R01B	10.6/10	N/A				Nissan Matic-S							
ISUZU																	
1280, 1350	06	N/A	N/A	4L65-E	11.2/10.6	5/4.7				DEXRON III							
1290, 1370	07-08	L6, I5	2.9, 3.7L	4L60-E	11.2/10.6	5/4.7				DEXRON VI							
Amigo	99-02	V6	3.2, 3.5L	4L30-E	9.1/8.6	N/A				DEXRON III							
Ascender	03-08	V6, V8	4.2, 5.3L	4L60-E	11.2/10.6	5/4.7				DEXRON III							
Axiom	99-04	V6	3.2, 3.5L	4L30-E	9.1/8.6	N/A				DEXRON III							
Hombre	96-00	L4	2.2, V6 4.3L	4L60-E	8.8/8.3	5/4.7				DEXRON III							
Oasis	96-02	L4	2.2, 2.3, 2.4, 2.5L	MPJA	6.6, 6/6.3	2.5/2.4				Honda Genuine ATF Z-1							
Rodeo	91-02	All	N/A	4L30-E	9.3/8.8	3.2/3				DEXRON III							
	04	All	3.5L	4L30-E	8.7/9.2	N/A				Isuzu Genuine Fluid							
Trooper	90-02	V6	3.2, 3.5L	4L30-E	9.3/8.8	3.2/3				DEXRON III							
Truck NPR	95-02	V8	5.7L	4L80-E	13.5/12.8	7.7/7.3				DEXRON III							
JAGUAR																	
F-Type	14-15	V6	5.0L	ZF 6HP28	10.7/10.1	N/A				Shell M-1375.4							
	16-17	V6, V8	3.0, 5.0L	ZF 8HP70	9.0/8.5	N/A				Shell M-L12108							
F-Pace	17	V6	3.0L	ZF 8HP45	9.0/8.5	N/A				Shell M-L12108							
S-Type	00-02	V6, V8	3.0, 4.0L	5R55N	N/A	N/A				Esso Type LT 71141							
	03-06	V6	3.0L	ZF 6HP26	N/A	N/A				Esso Type LT 71141							
	90-97	V8	4.0L	ZF 4HP24	7.9/7.5	3.3/3				Esso Type LT 71141							
Vanden Plas	98-03	V8	4.0L	ZF 5HP24	13.7/13	4.2/4				Esso Type LT 71141							
	04-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6				Jaguar Fluid 8342							
X-Type AWD	02-06	V6	3.0L	JF506K	13.7/13	4.2/4				Esso Type LT 71141							
XE	17	V6, V8	3.0, 5.0L	ZF 8HP45 / 8HP70	9.0/8.5	N/A				Shell M-L12108							
XF (X250)	09-10	V6, V8	2.7, 3.0, 4.2, 5.0L	ZF 6HP26	10.6/10	6.4/6				Jaguar Fluid 8342							
	11-15	V6, V8	3.0 (AJ27), 5.0L (AJ133)	ZF 6HP28	10.6/10	N/A				Jaguar Fluid 8342							
XF	16-17	V6, V8	3.0, 5.0L	ZF 8HP45 / 8HP70	9.0/8.5	N/A				Shell M-L12108							
XFR	10-12	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A				Jaguar Fluid 8342							
XFR-S	10-15	V6, V8	4.2, 5.0L	ZF 6HP28	10.6/10	N/A				Jaguar Fluid 8342							
XJ6	88-97	L6	3.2L	ZF 4HP22	7.9/7.5	3.2/3				DEXRON III							
	90-97	L6	4.0L	ZF 4HP24	9.2/8.7	4.2/4				Esso Type LT 71141							
XJ8 / XJL	98-03	V8	4.0L	ZF 5HP24	13.7/13	4.2/4				Esso Type LT 71141							
	04-06	V8	4.2L	ZF 6HP26	N/A	N/A				Jaguar Fluid 8342							
	95-97	L6	4.0L	ZF 4HP24	7.9/7.5	3.3/3				Esso Type LT 71141							
	98-03	V8	4.0L Schargd	ZF 5HP24	13.7/13	5.8/5.5				Shell 3403-M 115							
XJR	04-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6				Jaguar Fluid 8342							
	10-16	V6, V8	4.2, 5.0L	ZF 6HP28	10.6/10	N/A				Shell M-1375.4							
	17	V6, V8	3.0, 5.0L	ZF 8HP45 / 8HP70	9.0/8.5	N/A				Shell M-L12108							
XJS & XJ12	93-02	V12	6.0L	4L80-E	13.5/12.8	5/4.7, 7.7/7.3				DEXRON III							
	98-02	V8	4.0L Schargd	4L80-E	13.5/12.8	4.2/4				DEXRON III							
XJ (X350)	04-09	V6, V8	2.7 (TD6V), 3.0 (AJ27), 4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6				Jaguar Fluid 8342							
	10-16	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A				Jaguar Fluid 8342							
XJ (X351)	17	V6, V8	3.0, 5.0L	ZF 8HP45 / 8HP70	9.0/8.5	N/A				Shell M-L12108							

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
XJL	10-16	V6, V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A				Jaguar Fluid 8342				DVI, MLV			
	97-00	V8	4.0L	ZF 5HP24	13.7/13	4.2/4				Esso Type LT 71141				SYN DM, MV			
	01-02	V8	4.0L	5R55N	N/A	N/A				Esso Type LT 71141				SYN DM, MV			
	03-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6				Jaguar Fluid 8342				DVI, MLV			
	10	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A				Jaguar Fluid 8342				DVI, MLV			
XKR	01-02	V8	4.2L	5R55N	N/A	N/A				Esso Type LT 71141				SYN DM, MV			
	03-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6				Jaguar Fluid 8342				DVI, MLV			
	10-15	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A				Jaguar Fluid 8342				DVI, MLV			
XKR-S	10-15	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A				Shell M-1375.4				DVI, MLV			
JEEP																	
Cherokee	87-01	L4	2.5, L6 4.0L	A340F	8.5/8	4.2/4				DEXRON III				DM, DVI			
	95-01	L4	2.5, L6 4.0L	A904	8.2/7.8	2/1.9				Mopar ATF+4				* DM, MV			
	14-17	L4, V6	2.4, 3.2L	948TE	N/A	6.4/6.0				Mopar 8&9-speed ATF				LG8, MULV			
Commander	06-10	V6	3.7L	NAG 1	8.1/7.7	5.3/5				Mopar ATF+4				* DM, MV			
	06-10	V8	4.7, 5.7L	545RFE	16.9/16, 14.8/14	6.5/6.2				Mopar ATF+4				* DM, MV			
Compass	07-17	L4	2.0, 2.4L	CVT2	8.6/8.1	4/3.8				Mopar CVT+4 (VTF)				LUBEGARD CVT Fluid			
	14-17	L4	2.0, 2.4L	6F24	7.4/7.0	4.3/4				SK ATF SPIV				DVI, MLV			
Grand Cherokee	94-96	V8	5.2L	A518, 46RH, RE	14.1/13.4	4/3.8				Mopar ATF+4				* DM, MV			
	94-97	V8	5.9, L6 4.0L	A518, 46RH, RE	10.9/10.3	4/3.8				Mopar ATF+4				* DM, MV			
	96-97	V8	4.0, 5.2L	A500, 42, 44RE	10.9/10.3	4/3.8				Mopar ATF+4				* DM, MV			
	98-01	V8	5.9, L6 4.0L	A500, 42, 44RE	12.2/11.6	4/3.8				Mopar ATF+4				* DM, MV			
	98-04	V8	5.9L	A500, 42, 44RE	12.2	4/3.8				Mopar ATF+4				* DM, MV			
	98-04	V8	5.2L	A518, 46RE	14.1/13.4	4/3.8				Mopar ATF+4				* DM, MV			
	99-04	V8	4.7L	45RF-E	14/13.3	5/4.7				Mopar ATF+4				* DM, MV			
	02-07	L6, V8	4.0, 5.9L	A500, 42, 44RE-E	14.1/13.4	4/3.8				Mopar ATF+4				* DM, MV			
	04-05	V6	3.7, 4.7L	545RFE 1	14/13.3	5.4/5.2				Mopar ATF+4				* DM, MV			
	05-12	V8	4.7, 5.7L	545RFE	16.9/16, 14.8/14	6.5/6.2				Mopar ATF+4				* DM, MV			
	06-10	V6, V8	3.0, 3.7L	NAG 1	8.1/7.7	5.3/5				Mopar ATF+4				* DM, MV			
	06-12	V8	6.1L	NAG 1	8.1/7.7	5.3/5				Mopar ATF+4				* DM, MV			
	13-17	V6, V8	3.0, 5.7L	8HP45/8HP70	9/8.5	9/8.5				Mopar 8&9-speed ATF				LG8, MULV			
13-17	V8	6.1, 6.4L	8HP75	9/8.5	9/8.5				Mopar 8&9-speed ATF				LG8, MULV				
Liberty	02	L4, V6	2.4, 3.7L	45RFE	14/13.3	5/4.7				Mopar ATF+4				* DM, MV			
	03-06	L4	2.8L	42RLE	8.7/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	03-09	V6	3.7L	42RLE	8.7/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	03-12	L4, V6	2.4, 3.7L	545RFE	16.9/16, 14.8/14	5/4.7				Mopar ATF+4				* DM, MV			
	05-06	L4	2.8L	545RFE	14/13.3	5/4.7				Mopar ATF+4				* DM, MV			
	06-07	L4	2.8L	545RFE	16.9/16, 14.8/14	5/4.7				Mopar ATF+4				* DM, MV			
Liberty	08-12	L4	2.8L	NAG 1	8.1/7.7	5.3/5				Mopar ATF+4				* DM, MV			
	07-17	L4	2.0, 2.4L	CVT	8.8/8.4	4/3.8				Mopar CVT+4 (VTF)				LUBEGARD CVT Fluid			
Patriot	12-17	L4	2.0, 2.4L	6F24	7.4/7	4.3/4				SK ATF SPIV				DVI, MLV			
Renegade	15-17	L4	1.4, 2.4L	948TE/9HP48	N/A	6.4/6				Mopar 8&9-speed ATF				LG8, MULV			
	97-02	L4	2.5L	30RH, 32RH	8.5/8	4/3.8				Mopar ATF+4				* DM, MV			
Wrangler	01	L6	4.0L	42RLE	12.3/11.7	4/3.8				Mopar ATF+4				* DM, MV			
	02-03	L6	4.0L	42RLE	10/9.5	4/3.8				Mopar ATF+4				* DM, MV			
	04-08	L4	2.5L	42RLE	8.7/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	07-11	V6	3.8L	42RLE	8.8/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	07-12	L4	2.8L	45RFE, 545RFE	16.9/16, 14.8/14	6.5/6.2				Mopar ATF+4				* DM, MV			
	12-17	V6	3.6L	NAG 1	8.1/7.7	5.3/5				Mopar ATF+4				* DM, MV			
KIA																	
Amanti	04-07	V6	3.5L	F5A51-3	8.5/9	N/A				Kia Diamond SP-III				* DM, DVI, MV			
	06-09	V6	3.8L (G6DA)	ASHF1	11.5/10.9	N/A				Kia Diamond SP-III				* DM, DVI, MV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM DEXRON®/MERCON®
DVI DEXRON® VI
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV
LG8 Lifeguard® 8

LG8
DHP
GFS
*

Lifeguard® 8
Dexron® HP
Gear Fluid Supplement
Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Whole fluid option		
							60902	63010			61910	62005	63010	Base Fluid	68112 CVT	56032 DCT
Borrego (HM)	09-10	V8	4.6L (G8BA)	ZF 6HP26	10.6/10	6.4/6				Shell M-1374.5						
	09-10	V6	3.8L (G6DA)	A5SR2	10.6/10	N/A				Kia ATF Red-1						
	14-17	V6	3.3L	6AT	8.2/7.8	N/A				Kia Genuine ATF SP VI						
Cadenza	17	V6	3.3L	8AT	7.4/7	N/A				Kia Genuine ATF SP VI						
	Entourage	06-08	V6	3.8L	A5HF1	11.5/10.9	N/A			Kia Diamond SP-III						
Forte	10-12	L4	2.0L (G4KD)	A4CF2	6.9/6.6	N/A				Kia Diamond SP-III						
	10-12	V6	2.4L (G6KE)	A5CF2	8/7.6	N/A				Kia Diamond SP-III						
	15-17	L4	1.6,1.8, 2.0L	A6MF1/A6GF1	7.5/7.1	N/A				Kia Genuine ATF SP VI						
Forte Koupe	17	L4	1.6,1.8, 2.0L	A6MF1/A6GF1	7.5/7.1	N/A				Kia Genuine ATF SP VI						
	Forte5	17	L4	1.6,1.8, 2.0L	A6MF1/A6GF1	7.5/7.1	N/A			Kia Genuine ATF SP VI						
K900	15-17	V6, V8	3.8, 5.0L	8AT	10.1/9.6	N/A				Kia Genuine ATF SP VI						
	01-07	L4, V6	2.4, 2.5, 2.6L	54A42	9/8.5	N/A				Kia Diamond SP-III						
	06-10	V6, L4	2.7 (G6EA), 2.4L (G4KE)	A5GF1	10/9.5	N/A				Kia Diamond SP-III						
Optima	07-08	L4, V6	2.4,	F4A42	10/9.5	N/A				Kia Diamond SP-III						
	11-12	L4, V6	2.0L (G4KD), 2.4L (G6KE)	A6MF2	8.2/7.8, 7.5/7.1	N/A				Kia Genuine ATF SP VI						
	13-17	L4	2.0L (G4KD), 2.4L (G6KE)	A6LF2, A6MF2-1	8.2/7.8, 7.5/7.1	N/A				Kia Genuine ATF SP VI						
	11	L4	2.4L	A6MF2H	5.3/5.0, 6.9/6.5	N/A				Kia Genuine ATF SP VI						
Optima Hybrid	11-17	L4	2.0L	A6MF2H	6.3/6	N/A				Kia Genuine ATF SP VI						
	02-04	L4	1.5, 1.6L	F4A-EL	6.2/5.9	N/A				Kia Diamond SP-III						
	02-07	L4	1.5, 1.6L	F4E-K	6.2/5.9	N/A				Kia Diamond SP-III						
Rio, Rio 5	05-11	L4	1.6L (G4ED)	A4AF3	6.4/6.1	N/A				Kia Diamond SP-III						
	12	L4	1.6L (G4ED)	A6GF1	7.7/7.3	N/A				Kia Genuine ATF SP VI						
	Rio Cinco	06-07	L4	1.6L	F4E-KL	6.2/5.9	N/A			Kia Diamond SP-III						
Rio	12-17	L4	1.6L	A6GF1	7.7/7.3	N/A				Kia Genuine ATF SP VI						
	Rondo	07-10	V6	2.7L (G6EA)	A5GF1	10/9.5	N/A			Kia Diamond SP-III						
Sedona	02-10	L4	2.4L (G4KC)	F4A42	8.2/7.8	N/A				Kia Diamond SP-III						
	02-05	V6	3.5L	F5A51	9/8.5	N/A				Kia Diamond SP-III						
	06-11	V6	3.8L (G6DA)	A5HF1	11.5/10.9	N/A				Kia Diamond SP-III						
Sephia	11-13	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A				Kia Genuine ATF SP VI						
	14-17	V6	3.3L	A6LF2	8.2/7.8	N/A				Kia Genuine ATF SP VI						
	97-02	L4	1.8L	F4A-EL	5.7/5.4	N/A				Kia Diamond SP-III						
Sorento	03-04	V6	3.5L	A44DE	10.8/10.2	N/A				Kia Diamond SP-III						
	05-06	V6	3.5L (G6DC)	RE5R05A	10.6/10, 11.5/10.9	N/A				Kia ATF Red-1						
	07-10	V6	3.3 (G6DB), 3.8L (G6DA)	A5SR1 /A5SR2	10.6/10	N/A				Kia ATF Red-1						
Soul	11-13	L4	2.4L (G4KE)	A6MF2	7.5/7.1	N/A				Kia Genuine ATF SP-IV						
	11-13	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A				Kia Genuine ATF SP-IV						
	14-17	L4, V6	2.4, 3.6L	A6LF2	8.2/7.8	N/A				Kia Genuine ATF SP-IV						
	10-11	L4	1.6 (G4FC), 2.0L (G4GC)	A4CF1, A4CF2	6.9/6.6	N/A				Kia Diamond SP-III						
Spectra	12-17	L4	1.6L	A6GF1	7.7/7.3	N/A				Kia Genuine ATF SP-IV						
	00-07	L4	1.8L	F4A-EL	5.7/5.4	N/A				Kia Diamond SP-III						
	04-05	L4	2.0L	F4A-EL	8.2/7.8	N/A				Kia Diamond SP-III						
Sportage	06-09	L4	2.0L (G4GC)	A4CF2	6.5/6.2	N/A				Kia Diamond SP-III						
	97-02	L4	2.0L	03-72LE (A44DE)	6.7/6.3	2.5/2.4				DEXRON III						
Land Rover	05-10	L4, V6	2.0 (G4GC), 2.7L (G6BA)	F4A42	8.2/7.8	N/A				Kia Diamond SP-III						
	11-12	L4	2.0 (G4GC), 2.4L (G4KE)	A6MF1, A6LF2	8.2/7.8, 7.5/7.1	N/A				Kia Genuine ATF SP-IV						
	14-17	L4	2.0 (G4GC), 2.4L (G4KE)	A6MF1, A6LF2	8.2/7.8, 7.5/7.1	N/A				Kia Genuine ATF SP-IV						
LAND ROVER																
Defender 90	94-97	V8	4.0L	ZF 4HP22A/24A	9.6/9.1	N/A				DEXRON III						
Discovery	02-07	V8	4.6L	ZF 4HP22A/24A	10.2/9.7	N/A				Esso Type LT 71141						
	94-99	V8	4.0L	ZF 4HP22/24	9.6/9.1	3.2/3				Esso Type LT 71141						
Discovery Sport	15-17	L4	2.0L, 2.2 L (Diesel)	ZF9HP	6.9/6.5	N/A				Shell M-L12108						
	Evoque	12-13	L4	2.0L, 2.2 L (Diesel)	AW21	7.4/7	N/A			Nippon AW-1 ATF						
Freelander	14-17	L4	2.0L, 2.2 L (Diesel)	ZF9HP	6.9/6.5	N/A				Shell M-L12108						
	02-05	V6	2.5L	JF506-E	9/8.5	4.2/4				Texaco N402						
LR2	07-15	L6	3.2L (S16)	AW F21	7.4/7	N/A				LRO02748						

K
L

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
LR-3	05-09	V6, V8	2.7 (TDV6), 4.0, 4.4L (AJ41)	ZF 6HP26A	10.5/9.5	N/A				LRN13754				DVI, MLV			
	10-12	V6, V8	3.0 (TDV), 5.0L (AJ133)	ZF 6HP28	10.7/9.9	N/A				LRN13754				DVI, MLV			
LR-4	10-12	V6, V8	4.0, 5.0L (AJ133)	ZF 6HP26	10.5/9.5	N/A				LRN13754				DVI, MLV			
	03-05	V8	4.4L	5-speed	10.4/9.9	N/A				Esso Type LT 71141				SYN DM, MV			
Range Rover	06-10	V8	4.2, 4.4, 5.0L	ZF6HP26A	10/9.5	N/A				Shell M-L12108				SYN DVI, DHP, LG 8			
	11-16	V6, V8	3.0, 5.0L	ZF8HP	9/8.5	N/A				Shell M-L12108				SYN DVI, DHP, LG 8			
LEXUS																	
CT200H	11-17	L4	1.8L	P410 HYBRID	3.6/3.4	N/A				Toyota Type WS				DVI, MLV			
	94-98	V6	3.0L	A541-E	8.5/8	3.7/3.5				DEXRON III				DM, DVI			
ES300	99-01	V6	3.0L	U140-E	8.8/8.3	3.7/3.5				Toyota Type T-IV				* DM, MV			
	99-03	V6	3.0L	A541-E	8.5/8	5/4.7				Toyota Type T-IV				* DM, MV			
ES300H	13-17	V6	3.0L	P314	3.9/3.7	N/A				Toyota Type WS				DVI, MLV			
	03-07	V6	3.3L	A541-E	8.7/8.3	3.7/3.3				Toyota Type T-IV				* DM, MV			
ES330	04-07	V6	3.3L	U151-E	9.3/8.8	3.7/3.5				Toyota Type T-IV				* DM, MV			
	07-08	V6	3.3L	A960-E	4.4/4.2	1.7/1.6				Toyota Type WS				DVI, MLV			
ES350	07-12	V6	3.5L (2GR)	U660-E, U660F	6.9/6.7	3/2.8				Toyota Type WS				DVI, MLV			
	07-08	V6	3.5L	A960-E	8.2/7.8	1.8/1.7				Toyota Type WS				DVI, MLV			
GS200T	09-17	V6	3.5L	U660-E, U660F	6.9/6.6	3/2.8				Toyota Type WS				DVI, MLV			
	16-17	L4	2.0L	AA81E	9.2/8.7	3.4/3.2				Toyota Type WS				DVI, MLV			
GS300/GS400	96-99	L6	3.0, V8 4.0L	A650-E	8.3/7.9	2/1.9				Toyota Type T-IV				* DM, MV			
	00	L6	3.0, V8 4.0L	A341-E, A650-E	8.3/7.9, 8.7/8.3	2.5/2.4, 2.1/2				Toyota Type T-IV				* DM, MV			
GS300/GS400	02-07	L6	3.0, V8 4.0L	A350-E, A650-E	9.1/8.6, 8.7/8.2	2/1.9, 2.1/2				Toyota Type T-IV				* DM, MV			
	06-08	V6, V8	3.3, 4.0L	A761-E, A760H	11.5/10.9, 5/4.7	3.3/3, 1.7/1.6				Toyota Type WS				DVI, MLV			
GS350	06-07	V6	3.5, 4.6L	A960-E	7.6/7.2	1.6/1.5				Toyota Type WS				DVI, MLV			
	07-10	V6	3.5L (2GR)	A760-E, A760H	8.3/7.9	1.7/1.6				Toyota Type WS				DVI, MLV			
GS350	11	V6	3.5L (2GR)	A760-E, A760H	8.3/7.9	1.7/1.6				Toyota Type WS				DVI, MLV			
	13-17	V6	3.5L (2GR)	AA81E	10/9.5	3.4/3.2				Toyota Type WS				DVI, MLV			
GS430	03-06	V8	4.3L	A650-E	9.4/8.9	1.9/1.8				Toyota Type T-IV				* DM, MV			
	07-10	V8	4.6L (1UR)	L110 HYBRID CVT	11.4/10.8	N/A				Toyota Type WS				DVI, MLV			
GS450H	11	V8	4.6L (1UR)	L110 HYBRID CVT	11.4/10.8	6/5.7				Toyota Type WS				DVI, MLV			
	13-17	V8	4.6L (1UR)	L110 HYBRID CVT	11.4/10.8	6/5.7				Toyota Type WS				DVI, MLV			
GS460	08-10	V8	4.6L (1UR)	AA80-E	11.4/10.8	3.4/3.2				Toyota Type WS				DVI, MLV			
	11	V8	4.6L (1UR)	AA80-E, AA80F	11.4/10.8	3.4/3.2				Toyota Type WS				DVI, MLV			
GSF	16-17	V8	4.6L (1UR)	AA81E	11.8/11.2	3.9/3.7				Toyota Type WS				DVI, MLV			
GX460	10	V8	4.6L (1UR)	A760F	11.4/10.8	3.4/3.2				Toyota Type WS				DVI, MLV			
GX470	11-17	V8	4.6L (1UR)	A760F	11.4/10.8	3.4/3.2				Toyota Type WS				DVI, MLV			
GX470	03-09	V8	4.7L (2UZ)	A750, A750F	11.5/10.5	1.4/1.3				Toyota Type WS				DVI, MLV			
HS250H	10-12	L4	2.4L (2AZ)	P311 HYBRID	4.4/4.2	N/A				Toyota Type WS				DVI, MLV			
IS200T	16-17	L4	2.0L	AA81E	9.2/8.7	3.4/3.2				Toyota Type WS				DVI, MLV			
IS250, 350	06-12	V6	2.5 (4GR), 3.5L (2GR)	A760H, A960-E	8/7.5/6.5, 8.2/7.8/6.9	1.7/1.6, 1.8/1.7				Toyota Type WS				DVI, MLV			
	10	V6	2.5L (4GR)	A760H, A960-E	8/7.5/6.5, 8.2/7.8/6.9	1.7/1.6, 1.8/1.7				Toyota Type WS				DVI, MLV			
IS250C	11-15	V6	2.5L (4GR)	A760H, A960-E	7.9/7.5, 9.9/9.4	1.9/1.8, 3/2.8				Toyota Type WS				DVI, MLV			
	04-05	V6	3.0L	A650E	8.5/8.0	2.5/2.4				Toyota Type T-IV				* DM, MV			
IS300	16-17	V6	3.5L	A760H	10.6/10	1.7/1.6				Toyota Type WS				DVI, MLV			
	06-10	V6	3.5L (2GR)	AS760-E, A7600H	8.3/7.9, 10.5/10	1.9/1.8, 3/2.8				Toyota Type WS				DVI, MLV			
IS350C	11-15	V6	3.5L	A760H, A960-E	9.9/9.4, 7.9/7.5	3/2.8, 1.9/1.8				Toyota Type WS				DVI, MLV			
	16-17	V6	3.5L	A760H	10.6/10	1.7/1.6				Toyota Type WS				DVI, MLV			
IS-F	08-10	V8	5.0L (2UR)	AA80-E	11.6/11	3.4/3.2				Toyota Type WS				DVI, MLV			
	11-14	V8	5.0L (2UR)	AA80F	11.6/11	3.6/3.4				Toyota Type WS				DVI, MLV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM DEXRON®/MERCON®
DVI DEXRON® VI
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV
LGB Lifeguard® 6

LGB
DHP
GFS
*

Lifeguard® 8
Dexron® HP
Gear Fluid Supplement
Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- or
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Base Fluid	68112	56032	69032
							60902	63010			61910	62005	63010		CVT	DCT	ATF
LS400	90-97	V8	4.0L	A341-E	8.7/8.2	2/1.9				Toyota Type T-IV				* DM, MV			
	98-02	V8	4.0L	A650-E	8.8/8.3	2/1.9				Toyota Type T-IV				* DM, MV			
	07	V8	4.6L	A761-E	10.5/9.9	3/2.8				Toyota Type WS				DVI, MLV			
	07-12	V8	4.6L (1UR)	AA80-E, AA80F	11.4/10.8, 10.9/10.3	3.4/3.2				Toyota Type WS				DVI, MLV			
LS430	04-06	V8	4.3L	A650-E	9.4/8.9	1.9/1.8				Toyota Type T-IV				* DM, MV			
	04-06	V8	4.3L	A761-E	11.5/10.9	3.2/3				Toyota Type WS				DVI, MLV			
LS460	08-17	V8	4.6L	AA80-E, AA80F	11.3/10.7	3.4/3.2				Toyota Type WS				DVI, MLV			
	08-10	V8	5.0L (2UR)	L110-F HYBRID	6/5.7	1.2/1.1				Toyota Type WS				DVI, MLV			
LS600H	08-16	V8	5.0L (2UR)	L110-F HYBRID	6/5.7	5.8/5.5				Toyota Type WS				DVI, MLV			
	11-12	V8	5.0L (2UR)	L110-F HYBRID	6/5.7	5.8/5.5				Toyota Type WS				DVI, MLV			
LX450	96-97	L6	4.2L	A343F	11.6/11	2/1.9				DEXRON III				DM, DVI			
	98-02	V8	4.7L	A343F	12.3/11.7	2/1.9				DEXRON III				DM, DVI			
LX470	03	V8	4.7L	A750-E	11.2/10.6	3/1.3				Toyota Type T-IV				* DM, MV			
	04-07	V8	4.7L	A750-E/F	11.2/10.6	3/1.3				Toyota Type WS				DVI, MLV			
LS570	08-11	V8	5.0L (2UR)	AB60F	12.4/11.7	2.2/2				Toyota Type WS				DVI, MLV			
	13-17	V8	5.0L (2UR)	AB60F	12.6/11.9	2.2/2				Toyota Type WS				DVI, MLV			
NX200T	15-17	L4	2.0L	U661E, U661F	6.9/6.5	3/2.8				Toyota Type WS				DVI, MLV			
NX300H	15-17	L4	2.5L	P314, Q211	4/3.8	1.9/1.8				Toyota Type WS				DVI, MLV			
RC200T	16-17	L4	2.0L	AA81E	9.2/8.7	3.4/3.2				Toyota Type WS				DVI, MLV			
RC300	16-17	V6	3.5L	A760H	10.6/10	3.4/3.2				Toyota Type WS				DVI, MLV			
RC350	15-17	V6	3.5L	AA81E	10/9.5	3.4/3.2				Toyota Type WS				DVI, MLV			
	15-17	V6	3.5L	A760H	10.6/10	3.4/3.2				Toyota Type WS				DVI, MLV			
RCF	15-17	V8	5.0L	AA80F	11.8/11.2	3.9/3.7				Toyota Type WS				DVI, MLV			
RX300	98-02	V6	3.0L	A247E, 4140-E	8.7/8.2	3.5/3.3				Toyota Type T-IV				* DM, MV			
	99-02	V6	3.0L	A540H, U140F	9.7/9.2	4.3/4.1				Toyota Type T-IV				* DM, MV			
RX330	04-06	V6	3.3L	U140E, U140F	N/A	3.7/3.5				Toyota Type T-IV				* DM, MV			
	07-09	V6	3.5L (2GR)	U151F	9.3/8.8	3.4/3.2				Toyota Type WS				DVI, MLV			
RX350	10-12	V6	3.5L (2GR)	U660-E, U660-F, U661E	6.7/6.5, 7/6.7	3/2.8				Toyota Type WS				DVI, MLV			
	13-17	V6	3.5L (2GR)	U661F, U880F, U881F	7.4/7	3.4/3.2				Toyota Type WS				DVI, MLV			
RX400H	06-08	V6	3.3L (3MZ)	P310 HYBRID, Q211 HYBRID	N/A	4.1/3.9, 1.8/1.7				Toyota Type WS				DVI, MLV			
RX450h	10-12	V6	3.5L (2GR)	P313 Hybrid, Q211 Hybrid	N/A	4.9/4.6, 1.9/1.8				Toyota Type WS				DVI, MLV			
RX450h	13-17	V6	3.5L (2GR)	P313 Hybrid, Q211 Hybrid	N/A	5.1/4.8, 1.9/1.8				Toyota Type WS				DVI, MLV			
SC	03-07	V8	4.3L	A650-E	9.4/8.9	1.9/1.8				Toyota Type T-IV				* DM, MV			
SC300	92-05	V6	3.0L	A340-E	7.6/7.2	2/1.9				Toyota Type T-IV				* DM, MV			
SC400	93-99	V8	4.0L	A341-E	8.7/8.2	2/1.9				Toyota Type T-IV				* DM, MV			
	00-04	V8	4.0L	A350-E, A650-E	8.7/8.2	2.5/2.4				Toyota Type T-IV				* DM, MV			
SC430	04-06	V8	4.3L	A650-E, A761-E	9.4/8.9, 11.5/10.9	1.9/1, 3.3/3				Toyota Type WS				DVI, MLV			
	07-10	V8	4.3L (3UZ)	A761-E	9.1/8.6	1.4/1.3				Toyota Type WS				DVI, MLV			
LINCOLN																	
Aviator	03-07	V8	4.6L	5R55W	12.7/12	N/A				MERCON V				*DM			
Blackwood	02-07	V8	5.4L	4R100	17.1/16.2	6.5/6.1				MERCON				DM, MV			
Continental	96-97	V8	4.6L	AX4N	13.7/13	N/A				MERCON				DM, MV			
	98-02	V8	4.6L	AX4N, AX4S	13.7/13	N/A				MERCON V				*DM			
Continental	17	V6	3.0L	6F50/6F55	11.6/11	N/A				MERCON LV				DVI			
	00-06	V6, V8	3.8, V8 3.9L	5R55N	11.9/11.2	N/A				MERCON V				*DM			
MKC	15-16	L4	2.0, 2.3L	6F35	9/8.5	N/A				MERCON LV				DVI			
MKX	07-09	V6	3.5L	6F50/6F55	9.4/8.9	N/A				MERCON V				*DM			
	11-16	V6	3.5L	6F50/6F55	11/10.4	N/A				MERCON LV				DVI			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
MKZ	06-12	L4, V6	2.5, 3.0, 3.5L	AW21	7.4/7	N/A				Motorcraft XT-8-QAW				* DM, MV			
	07-08	V6	3.0L	AW6A-EL	N/A	7.4/7				Motorcraft XT-8-QAW				* DM, MV			
	07-09	L4, V6	2.3, 3.0, 3.5L	FNR5	7/6.7	N/A				Mazda ATF M-V				* DM, DVI, MV			
	11-16	L4, V6	2.5, 3.0, 3.5L	6F35	9/8.5	N/A				MERCON LV				DVI			
	13-16	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A				MERCON LV				DVI			
	17	L4, V6	2.0, 3.0L	6F35/6F50/6F55	11.6/11	N/A				MERCON LV				DVI			
MKS	17	L4	2.0L	HF35	5.7/5.4	N/A				MERCON LV				DVI			
MKT	09-15	V6	3.5, 3.7L	6F35/6F50/6F55	9.4/8.9, 11.6/11	N/A				MERCON LV				DVI			
MARK VIII	10-17	V6	3.5, 3.7L	6F50/6F55	9.4/8.9	N/A				MERCON LV				DVI			
MARK LT	93-98	V8	5.0L	AOD-E, 4R70W	12.5/11.9	N/A				MERCON				DM, MV			
	06-09	V8	4.6, 5.4, 6.2L	4R70W/75E	13.9/13.2	5/4.7				MERCON V							
Navigator	09-10	V8	4.6, 5.4, 6.2L	6R80	13/12.3	3.5/3.3				MERCON LV				DVI			
	97	V8	5.4L	E40D	13.9/13.2	5/4.7				MERCON V				*DM			
	98-04	V8	5.4L	4R100	13.9/13.2	5/4.7				MERCON V				*DM			
	05-08	V8	5.4L	ZF 6HP26	13.9/13.2	5/4.7				MERCON SP				DVI			
	07-08	V8	5.4L	6R75	11/10.5	3.5/3				MERCON SP				DVI			
	09-12	V8	5.4L	6R80	13/12.3	3.5/3.3				MERCON LV				DVI			
Town Car	88-07	V8	5.0, 5.4, 4.6L	AOD-E/W, 4R70W	13.6/12.9	5/4.7				MERCON V				*DM			
	08-10	V8	4.6L	4R70E/4R75E	13.9/13.2	5/4.7				MERCON V				*DM			
Zephyr	06-07	V6	3.0L	AF21	7.4/7	N/A				Motorcraft XT-8-QAW				* DM, MV			
MAZDA																	
2	11-14	L4	1.5L	FN4A-EL (4F27E)	4.8/4.5	N/A				Mazda ATF M-V				* DM, DVI, MV			
	04	L4, V6	2.3, 3.0L	JA5A-EL	9.7/9.2	N/A				MERCON V				*DM			
3	05-09	L4	2.0 (LF), 2.3L (L3)	FN4A-EL (4F27E)	7.6/7.2	N/A				Mazda ATF M-V				* DM, DVI, MV			
	08-10	L4	2.0 (LF), 2.5 (L5), 2.5L (L3)	FS5A-EL	8.6/8.1	3.2, 2.6				Mazda ATF M-V				* DM, DVI, MV			
	11-12	L4	2.0 (LF), 2.5 (L5), 2.5L (L3)	FS5A-EL	8.5/8	3.2/3				Mazda ATF M-V				* DM, DVI, MV			
5	13-17		2.0 (LF), 2.5 (L5)	FW6A-EL	8.2/7.8	3.5/3.3				Mazda ATF FZ				LG 6, DVI			
	04-07	L4	2.3L	4F27E	7.6/7.2	N/A				MERCON V				*DM			
5	06-08	L4	2.3L (L3)	FN4A-EL (4F27E)	7.6/7.2	N/A				Mazda ATF M-V				* DM, DVI, MV			
	09-10	L4	2.3L (L3)	FN5A-EL	5.3/5	3.2/3				Mazda ATF M-V				* DM, DVI, MV			
6	12-15	L4	2.3L (L3)	FN5A-EL	8.5/8.1	3.2/3				Mazda ATF M-V				* DM, DVI, MV			
	03-05	L4	2.3L	FN4A-EL	7.6/7.2	N/A				Mazda ATF M-V				* DM, DVI, MV			
	06-07	L4	2.3L	FNR5	8.5/8	N/A				Mazda ATF M-V				* DM, DVI, MV			
	07-10	L4, V6	2.5 (L5), 3.7L (MZ1)	AW6A-EL	N/A	7.4/7				Mazda JWS 3309				* DM, MV			
	07-11	L4, V6	2.5 (L5), 3.7L (MZ1)	FS5A-EL	8.6/8.1	3.2/2.6				Mazda ATF M-V				* DM, DVI, MV			
	11-12	L4, V6	2.5 (L5), 3.7L (MZ1)	AW6A-EL	N/A	7/6.6				Mazda JWS 3309				* DM, MV			
626	13-15	L4, V6	2.5 (L5), 3.7L (MZ1)	FW6A-EL	8.2/7.8	3.7/3.5				Mazda ATF FZ				LG 6, DVI			
	85-96	L4	2.0L	F3A	6.3/6	N/A				DEXRON III, MERCON				DM, DVI, MV			
	96-04	V6	2.5L	GF4-AEL	8.5/8	N/A				DEXRON III, MERCON				DM, DVI, MV			
	96-97	L4	2.0L	CD4E	8.5/8	N/A				MERCON				DM, DVI, MV			
626/MX6	98-04	L4	2.0L	CD4E	9.2/8.7	N/A				MERCON				DM, DVI, MV			
	16-17	L4	2.0L	FW6A-EL, FW6AX-EL	8.2/7.8	N/A				Mazda ATF FZ				LG 6, DVI			
CX5	13-16	L4	2.0, 2.5L	EW6A-EL, EW6AX-EL	8.2/7.8	N/A				Mazda ATF FZ				LG 6, DVI			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
C 280	94-96	L6	2.8L	722.4	7.9/7.5	N/A				DEXRON III				DM, DVI			
	97-05	L6	2.8L	722.6	10/9.5	N/A				Shell 3403-M 115				SYN DM, MV			
	06-08	V6	3.0L	722.7	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
C 300	08-10	V6	3.0L	722.7	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
	11-17	V6	3.0L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	02-04	V6	3.2L	722.6	8.5/8	N/A				Shell 3403-M 115				SYN DM, MV			
C 32 AMG	01-05	V6	2.6L	722.6	8.5/8	N/A				Shell 3403-M 115				SYN DM, MV			
C 350	06-08	V6	3.2L	722.7	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
	09-10	V6	3.5L (272.961)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
	11-15	V6	3.0L (272.947)	722.9	9.5/9	N/A				MB A 001 989 78 03				DVI, MLV			
C 36	96-00	ALL	N/A	722.4	9.9/9.4	N/A				MB 001 989 21 03 10				DVI, MLV			
C400	15	V6	3.0L	722.9	10.2/9.7	N/A				MB A 001 989 78 03				LG 6, DHP			
C450 AMG	16	V6	3.0L	722.9	10.2/9.7	N/A				MB A 001 989 78 03				LG 6, DHP			
C 43/ C43 AMG	96-00	ALL	N/A	722.4	9.9/9.4	N/A				MB 001 989 21 03 10				SYN DM, DIV, MV			
C 55 AMG	05-06	V8	5.5L	722.6	9.2/8.7	N/A				Shell 3403-M 115				SYN DM, MV			
C 63 AMG	09-10	V8	6.3L (156.985)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
	11-12	V8	6.2L	722.9	7.5/7.1	N/A				MB 001 989 68 03-10				DVI, MLV			
CABRIOLET	09-10	V6	3.5L (272.961)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
	05-07	V8	5.0L	722.9	9.1/8.6	N/A				Fuchs ATF 3353				SYN DM, MV			
	98-04	ALL	N/A	722.6	9.6/9.1	N/A				MB 001 989 21 03 10				DVI, MLV			
CL 55 AMG	01-03	V8	5.5L	722.6	9.6/9.1	N/A				MB Sheet 236.14				DVI, MLV			
	04-06	V8	5.5L	722.6	9.1/8.6	N/A				MB Sheet 236.14				DVI, MLV			
CL 55/ CLK 55	98-04	ALL	N/A	722.6	9.6/9.1	N/A				MB 001 989 21 03 10				DVI, MLV			
	07-10	V8	5.5L	722.9	9.5/9	N/A				MB Sheet 236.14				DVI, MLV			
CL 550	11-14	V8	4.6, 5.5L	722.9	10.2/9.7	N/A				MB Sheet 236.15				LG 6, DHP			
	98-02	V12	5.8, 6.0L	722.6	9.6/9.1	N/A				MB Sheet 236.14				DVI, MLV			
	03-06	V12	5.5L	722.6	8.1/7.7	N/A				MB Sheet 236.14				DVI, MLV			
CL 600	07-10	V12	5.5L	722.6	7.9/7.5	N/A				MB Sheet 236.14				DVI, MLV			
	11-14	V12	5.5L	722.6	8.5/8	N/A				MB Sheet 236.15				DVI, MLV			
	08-10	V8	6.3L (156.985)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
CL 63 AMG	11-14	V8	6.2L	722.9	7.5/7.1	N/A				MB Sheet 236.15				LG 6, DHP			
	05-10	V12	6.6L	722.6	8.1/7.7	N/A				MB Sheet 236.14				DVI, MLV			
CL 65 AMG	11-14	V12	6.6L	722.649	8.5/8	N/A				MB Sheet 236.14				DVI, MLV			
CLA 250	14-17	L4	2.0L	724	5.6/5.3	N/A				MB Sheet 236.21							
CLK 320	04-07	ALL	N/A	722.6	9.6/9.1	N/A				Shell 3403-M 115				SYN DM, MV			
CLK 350	04-07	ALL	N/A	722.7	9.2/8.7	N/A				Fuchs ATF 3353				SYN DM, MV			
CLK 430	04-07	ALL	N/A	722.6	9.6/9.1	N/A				Shell 3403-M 115				SYN DM, MV			
CLK 500	04-07	ALL	N/A	722.6	9.6/9.1	N/A				Shell 3403-M 115				SYN DM, MV			
CLK 55 AMG	04-07	ALL	N/A	722.6	9.6/9.1	N/A				Shell 3403-M 115				SYN DM, MV			
CLK 550	04-07	ALL	N/A	722.7	9.2/8.7	N/A				Fuchs ATF 3353				SYN DM, MV			
CLK 63 AMG	04-07	ALL	N/A	722.7	9.2/8.7	N/A				Fuchs ATF 3353				SYN DM, MV			
CLK 430	98-04	ALL	N/A	722.6	9.6/9.1	N/A				MB 001 989 21 03 10				DVI, MLV			
CLS 55 AMG	04-07	ALL	N/A	722.9	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
CLS 550	09-12	V8	5.5L (273.960)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
	04-06	ALL	N/A	722.9	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
CLS 63 AMG	07-10	V8	6.3L	722.9	9.5/9	N/A				MB Sheet 236.14				DVI, MLV			
	11-14	V6	5.5L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	14-17	V8	5.5L	722.9	8.2/7.8	N/A				MB Sheet 236.15				LG 6, DHP			
CLS 400	15/17	V6	3.0L	722.9	10.2/9.7	N/A				MB Sheet 236.15				LG 6, DHP			
CLS 500	04-07	ALL	N/A	722.9	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
CLS 550	04-06	ALL	N/A	722.9	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
	07-10	V8	5.5L	722.9	9.7/9.2	N/A				MB Sheet 236.14				DVI, MLV			
CLS 550 (7 speed) Includes 4Matic	11-17	V8	5.5L	722.9	10.2/9.7	N/A				MB Sheet 236.15				LG 6, DHP			
CLS 550 (9 speed)	11-17	V8	5.5L	725	10.5/10	N/A				MB Sheet 236.16				SYN DM			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN





OEM ATF and Conversion Chart

M

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF									
CLS 63 AMG	09-10	V8	6.3L (156.985)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV												
	11-12	V8	6.2L	722.9	7.5/7.1	N/A				MB 001 989 68 03-10				DVI, MLV												
E 250/Bluetec Excludes 4MATIC	14-16	L4	2.1L	722.9	9.5/9	N/A												MB Sheet 236.15				LG 6, DHP				
E 300	96-99	V6	3.0L	722.4	7.9/7.5, 8.5/8	N/A												MB 001 989 21 03 10				DVI, MLV				
	01-06	V6	3.2L	722.6	8/7.5	N/A												Shell 3403-M 115				SYN DM, MV				
E 320	07-10	V6	3.2L	722.7	9.7/9.2	N/A												MB Sheet 236.14				DVI, MLV				
	06-10	V6	3.5L	722.7	9.7/9.2	N/A												MB Sheet 236.14				DVI, MLV				
E 350	11-16	V6	3.5L (272.980)	722.9	9.5/9	N/A												MB Sheet 236.15				LG 6, DHP				
	15-17	V6	3.0L	722.9	10.2/9.7	N/A												MB Sheet 236.15				LG 6, DHP				
E 400	13-15	V6	3.5L	724.2	9.5/9	N/A												MB Sheet 236.15				LG 6, DHP				
E 400 HYBRID	96-00	ALL	N/A	722.4	9.9/9.4	N/A												MB 001 989 21 03 10				DVI, MLV				
E 420	17	ALL		725	10.6/10	N/A												MB Sheet 236.16				SYN DM				
E 43 AMG	96-00	ALL	N/A	722.4	9.9/9.4	N/A												MB 001 989 21 03 10				DVI, MLV				
	98-04	ALL	N/A	722.6	9.6/9.1	N/A												MB 001 989 21 03 10				DVI, MLV				
E 500	03-06	V8	5.0L	722.6	8/7.5	N/A												Shell 3403-M 115				SYN DM, MV				
	98-04	ALL	N/A	722.6	9.6/9.1	N/A												MB 001 989 21 03 10				SYN DM, DIV, MV				
E 550	07-10	V8	5.5L	722.7	9.7/9.2	N/A												Fuchs ATF 3353				SYN DM, MV				
	11-17	V8	5.5L (273.971)	722.9	9.5/9	N/A												MB 001 989 68 03-10				DVI, MLV				
	11-12	V8	5.5L (273.971)	722.9	9.5/9	N/A												MB 001 989 68 03-10				DVI, MLV				
E 550 AMG	01-06	V8	5.5L	722.6	8/7.5	N/A												Shell 3403-M 115				SYN DM, MV				
E 550 CABROLET	09-10	V8	5.5L (273.966)	722.9	9.5/9	N/A			MB 001 989 68 03-10				DVI, MLV													
	07-10	V8	6.3L	722.9	9.3/8.8	N/A			MB 001 989 68 03-10				DVI, MLV													
E 63 AMG	11-16	V8	5.5L	722.9	8.2/7.8	N/A			MB Sheet 236.15				LG 6, DHP													
	11-12	V8	6.2L	722.9	7.5/7.1	N/A			MB 001 989 68 03-10				DVI, MLV													
G 55 AMG	03-11	V8	5.5L	722.6	9/8.5	N/A			Up to 6/18/2010 production date - MB Sheet 236.14, From 6/21/2010 production date - MB Sheet 236.15				DVI, MLV													
G 500	98-01	ALL	N/A	722.6	9.6/9.1	N/A			MB 001 989 21 03 10				SYN DM, DIV, MV													
	02-08	V8	5.0L	722.6	9/8.5	N/A			Shell 3403-M 115				SYN DM, MV													
G 550	09-17	V8	5.5L (273.963)	722.9	9.5/9	N/A			Up to 6/18/2010 production date - MB Sheet 236.14, From 6/21/2010 production date - MB Sheet 236.15				DVI, MLV													
G 63 AMG	13-17	V8	6.3L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
G 65 AMG	16-17	V12	6.5L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
GL 320 CDI	07-10	V6	3.2L	722.7	9.5/9	N/A			MB Sheet 236.14				DVI, MLV													
GL 350	11-12	V6	3.5L (272.980)	722.9	9.5/9	N/A			MB 001 989 68 03-10				DVI, MLV													
	09-10	V6	3.0L (642.820)	722.9	9.5/9	N/A			MB 001 989 68 03-10				DVI, MLV													
GL 350 BLUE TEC	11-13	V6	3.0L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
	14-16	V6	3.0L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
	07-10	V8	4.5L (273.923)	722.9	9.5/9	N/A			MB Sheet 236.14				DVI, MLV													
GL 450	11-13	V8	4.6L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
	14-16	V8	4.6L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
GL 550	08-10	V8	5.5L (273.963)	722.9	9.5/9	N/A			MB 001 989 68 03-10				DVI, MLV													
	11-13	V8	5.5L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
GL 63 AMG	14-16	V8	5.5L	722.909	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
	13	V8	6.3L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
GLA 45 AMG	15-17	L4	2.0L	724	5.6/5.3	N/A			MB Sheet 236.21		DCT															
GLA 250	15-17	L4	2.1L	724	5.6/5.3	N/A			MB Sheet 236.21		DCT															
GLC43 AMG	16-17	V6	3.0L	724	5.6/5.3	N/A			MB Sheet 236.21		DCT															
GLC 300	16-17	L4	2.0L	724	5.6/5.3	N/A			MB Sheet 236.21		DCT															
GLE 43 AMG	16-17	V6	3.0L	725	10.5/10	N/A			MB Sheet 236.16				SYN DM													
GLE63 AMG	16-17	V8	5.5L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
GLE63 AMG S	16-17	V8	5.5L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
GLE 350	16-17	V6	3.5L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													
GLE 400	16-17	V6	3.0L	722.9	9.5/9	N/A			MB Sheet 236.15				LG 6, DHP													

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
GLE 450 AMG	16-17	V6	3.0L	725	10.5/10	N/A				MB Sheet 236.16				SYN DM			
GLE 550e	16-17	V6	3.0L	724.2	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
GLK 250	13-15	L4	2.1L	722.9	10.2/9.7	N/A				MB Sheet 236.15				LG 6, DHP			
GLK 350	11-15	V6	3.5L (272.991)	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
GLK 350 4MATIC	11-15	V6	3.5L (272.971)	722.9	10.2/9.7	N/A				MB Sheet 236.15				LG 6, DHP			
GLS 63 AMG	17	V8	5.5L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
GLS 350d	17	V6	3.5	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
GLS 450	17	V6	3.0	722.5	10.5/10	N/A				MB Sheet 236.17				LG 8, MULV			
GLS 550	17	V8	5.5L	722.5	10.5/10	N/A				MB Sheet 236.17				LG 8, MULV			
Metris	16-17	L4	2.0L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
ML 250	15	L4	2.1L	722.908	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
ML 320	00-03	V6	3.2L	722.6	9/8.5	N/A				MB Sheet 236.14				DVI, MLV			
ML 320 CDI/Bluetec	07-10	V6	3.0L	722.7	9.5/9	N/A				MB Sheet 236.14				DVI, MLV			
	03-10	V6	3.7L	722.7	9.5/9	N/A				MB Sheet 236.14				DVI, MLV			
ML 350	11-13	V6	3.7L	722.7	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	14-15	V6	3.5L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
ML 400	15	V6	3.0L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
ML 430	96-00	ALL	N/A	722.4	9.9/9.4	N/A				MB 001 989 21 03 10				DVI, MLV			
	01	V8	4.3L	722.6	9/8.5	N/A				MB Sheet 236.14				DVI, MLV			
ML 450 (HYBRID)	10	V6	3.5L (272.973)	2 MODE HYBRID	13/12.3	11.5/10.9				DEXRON VI				SYN DM, D6, MV			
ML 450	11-13			722.55	12.9/12.25	N/A				MB Sheet 236.14				DVI, MLV			
ML 500	02-08	V8	5.0L	722.6	9.5/9	N/A				MB Sheet 236.14				DVI, MLV			
ML 55	96-00	ALL	N/A	722.4	9.9/9.4	N/A				MB 001 989 21 03 10				DVI, MLV			
ML 55 AMG	00-03	V8	5.4L	722.6	9/8.5	N/A				MB Sheet 236.14				DVI, MLV			
	08-10	V8	5.5L (273.963)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
ML 550	11-13	V8	4.7L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	14-15	V8	4.6L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	07-10	V8	6.3L (156.980)	722.9	9.7/9.2	N/A				MB 001 989 68 03-10				DVI, MLV			
ML 63 AMG	11	V8	6.2L	722.907	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	12-13	V8	6.2L	72.931	7.5/7.1	N/A				MB Sheet 236.15				LG 6, DHP			
	14-15	V8	6.2L	722.9	9.5/9.0	N/A				MB Sheet 236.15				LG 6, DHP			
R 320 CDI	07-10	V6	3.0L	722.7	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
R 350	06-10	V6	3.5L	722.6	9.5/9	N/A				MB Sheet 236.14				DVI, MLV			
	11-13	V6	3.5L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
R 350 4MATIC	09-12	V6	3.5L (272.967)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
	09-12	V6	3.0L (642.870)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
R 500	06-08	V8	5.0L	722.9	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
R 550	08	V8	5.5L	722.9	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
R 63 AMG	07	V8	6.3L	722.9	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
S	03-07	ALL	N/A	All 7-Speed	9.6/9.1	N/A				Fuchs ATF 3353				SYN DM, MV			
S 350	94-95	ALL	N/A	722.4	7.7/7.3	6.5/6.2				DEXRON III				DM, DIV			
	03-07	ALL	N/A	All 5-Speed	9.6/9.1	N/A				Shell 3403-M 115				SYN DM, MV			
S 350 BLUE TECH	12-13	V6	3.0L (642.870)	722.9	10.2/9.7	N/A				MB Sheet 236.15				LG 6, DHP			
S 400 HYBRID	10-12	V6	3.5L	N/A	N/A	N/A				MB 001 989 68 03-10				SYN DM, D6, MV			
S 400	11-13	V6	3.5L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
S 420	96-00	ALL	N/A	722.4	9.9/9.4	N/A				MB 001 989 21 03 10				DVI, MLV			
S 420 SL	94-95	ALL	N/A	722.4	9.1/8.6	8.1/7.7				DEXRON III				DM, DIV			
	96-00	ALL	N/A	722.6	9.9/9.4	N/A				MB 001 989 21 03 10				DVI, MLV			
	98-99	ALL	N/A	722.6	9.6/9.1	N/A				MB 001 989 21 03 10				DVI, MLV			
S 430	00-07	ALL	N/A	All 5-Speed	9.6/9.1	N/A				MB Sheet 236.14				DVI, MLV			
	04	ALL	N/A	All 7-Speed	9.6/9.1	N/A				MB Sheet 236.14				DVI, MLV			
	96-00	ALL	N/A	722.4	9.9/9.4	N/A				MB 001 989 21 03 10				DVI, MLV			
S 500	00-07	ALL	N/A	All 5-Speed	9.6/9.1	N/A				MB Sheet 236.14				DVI, MLV			
	04	ALL	N/A	All 7-Speed	9.1/8.6	N/A				MB Sheet 236.10				SYN DM, MV			
S 500 SL	96-04	ALL	N/A	722.6	9.9/9.4	N/A				MB 001 989 21 03 10				DVI, MLV			
S 55	98-04	ALL	N/A	722.6	9.6/9.1	N/A				MB 001 989 21 03 10				DVI, MLV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN





OEM ATF and Conversion Chart

M

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- or
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Base Fluid	68112	56032	69032
							60902	63010			61910	62005	63010		CVT	DCT	ATF
S 55 AMG	01-03	ALL	N/A	All 5-Speed	9.6/9.1	N/A				MB Sheet 236.14				DVI, MLV			
	04-06	ALL	N/A	All 7-Speed	9.6/9.1	N/A				Fuchs ATF 3353				SYN DM, MV			
	03-06	ALL	N/A	All 5-Speed	9.6/9.1	N/A				Shell 3403-M 115				SYN DM, MV			
	03-06	ALL	N/A	All 7-Speed	9.6/9.1	N/A				Fuchs ATF 3353				SYN DM, MV			
S 550	07-10	V8, V12	5.5L (273.971) (275.953)	722.9, 722.6	10.3/9.8	N/A				MB Sheet 236.14				DVI, MLV			
	11-17	V8	5.5, 4.7	All 7-Speed	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	11-17	V8	5.5, 4.7	All 9-Speed	10.6/10	N/A				MB Sheet 236.17				LG 8, MULV			
S 550e	16-17	V6	3.0	All 7-Speed	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	96-00	ALL	N/A	722.4	9.9/9.4	N/A				MB 001 989 21 03 10				DVI, MLV			
S 600	01-10	ALL	N/A	All 5-Speed	9.6/9.1	N/A				MB Sheet 236.14				DVI, MLV			
	11-14	V12	5.5L (273.971) (275.953)	All 5-Speed	8.5/8	N/A				MB Sheet 236.14				DVI, MLV			
	15-17	V12	5.5L (273.971) (275.953)	All 7-Speed	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
SL	98-04	ALL	N/A	722.6	9.6/9.1	N/A				MB 001 989 21 03 10				DVI, MLV			
S 63 AMG	07-10	V8	6.2L	722.9	9.2/8.75	N/A				MB Sheet 236.14				DVI, MLV			
	11-17	V8	5.5L	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
S 65/S 65 AMG	03-05	ALL	N/A	All 5-Speed	9.6/9.1	N/A				Shell 3403-M 115				SYN DM, MV			
	03-05	ALL	N/A	All 7-Speed	9.6/9.1	N/A				Fuchs ATF 3353				DVI, MLV			
	06-10	V12	6.8L	All 5-Speed	9.2/8.7	N/A				MB Sheet 236.14				DVI, MLV			
S 65 AMG	11-14	V12	6.0L	All 5-Speed	8.5/8	N/A				MB Sheet 236.14				DVI, MLV			
	11-14	V12	6.0L	All 7-Speed	7.5/7.1	N/A				MB Sheet 236.15				LG 6, DHP			
	15-17	V12	6.0L	All 7-Speed	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	94-96	L6	3.2L	722.4	7.5/7.1	6.3/6				DEXRON III				DM, DIV			
96-99	L6	3.2L	722.4	7.5/7.1	6.3/6				MB 001 989 21 03 10				DVI, MLV				
SL 500	01-07	ALL	N/A	722.6	9.6/9.1	N/A				MB 001 989 21 03 10				DVI, MLV			
SL 55 AMG	04-07	ALL	N/A	All 5-Speed	9.5/9	N/A				Shell 3403-M 115				SYN DM, MV			
	04-07	ALL	N/A	All 7-Speed	9.5/9	N/A				Fuchs ATF 3353				SYN DM, MV			
SL 550	09-11	V8	5.5L	722.9, 722.6	9.5/9, 7.7/7.3	N/A				MB 001 989 68 03-10				DVI, MLV			
SL 600	01-07	ALL	N/A	722.6	9.6/9.1	N/A				MB 001 989 21 03 10				DVI, MLV			
	09-11	V8	5.5L	722.9, 722.6	9.5/9, 7.7/7.3	N/A				MB 001 989 68 03-10				DVI, MLV			
SL 63 AMG	09-12	V8	6.3L (156.984)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
	09-12	V12	6.5L (275.982)	722.9	7.9/7.5	N/A				MB 001 989 68 03-10				DVI, MLV			
SLC 300	17	L4	2.0L	725.0	10.5/10	N/A				MB Sheet 236.16				SYN DM			
SLC 43 AMG	17	V6	3.0L	725.0	10.5/10	N/A				MB Sheet 236.16				SYN DM			
SLK 230	00-04	I4	N/A	All 5-Speed	8.5/8	N/A				MB Sheet 236.14				DVI, MLV			
SLK 300	09-10	V6	3.0L (272.942)	722.9	9.5/9	N/A				MB Sheet 236.14				DVI, MLV			
	11	V6	3.0L (272.942)	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
	16	I4	2.0L	725.011	10.5/10	N/A				MB Sheet 236.16				SYN DM			
SLK 32 AMG	02-04	V6	N/A	722.9	8.5/8	N/A				MB Sheet 236.14				DVI, MLV			
SLK 320	01-06	V6	3.2L	722.9	8.5/8	N/A				MB Sheet 236.14				DVI, MLV			
SLK 350	05-10	V6	3.5L (272.969)	722.9	9.5/9	N/A				MB Sheet 236.14				DVI, MLV			
	11-16	V6	3.5L (272.969)	722.9	9.5/9	N/A				MB Sheet 236.15				LG 6, DHP			
SLK 55 AMG	09-10	V8	5.5L (113.989)	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
SLS AMG	09-12	V8	6.3L	722.9	9.5/9	N/A				MB 001 989 68 03-10				DVI, MLV			
Sprinter 2500/3500	10-16	L4	2.1L	722.9	10.6/10	N/A				MB Sheet 236.14				DVI, MLV			
	10-16	V6	3.5L	W5A380	7.5/7.1	5.8/5.5				MB Sheet 236.15				LG 6, DHP			
MERCURY																	
Cougar, XR-7	96-98	V6	3.8, V8 4.6L	4R70W	13.9/13.2	5/4.7				MERCON V				*DM			
	99-02	L4	2.0L	CD4E	9/8.5	4/3.8				MERCON				DM, MV			
	99-02	V6	2.5L	CD4E	10.3/9.7	4/3.8				MERCON				DM, MV			
Grand Marquis	96-05	V8	4.6L	AOD-E, 4R70W	13.9/13.2	5/4.7				MERCON V				*DM			
	06	V8	4.6L	AOD-E, AODEW	13.9/13.2	5/4.7				MERCON V				*DM			
	07-08	V8	4.6L	4R70E/4R75E	13.9/13.2	5.4/5				MERCON V				*DM			
	09-11	V8	4.6L	4R70E/4R75E	13.9/13.2	5.4/5				MERCON LV				DVI			
Marauder	03-04	V8	4.6L	4R70W	12.7/12.1	5/4.7				MERCON V				*DM			
Mariner	05-08	L4, V6	2.3, 3.0L	CD4E	9/8.5, 10.1/9.6	3.9/3.7				MERCON V				*DM			
	09-12	L4, V6	2.5, 3.0L	6F35	9/8.5	N/A				MERCON LV				DVI			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Mariner Hybrid	05-08	L4	2.3L	ECVT "PSE" (HYBRID)	5.3/5	N/A				MERCON LV				DVI			
	09-12	L4	2.5L	ECVT "PSE" (HYBRID)	5.3/5	N/A				MERCON LV				DVI			
Milan	06-08	V6	3.0L	AW6A-EL	N/A	7.4/7				Motorcraft XT-8-QAW				* DM, MV			
	06-09	L4, V6	2.3, 3.0, 3.5L	FNR5	7/6.7	N/A				Mazda ATF M-V				* DM, DVI, MV			
	06-12	L4, V6	2.5, 3.0, 3.5L	AW21	7.4/7	4/3.7				Motorcraft XT-8-QAW				* DM, MV			
	10-12	L4, V6	2.5, 3.0, 3.5L	6F35	9/8.5	N/A				MERCON LV				DVI			
	10-12	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A				MERCON LV				DVI			
Montego	05-07	V6	3.0L	CVT	10/9.5	N/A				Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT Fluid			
	05-07	V6	3.0L	AF21	7.4/7	N/A				Motorcraft XT-8-QAW				* DM, MV			
Monterey	03-07	V6	4.2L	CVT	10/9.6	N/A				Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT Fluid			
	04-07	V6	4.2L	AX4N, AX4S	13.7/13	N/A				MERCON V				* DM			
Mountaineer	97-01	V8	5.0L	4R70W	13.9/13.2	5/4.7				MERCON V				* DM			
	99-01	V6	4.0L	5R55-E	10/9.5	4/3.8				MERCON V				* DM			
	02-05	V6, V8	4.0, 4.6L	5R55W, 5R555	12.7/12.1	N/A				MERCON V				* DM			
	04-10	V6, V8	4.0, 4.6L	5R55S	12.4/11.7	N/A				MERCON V				* DM			
	06-08	V8	4.0, 4.6L	6R60	11/10.5	5/4.7				MERCON SP				DVI, LG6			
Mystique	09-10	V6, V8	4.0, 4.6L	6R80	13/12.3	3.5/3.3				MERCON LV				DVI			
	95-00	L4	2.0L	CD4E	9/8.5	4/3.8				MERCON				DM, MV			
	95-00	V6	2.5L	CD4E	10.3/9.7	4/3.8				MERCON				DM, MV			
	95-97	V6	3.0L	AX4N, 4F50N	13.4/12.7	N/A				MERCON				DM, MV			
	95-97	V6	3.0, 3.8L	AX4S	12.3/11.6	N/A				MERCON				DM, MV			
Sable	98-01	V6	3.0, 3.8L	AX4S	12.3/11.6	N/A				MERCON V				* DM			
	98-07	V6	3.0L	AX4N, AX4S	13.4/12.7	N/A				MERCON V				* DM			
	08-09	V6	3.0L	6F50	10/9.5	N/A				MERCON LV				DVI			
Tracer	90-97	L4	1.8, 1.9, 2.0L	F4A-EL, 4EAT-F	6.7/6.3	N/A				MERCON				DM, MV			
	98-02	L4	1.8, 1.9, 2.0L	F4A-EL, 4EAT-F	5.7/5.4	N/A				MERCON				DM, MV			
Villager	93-02	V6	3.0L	4F20-E, RE4F04A, V	8.7/8.2	N/A				MERCON				DM, MV			
Zephyr	06	V6	3.0L	AW6A-EL	N/A	7.4/7				Motorcraft XT-8-QAW				* DM, MV			
MINI COOPER																	
Mystique	02-08	L4	1.6L	ZF CFT23	N/A	5.3/5				Esso CVT-EZL 799				LUBEGARD CVT Fluid			
	05-08	L4	1.6L	6 Speed	N/A	4.2/4				Mini 83 22 0 402 413				* DM, MV			
Cooper (R56)	07-11	L4	1.6L (N12)	GA6F21WA	6.4/6	4.7/4.5				Mini 83 22 0 402 413				* DM, MV			
Clubman (R55)	08-11	L4	1.6L (N12)	GA6F21WA	6.4/6	4.7/4.5				Mini 83 22 0 402 413				* DM, MV			
Cooper Conv (R57)	09-11	L4	1.6L (N12) (N14)	GA6F21WA	6.4/6	4.7/4.5				Mini 83 22 0 402 413				* DM, MV			
Cooper S (R56)	07-11	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5				Mini 83 22 0 402 413				* DM, MV			
Cooper S Clubman (R55)	08-11	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5				Mini 83 22 0 402 413				* DM, MV			
Cooper S Conv (R57)	09-11	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5				Mini 83 22 0 402 413				* DM, MV			
Mini Cooper	05-16	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5				83 22 0 402 413 (T-IV)				* DM, MV			
Mini Cooper	14-16	L4	1.6L (N14)	GA6F21FT/ GA6F21AW	5.8/5	N/A				BMW ATF6				DVI, MLV			
Mini Cooper	16-17	L4	1.6L (N14)	GA8F22AW	7.4/7	N/A				BMW ATF6				DVI, MLV			
MITSUBISHI																	
Eclipse	95-98	L4	2.0L Turbo & Non	F4A51	7.4/7	N/A				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	95-99	L4	2.0L	41TE	9.1/8.6	N/A				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	96-98	L4	2.4L	F4A23	6.3/6	N/A				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	99-02	L4, V6	2.4L, 3.0L	F4A42, F4A51	8.2/7.8, 9/8.5	3.7/3.5				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	06-12	L4	2.4L (4G69)	F4A4B	8.1/7.8	3.7/3.5				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
Eclipse Spider	07-12	V6	3.8L (6G75)	F5A5A	8.9/8.4	3.7/3.5				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
Endeavor	05-11	V6	3.8L (6G75)	F4A5A, W4A5A	8.9/8.4, 9.3/8.8	N/A				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
Evolution VIII	03-06	L-4	N/A	F4A42	8.2/7.8	5.4/5.1				Mitsubishi Dia Queen SP III				* DM, DVI, MV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM DEXRON®/MERCON®
 DVI DEXRON® VI
 MV MERCON® V
 MLV MERCON® LV
 MULV MERCON® Ultra LV
 LG6 Lifeguard® 6

LG8
 DHP
 GFS
 *

Lifeguard® 8
 Dexron® HP
 Gear Fluid Supplement
 Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

M
N

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Whole fluid option			
							60902	63010			61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Galant	95-98	L4	2.4L	KM177-8, F4A23-1	6.3/6	N/A				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	95-98	V6	2.5L	41TE, A604	9.1/8.6	N/A				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	99-03	L4	2.4L	F4A41, F4A42	8.2/7.8	3.7/3.5				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	99-03	V6	3.8L	F4A41, F4A42	9/8.5	3.7/3.5				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	04-12	L4	2.4L (4G69)	F4A4B	8.1/7.7	N/A				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	04-12	V6	3.8L (6G75)	F5A5A, A5HF1	8.9/8.4	3.7/3.5				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
i-Miev	16-17			F1E1A	N/A	.79/.75				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	02-07	L4	2.0, 2.4L	F4A41, F4A42	8.1/7.7	5.4/5.1				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	08-11	L4	2.0 (4B11), 2.4L (4B12)	FICJA (CVT)	7.5/7.1	N/A				Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT Fluid			
Lancer	08-15			W6DGA DCT	8/7.8	5.8/5.5				Dia Queen SSTF-1				LUBEGARD DCT Fluid			
	12-17			CVT	7.5/7.1	N/A				CVTF J-4				LUBEGARD CVT Fluid			
	09-11	L4	2.4L (4B12)	FICJA (CVT)	7.5/7.1	N/A				Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT Fluid			
Mirage	93-97	L4	1.5L	KM171-5, F3A21-2	6.3/6	N/A				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	93-97	L4	1.8L	KM175-5, F4A22-2	6.7/6.3	4/3.8				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	98-02	L4	1.5, 1.8L	F4A41, F4A42	8.2/7.8	3.7/3.5				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
Mirage, Mirage G4	14-15			CVT	7.4/7	2.6/2.5				CVTF J-4				LUBEGARD CVT Fluid			
	17			CVT	7.4/7	2.6/2.5				CVTF J-4				LUBEGARD CVT Fluid			
Montero	01-07	V6	3.5, 3.8L	V5A51	9.8/9.3	2.1/2				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	94-00	V6	3.0, 3.5L	AW30-40LE, A340F	8/7.6	2/1.9				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
Montero Sport	99-05	V6	3.0, 3.5L	R4A51, V4A51	10.2/ 9.6	2/1.9				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
	03-08	L4, V6	2.4, 3.0L	W4A42, AW6AJA	8.6/8.1	5.8/5.5				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
Outlander	07-15	V6	3.0L (6B31)	F6AJA, W6AJA	8.7/8.2	N/A				Mitsubishi Dia Queen J-3				DM, DVI			
	07-12	L4	2.4L (4B12)	CVT	7.5/7.1	N/A				Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT Fluid			
Outlander, Outlander Sport Pickup	12-17	L4	2.4L (4B12)	CVT	7.3/6.9	N/A				CVTF J-4				LUBEGARD CVT Fluid			
	90-97	L4	2.4L	R4AC1, A500	10.2/9.6	2/1.9				Mitsubishi Dia Queen SP III				* DM, DVI, MV			
Raider	05-07	V6, V8	3.7, 4.7L	42RLE, 545RFE	14/13.5	6.5/6.2 - 5.5/5.2				Mopar ATF+4				* DM, DVI, MV			
	07-08	V6	3.7L	42RLE	8.7/8.3	4/3.8				Mopar ATF+4				* DM, DVI, MV			
NISSAN																	
200SX	95-02	L4	1.6, 2.0L	RL4F03A, RE4F03A	7.3/6.9	N/A				Nissan Matic-D				* DM, DVI, MV			
240SX	89-02	L4	2.4L	RE4R01A	8.5/8	N/A				Nissan Matic-D				* DM, DVI, MV			
300ZX	89-97	V6	3.0L	RE4R01A	8.3/7.9	N/A				DEXRON III				DM, DVI			
	90-97	V6	3.0L Turbo	RE4R03A	8.7/8.2	N/A				DEXRON III				DM, DVI			
350Z	03-09	V6	3.5L (VQ35DE)	RE5R05A	10.9/10.4	N/A				Nissan Matic-S				DVI, MLV			
370Z	09-17	V6	3.7L (VQ37VHR)	RE7R01A	9.7/9.2	N/A				Nissan Matic-S				DVI, MLV			
	93-04	L4, V6	2.4, 3.5L	RE4F04A/V	9.8/9.2	N/A				Nissan Matic-D				* DM, DVI, MV			
	05-08	V6	3.5L	RE5F22A	7.7/7.3	N/A				Nissan Matic-K				DVI, MLV			
	07-12	V6	3.5L (VQ35DE)	RE0F09B (CVT)	10.7/10.2	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	09-12	L4	2.5L (QR25DE)	RE0F10A (CVT)	7.7/7.3	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	13-17	L4	2.5L (QR25DE)	RE0F10A (CVT)	7.7/7.3	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
Altima Coupe	13-17	L4	2.5L (QR25DE)	RE0F10D (CVT)	7.8/7.4	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
Altima Sedan	13-17	L4	2.5L (QR25DE)	RE0F10E, RE0F10H	8.6/8.2	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
Altima Sedan	13-17	V6	3.5L (VQ35DE)	RE0F10E, RE0F10H	8.6/8.2	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
	09-11	L4	2.5L (QR25DE)	RE0F01H (HYBRID)	4.3/4.1	N/A				Nissan Matic-W				DVI, MLV			
Armada	05-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A				Nissan Matic-W				DVI, MLV			
	09-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A				Nissan Matic-S				DVI, MLV			
	11-15	V8	5.6L (VK56DE)	RE5R05A	10.6/10	N/A				Nissan Matic-S				DVI, MLV			
	16-17	V8	5.6L	RE7R01A	10.6/10	N/A				Nissan Matic-S				DVI, MLV			
Cube	09-14	L4	1.8L (MR18DE)	RE0F08B (CVT)	7.8/7.4	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Frontier	98-04	L4, V6	2.4, 3.3, 3.4L	RL4R01A	8.3/7.9	N/A				Nissan Matic-D				* DM, DVI, MV			
	05-08	L4, V6	2.4 (QR25DE), 4.0L (VQ40DE)	RE5R05A	10.9/10.4	N/A				Nissan Matic-J				SYN DM, DVI, MV			
	09-17	L4, V6	2.4 (QR25DE), 4.0L (VQ40DE)	RE5R05A	10.9/10.4	N/A				Nissan Matic-S				DVI, MLV			
GTR	09-11	V6	3.8L (VQ38DE)	GR6Z30A	10.2/9.7	N/A			X	Nissan "R35" 999MP-GTRT00P				Use OEM Fluid			
Juke	11-14	L4	1.6L (MR16DDT)	REOF08B (CVT)	8.6/8.2, 9.1/8.6	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	15-17	L4	1.6L (MR16DDT)	REOF10B	9.1/8.6	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
Juke Nimo RS	15-17	L4	1.6L (MR16DDT)	REOF10D	8.4/7.9	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
Leaf	11-17	NA	Electric	RE1F61B	1.5/1.4	N/A				Nissan Matic-S				DVI, MLV			
	95-05	V6	3.0, 3.5L DOHC	RE4F04A	10/9.5	N/A				Nissan Matic-D				* DM, DVI, MV			
Maxima	04-07	V6	3.5L	RE5F22A	7.7/7.3	N/A				Nissan Matic-K				DVI, MLV			
	08-14	V6	3.5L (VQ35DE)	REOF09B (CVT)	10.7QT, 10.2L, 9.1Q	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	16-17	V6	3.5L (VQ35DE)	REOF09B (CVT)	8.6/8.2	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
Murano	03-10	V6	3.5L (VQ35DE)	REOF09B (CVT)	10.7/10.2	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	11-12	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A				Nissan Matic-S				DVI, MLV			
NV 200	13-17	L4	2.0L	REOF10D, REOF10A	8.6/8.2	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
NV 1500-3500	12-16	V6, V8	4.0, 5.6L	RE5R05A	11.6/11.2	N/A				Nissan Matic-S				DVI, MLV			
NX	92-93	L4	1.6, 2.0L	RL4F03A	7.3/6.9	N/A				DEXRON III				DM, DVI			
	88-97	V6	3.0, 3.3L	RE4R01A	8.9/8.4	N/A				DEXRON III				DM, DVI			
	90-02	L4	2.4L	RL4R01A	8.3/7.9	N/A				Nissan Matic-D				* DM, DVI, MV			
	90-02	V6	3.0, 3.3L	RE4R01A	8.9/8.4	N/A				Nissan Matic-D				* DM, DVI, MV			
	96-04	V6	3.0, 3.5L	RL4R01A	9/8.5	N/A				Nissan Matic-D				* DM, DVI, MV			
	05-07	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE5R05A	10.9/10.4	N/A				Nissan Matic-J				SYN DM, DVI, MV			
Pathfinder	08-12	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE5R05A	10.9/10.4, 11.2/10.6	N/A				Nissan Matic-S				DM, DVI			
	13-17	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	REOF10E, REOF10J	9.3/8.8	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
	04-06	V8	5.6L	RE5R05A	11.2/10.6	N/A				Nissan Matic-J				SYN DM, DVI, MV			
Quest	93-03	V6	3.0, 3.5L	RE4F04A	10/9.5	N/A				DEXRON III				DM, DVI			
	04-10	V6	3.5L (VQ35DE)	RE5F22A	7.8/7.4	N/A				Nissan Matic-K				DVI, MLV			
Quest	11-14	V6	3.5L (VQ35DE)	REOF010	8.6/8.2	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	15-17	V6	3.5L (VQ35DE)	REOF09B (CVT)	9.3/8.8	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
Rogue	09-10	L4	2.5L (QR25DE)	REOF10A (CVT) AWD	7.7/7.3	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	09-10	L4	2.5L (QR25DE)	REOF10A (CVT) 2WD	9.1/8.6	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	11-13	L4	2.5L (QR25DE)	REOF10A (CVT) 2WD	7.9/7.5, 9/8.5	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	14-17	L4	2.5L (QR25DE)	REOF10A (CVT) 2WD	8.4/7.9	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
Sentra	91-04	L4	1.6, 1.8L	RE4F03A	7.3/7	N/A				Nissan Matic-D				* DM, DVI, MV			
	91-92	L4	2.0L	RL4F03A	7.3/6.9	N/A				DEXRON III				DM, DVI			
	93-06	L4	1.6, 1.8, 2.0L	RE4F03A	9/8.5	N/A				Nissan Matic-D				* DM, DVI, MV			
	07-12	L4	2.0 (MR20DE), 2.5L (QR25DE)	REOF10A (CVT)	7.7/7.3, 7.9/7.5	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
SE-R	13-17	L4	2.0 (MR20DE), 2.5L (QR25DE)	REOF11A	7.3/6.9	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
	03-07	L4	2.5L	RL4F03A	9/8.5	N/A				Nissan Matic-D				* DM, DVI, MV			
Titan	04-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A				Nissan Matic-S				DVI, MLV			
	11-15	V8	5.6L (VK56DE)	RE5R05A	10.6/10	N/A				Nissan Matic-S				DVI, MLV			
	16-17	V8	5.6L (VK56DE)	RE7R0	10.6/10	N/A				Nissan Matic-S				DVI, MLV			
	16-17	V8	5.0L Diesel	6-speed	14.8/14	N/A				Nissan Matic-K				DVI, MLV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN Lifeguard® 6





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- or
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Versa	07-10	L4	1.8 (MR18DE), 1.6L (HR16DE)	RE0F08B (CVT)	7.8/7.4	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
	09-10	L4	1.8 (MR18DE), 1.6L (HR16DE)	RE4F03B	8.3/7.9	N/A				Nissan Matic-S				DVI, MLV			
	11-13	L4	1.8 (MR18DE), 1.6L (HR16DE)	RE0F08B (CVT)	7.3/6.9	N/A				Nissan CVT NS-2 (VTF)				LUBEGARD CVT Fluid			
Versa, Versa Note	14-17	L4	1.8 (MR18DE), 1.6L (HR16DE)	RE0F11A	7.3/6.9	N/A				Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid			
	09-17	V6	4.0L (VQ40DE)	RE5R05A	10.9/10.3	N/A				Nissan Matic-S				DVI, MLV			
Xterra	98-04	L4, V6	2.4, 3.3, 3.4L	RE4R01A	9/8.5	N/A				Nissan Matic-D				* DM, DVI, MV			
	05-08	V6	3.4, 4.0L	RE5R05A	10.9/10.3	N/A				Nissan Matic-J				SYN DM, DVI, MV			
OLDSMOBILE																	
88 Royal	95-97	V6	3.8, 4.8L SC	4T60-E, 4T65-E	13.4/12.7	6/5.7				DEXRON III				DM, DVI			
	98-00	V6	3.8, 3.8L SC	4T65-E	13.4/12.7	7.4/7				DEXRON III				DM, DVI			
98 Regency	95-96	V6	3.8L	4T60-E	13.4/12.7	6/5.7				DEXRON III				DM, DVI			
Achieva	92-98	L4	2.3, 2.4, 3.1L	4T60-E	11/10.4	6/5.7				DEXRON III				DM, DVI			
	95	L4	2.3L	4T60-E	9/8.5	4/3.8				DEXRON III				DM, DVI			
Alero	99-03	L4, V6	2.2, 2.4, 3.4L	4T40-E, 4T45-E	9.5/9	6.9/6.5				DEXRON III				DM, DVI			
Aurora	95-03	V8	4.0L	4T80-E	15/14.2	11/10.4				DEXRON III				DM, DVI			
	01-07	V6	3.5L	4T65-E	13.4/12.7	7.4/7				DEXRON III, VI				DM, DVI			
Bravada	91	N/A	N/A	4L60-E	11.4/10.9	5/4.7				DEXRON III				DM, DVI			
	92-03	L6	4.2, V6 4.3L	4L60-E	11/10.4	5/4.7				DEXRON III				DM, DVI			
Ciera	88-95	N/A	N/A	TH125 (3T40)	6.9/6.5	4/3.8				DEXRON III				DM, DVI			
Cutlass	95-96	V6	3.1L	4T60-E	8/7.6	6/5.7				DEXRON III				DM, DVI			
	97-99	V6	3.1L	4T40-E	9.5/9	6.9/6.5				DEXRON III				DM, DVI			
Intrigue	98-02	V6	3.5, 3.8L	4T65-E	13.4/12.7	7.4/7				DEXRON III				DM, DVI			
	90-96	V6	3.4, 3.8L	4T60-E	8/7.6	6/5.7				DEXRON III				DM, DVI			
Silhouette	95	V6	3.1L	3T40	6.9/6.5	4/3.8				DEXRON III				DM, DVI			
	97-99	V6	3.4L	4T65-E	11/10.4	8/7.6				DEXRON III				DM, DVI			
	00-03	V6	3.4L	4T65-E	10/9.5	7.4/7				DEXRON III				DM, DVI			
Supreme	95-97	V6	3.1, 3.4L	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III				DM, DVI			
PLYMOUTH																	
Breeze	95-00	L4	2.0, 2.4L	41TE	9.1/8.6	4/3.8				Mopar ATF+4				* DM, MV			
Colt FWD (except Wagon)	88-96	L4	1.5L	F3A21	6.5/6.1	4.2/4				Mopar ATF+3				DM, DVI, MV			
Neon	95-01	L4, V6	2.0, 2.5L	31TH	9.1/8.6	4/3.8				Mopar ATF+4				* DM, MV			
Prowler	97-01	V6	3.5L	42LE	9.9/9.4	4.4/4.2				Mopar ATF+4				* DM, MV			
Summit	89-97	L4	1.5L	KM171-5, F3A21-2	6.5/6.1	4.2/4				Mopar ATF+3				DM, DVI, MV			
	93-97	L4	1.8L	KM175-5, F4A22-2	6.7/6.3	4.2/4				Mopar ATF+3				DM, DVI, MV			
Summit Wagon	95-97	L4	1.8, 2.4L	KM175-5, F4A22-2	6.4/6.1	N/A				Mopar ATF+3				DM, DVI, MV			
	95-97	L4	1.8, 2.4L	W4A32-1	6.9/6.5	N/A				Mopar ATF+3				DM, DVI, MV			
PONTIAC																	
Aztec	01-05	V6	3.4L	4T65-E	10/9.5	7.4/7				DEXRON III				DM, DVI			
Bonneville	95-05	V6	3.8L SC	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III				DM, DVI			
	93-96	V6	3.4, 3.8L	4L60-E	8.4/7.9	5/4.7				DEXRON III				DM, DVI			
	93-96	V8	5.7L	4L60-E	11.2/10.5	5/4.7				DEXRON III				DM, DVI			
Firebird	97-02	V6	3.4, 3.8L	4L60-E	8.8/8.3	5/4.7				DEXRON III				DM, DVI			
	97-02	V8	5.7L	4L60-E	10.8/10.2	5/4.7				DEXRON III				DM, DVI			
	88-00	N/A	N/A	U.A.	5.2/4.9	2/1.9				DEXRON III				DM, DVI			
G3	07-09	L4	1.6L (LXT) (LXV)	A 81-40LE (MLQ)	6.2/5.8	2.2/2.1				GM 88900925				* DM, MV			
G5	07-09	L4	2.0 (LSJ), 2.2 (L61), 2.4L (LE5)	4T40-E, 4T45-E (MN5)	9.5/9	6.9/6.5				DEXRON VI				MLV			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
G6	05-07	L4, V6	2.4, 3.5, 3.9L	4T45-E, 4T65-E	13.3/13	7.4/7				DEXRON VI				MLV			
	07-09	L4, V6	2.4, 3.5, 3.6, 3.9L	4T65-E (M15), 4T45 (MN5)	13.4/12.7, 9.5/9	7.7/7.4, 6.9/6.5				DEXRON VI				MLV			
	07-09	L4, V6	2.4, 3.5, 3.6, 3.9L	6T70 (MH2), 6T40 (MH8)	9.5/8.4, 8.5/8	6.3/5.5, 5.3/5				DEXRON VI				MLV			
G8	08-09	V6, V8	3.6 (LY7), 6.0 (L76), 6.2L (LS3)	5L40-E (M82), 6L80 (MYC)	9.4/8.9, 10/9.5	7.4/7, 6.5/6.2				DEXRON VI				MLV			
	94-98	L4	2.3L	3T40	9/8.5	4/3.8				DEXRON III				DM, DVI			
	94-98	L4, V6	2.4, 3.1L	4T60-E	11/10.4	6/5.7				DEXRON III				DM, DVI			
Grand Am	99-04	L4, V6	2.2, 2.4, 3.4L	4T40-E, 4T45-E	9.5/9	6.9/6.5				DEXRON III				DM, DVI			
	90-93	V6	3.8L	3T40	6/5.7	4/3.8				DEXRON III				DM, DVI			
	94-95	V6	3.1, 3.4, 3.8L	4T60-E, 4T65-E	11/10.4	6/5.7				DEXRON III				DM, DVI			
Grand Prix	96-05	V6	3.1, 3.4, 3.8, 3.8L/SC	4T60-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III				DM, DVI			
	06-08	V6, V8	3.8, 5.3, 5.7L	4T65-E	13.4/12.7	7.4/7				DEXRON VI				MLV			
	04-06	V8	5.7L	4L60-E	11.4/10.8	5.3/5				DEXRON II				DM, DVI			
Matiz	08-09	L4	1.0 (LMT), 1.2L (LMU)	JF405E (MFL)	6.2/5.8	N/A				JWS 3314				DVI			
	99-05	V6	3.4L	4T65-E	10/9.5	7.4/7				DEXRON III				DM, DVI			
Montana	05-06	V6	3.5 (LX9), 3.9L (LZD)	4T65-E (M15) (M76)	10.4/9.9	7.8/7.4				DEXRON VI				MLV			
	07-09	V6	3.9L (LZ9) (LGD)	4T65-E (M15)	10.4/9.9	7.8/7.4				DEXRON VI				MLV			
Montana SVX	06-07	V6	3.5, 3.9L	4T65-E	10.4/9.9	7.8/7.4				DEXRON VI				MLV			
Solstice	05-09	L4	2.0 (LNF), 2.4L (LE5)	5L50-E	9.4/8.9	7.4/7				DEXRON VI				MLV			
Sunfire	95-01	L4	2.2L	3T40	9/8.5	4/3.8				DEXRON III				DM, DVI			
	95-03	L4	2.2, 2.3, 2.4L	4T40-E	12.9/12.2	6.9/6.5				DEXRON III				DM, DVI			
Sunrunner	94-02	N/A	N/A	THM3L30	5.4/5.1	3/2.8				DEXRON III				DM, DVI			
	05-09	V6	3.4 (LNJ), 3.6L (LY7)	AF 33-5 (M98)	8.2/7.8	4.3/4				GM 88900925				* DM, MV			
Torrent	08-09	L4, V6	2.4 (LAF), 3.0L (LF1)	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5				DEXRON VI				MLV			
Trans Sport	90-96	V6	3.1L	3T40	6.9/6.5	4/3.8				DEXRON III				DM, DVI			
	95-98	V6	3.4, 3.8L	4T60-E	11/10.4	8/7.6				DEXRON III				DM, DVI			
Vibe	03-09	L4	1.8 (LAY), 2.4L (LAX)	A245-E (MVA), A246-E (MVB)	7.7/7.3	3.2/3				GM 88900925				* DM, MV			
Wave	07-09	L4	1.6L (LXT) (LXV)	A 81-40LE (MLQ)	6.2/5.8	2.2/2.1				GM 88900925				* DM, MV			
PORSCHE																	
911	91-96	B6	3.3, 3.6L	ZF 4HP22	10/9.5	3/2.6				DEXRON III				DM, DVI			
	99-05	B6	3.6L	A50 Tiptronic	10/9.5	4.8/4.5				Esso Type LT 71141				SYN DM, MV			
	06-07	B6	3.6L	A50 Tiptronic	9.5/9	4.8/4.5				Porsche 000 043 304 00				SYN DM, MV			
	08-09	H6	3.6, 3.8L	Tiptronic	9.5/9	3.7/3.5				JWS 3309				* DM, MV			
	09-16	H6	3.6, 3.8L	PDK (Clutch)	5.5/5.2	N/A				Pentosin FFL 3							
	09-16	H6	3.6, 3.8L	PDK (Gear)	3.0/2.9	N/A				Mobilube PTX 75W-90							
Boxter, Boxter S	97-07	B4	2.5, 2.7, 3.2L	A50 Tiptronic	9.5/9	3.7/3.5				Esso Type LT 71141				SYN DM, MV			
	09-12	H6	2.9, 3.4L	Tiptronic	9.5/9	3.7/3.5				JWS 3309				* DM, MV			
	09-12	H6	2.9, 3.4L	7DT 45 PDK (Clutch)	9.5/9	3.7/3.5				Pentosin FFL 3							
	9-16	H6	2.9, 3.4L	PDK (Gear)	3.0/2.9	N/A				Mobilube PTX 75W-90							
Cayenne	13-16	H6	2.9, 3.4L	PDK (Clutch)	5.5/5.2	N/A				Pentosin FFL 3							
	03-07	V8	4.5L	A48, A48.2, A48.5	9.5/9, 10.6/10.1	9/8.5, 10.1/9.6				Toyota Type T-IV				* DM, MV			
	08-10	V6, V8	3.6, 4.8L	Tiptronic	9.5/9	3.7/3.5				JWS 3309				* DM, MV			
	11-12	V6, V8	3.6, 4.8L	OC8 (8 SPEED)	11/10.4, 13.5/12.8	N/A				G 055 540 A2				SYN DVI, DHP			
13-16	V6, V8	3.6, 4.8L	Tiptronic S 8-speed	10/9.5	N/A				Porsche 958 300 540 0				* DM, MV				



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM DEXRON®/MERCON®
 DVI DEXRON® VI
 MV MERCON® V
 MLV MERCON® LV
 MULV MERCON® Ultra LV
 LGB Lifeguard® 6

LGB
 DHP
 GFS
 *

Lifeguard® 8
 Dexron® HP
 Gear Fluid Supplement
 Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
 The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- or
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Cayman	06-07	B6	2.6, 3.3L	A50 Tiptronic	9.5/9	3.7/3.5				Esso Type LT 71141				SYN DM, MV			
	09-12	H6	2.9, 3.4L	Tiptronic	9.6/9 OR 8.5/8	3.7/3.5				JWS 3309				* DM, MV			
	09-12	H6	2.9, 3.4L	7DT 45 PDK (Clutch)	9.5/9	3.7/3.5			X	Pentosin FFL 3							
	09-16	H6	2.9, 3.4L	PDK (Gear)	3.0/2.9	N/A				Mobilube PTX 75W-90							
	13-16	H6	2.9, 3.4L	PDK (Clutch)	5.5/5.2	N/A			X	Pentosin FFL 3							
Macan	15-16	H6	2.9, 3.4L	PDK (Clutch)	7.4/7.1	6.9/6.5			X	Pentosin FFL 3							
	15-16	H6	2.9, 3.4L	PDK (Gear)	4.3/4.1	N/A				Mobilube PTX 75W-90							
Panamera	10-16	V6, V8	3.6, 4.8L	PDK	8/7.6 (2WD), 9.5/9 (AWD)	N/A			X	Pentosin FFL 3							
Panamera Hybrid	12-16	V6, V8	3.6, 4.8L	Tiptronic	N/A	N/A				Porsche 958 300 540 0				* DM, MV			
PEUGEOT																	
205	86-96	L4	1.5L	N/A	N/A	2.4/2.2				DEXRON III				DM, DVI			
206	98-01	L4	1.4L	N/A	N/A	6/5.4				DEXRON III				DM, DVI			
306	95-00	L4	2.0L	N/A	N/A	2.4/2.2				DEXRON III				DM, DVI			
406	97-01	L4, V6	2.0, 3.0L	N/A	N/A	2.4/2.2				DEXRON III				DM, DVI			
605	90-00	L4, V6	2.0, 3.0L	N/A	N/A	2/1.8				DEXRON III				DM, DVI			
RAM/DODGE TRUCKS & VANS																	
Dakota	95	V8	5.2L	46RH	10.2/9.6	4/3.8				Mopar ATF+4				* DM, MV			
	95-02	V6, V8	3.9, 5.2, 5.9L	42RH, RE/44RE/46RE	10.5/9.9	4/3.8				Mopar ATF+4				* DM, MV			
	96-97	L6, V8	3.9, 5.2L	42RE	10.1/9.6	4/3.8				Mopar ATF+4				* DM, MV			
	96-97	V8	5.2L	44RE, 46RE	11/10.4	1.5/1.4				Mopar ATF+4				* DM, MV			
	98-99	L6, V8	3.9, 5.2L	42RE, 46RE	10/9.5	1.5/1.4				Mopar ATF+4				* DM, MV			
	00-03	L6, V8	3.9, 4.7, 5.2L	42RE, 46RE, 545RFE	10/9.5	4/3.8				Mopar ATF+4				* DM, MV			
	04-11	V6, V8	3.7L	42RLE	8.8/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	04-11	L6, V8	3.7, 4.7L	45RFE, 545RFE	16.8/13.3	6.5/6.2				Mopar ATF+4				* DM, MV			
	94-01	V6	3.9L	42RH, 42RE	10.5/9.9	4/3.8				Mopar ATF+4				* DM, MV			
	96-02	V8	5.9L	46RE	10.5/9.9	4/3.8				Mopar ATF+4				* DM, MV			
Durango	98-99	L6, V8	3.9, 5.2L	42RE, 46RE	10/9.5	1.5/1.4				Mopar ATF+4				* DM, MV			
	98-06	V6, V8	3.9, V8 5.2L	42/44RE, 45RFE	14/13.3	5.5/5.2				Mopar ATF+4				* DM, MV			
	00-03	L6, V8	3.9, 4.7, 5.2L	42RE, 46RE, 545RFE	10/9.5	4/3.8				Mopar ATF+4				* DM, MV			
	00-05	V8	4.7, 5.7L	5-45RFE	14/13.3	5/4.7				Mopar ATF+4				* DM, MV			
	00-07	V6	3.7L	44RE, 46RE	10/9.5	4/3.8				Mopar ATF+4				* DM, MV			
	04-09	L6, V8	4.7, 5.7L	545RFE	16.8/13.3	6.5/6.2				Mopar ATF+4				* DM, MV			
	09	V8	5.7L	EVT-ASH-T (2 MODE HYBRID)	13.2/12.5	11.6/11				DEXRON VI				MLV			
	04-09	V6	3.7L	42RLE	8.8/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	11-12	V8	3.6, 5.7L	NAG 1	8.1/7.7	5.3/5				Mopar ATF+4				* DM, MV			
	11-15	V6, V8	3.6, 5.7L	545RFE, 65RFE	14.8/14, 16.9/6	5.5/5.2, 6.5/6.2				Mopar ATF+4				* DM, MV			
Promaster 1500, 2500, 3500	16-17			8HP45, 8HP70	9/8.5	N/A				ZF 8&9 speed ATF				LG8, MULV			
	14-17	V6	3.0, 3.6L	62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
Promaster City	15-17	V6	3.0, 3.6L	948TE	N/A	6.3/6				ZF 8&9 speed ATF				LG8, MULV			
	94	N/A	N/A	32RH, 36RH	8.6/8.1	4/3.8				Mopar ATF+4				* DM, MV			
Ram 1500-3500, Includes HD	94-95	V10	8.0L	47RH	10/9.5	4/3.8				Mopar ATF+4				* DM, MV			
	95-02	V8	5.2, 5.9L	46RH	10.9/10.3	4/3.8				Mopar ATF+4				* DM, MV			
	95-97	V8	5.2, 5.9L	46RE	13/12.3	4/3.8				Mopar ATF+4				* DM, MV			
	96-00	V6, V8	3.7, 5.2L	42RE	11/10.4	4/3.8				Mopar ATF+4				* DM, MV			
	96-02	L6	5.9L Diesel	47RE	16.6/15.7	4/3.8				Mopar ATF+4				* DM, MV			
	98-00	V8	5.2, 5.9L	46RE	11.5/10.9	4/3.8				Mopar ATF+4				* DM, MV			
	01-03	V8	5.2, 5.9L	46RE	10/9.5	4/3.8				Mopar ATF+4				* DM, MV			
	03	L6	5.9L	47RE	16.6/15.7	4/3.8				Mopar ATF+4				* DM, MV			
	03-08	V6, V8	3.7, 4.7, 5.7L	A45RFE, 5-45RFE	14.5/14	6.5/6.2				Mopar ATF+4				* DM, MV			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Ram 1500-3500, Includes HD	04-10	V8	4.7, 5.7L	545RFE	16.8/13.3	6.5/6.2				Mopar ATF+4				* DM, MV			
	04-08	V8	5.7, 5.9, 6.7L	48RE	16/14, 17/14.8	4/3.8				Mopar ATF+4				* DM, MV			
	09-12	V6	3.7L	42RLE	8.8/8.3	4/3.8				Mopar ATF+4				* DM, MV			
	11-12	V8	5.7	65RFE, 66RFE	14.8/14, 16.9/16	5.5/5.2, 6.5/6.2				Mopar ATF+4				* DM, MV			
	12-13	V6	3.6L	68RFE	16.6/15.6	6.5/6.2				Mopar ATF+4				* DM, MV			
	13-15	V6, V8	3.6, 4.7, 5.7L	545RFE	16.9/16	5.5/5.2				Mopar ATF+4				* DM, MV			
	13-15	V6, V8	3.6, 5.7L	65RFE, 66RFE	12/11.4	5/4.7				Mopar ATF+4				* DM, MV			
2500	16-17	V6, V8	3.0L, 3.6, 5.7L	8HP45, 8HP70	9/8.5	N/A				ZF 8&9 speed ATF				LG8, MULV			
	05-09	V8	5.9L	48RE	16/14, 17/14.8	4/3.8				Mopar ATF+4				* DM, MV			
	05-12	V8	5.7, 5.9L	545RFE	14.5/14	6.5/6.2				Mopar ATF+4				* DM, MV			
	07-10	L6	6.7L	AS68RC	13.7/13	7.2/6.8				Mopar AS 68RC				SYN DM, DVI, MV			
	12	V8	5.7L	68RFE	17/16	6.5/6.2				Mopar ATF+4				* DM, MV			
3500 (D1, DH, DC BODY)	13-17	V8	5.7, 6.4, 6.7L	AS66RC, AS69RC	13.7/13	7.8/7.2				Mopar AS 68RC				SYN DM, DVI, MV			
	04-09	V8	5.9L	48RE	16/14, 17/14.8	4/3.8				Mopar ATF+4				* DM, MV			
	07-10	L6	6.7L	68RFE	17/16	6.5/6.2				Mopar ATF+4				* DM, MV			
	07-10	V8	5.7, 5.9L	545RFE	14.5/14	6.5/6.2				Mopar ATF+4				* DM, MV			
	07-12	L6	6.7L	AS68RC	13.7/13	7.2/6.8				Mopar AS 68RC				SYN DM, DVI, MV			
	11-12	L6	6.7L	68RFE	17.5/16.6	N/A				Mopar ATF+4				* DM, MV			
4500	13-17	V8, L6	5.7, 6.4, 6.7L	68RFE, 68RFE	12/11.4	5/4.7				Mopar ATF+4				* DM, MV			
	13-17	V8, L6	5.7, 6.4, 6.7L	AS69RC	13.7/13	7.2/6.8				Mopar AS 68RC				SYN DM, DVI, MV			
	08-10	L6	6.7L	AS68RC	13.7/13	7.2/6.8				Mopar AS 68RC				SYN DM, DVI, MV			
	10-12	L6	6.7L	68RFE	17.5/16.6	N/A				Mopar ATF+4				* DM, MV			
	13-17	L6	6.4, 6.7L	68RFE	12/11.4	5/4.7				Mopar ATF+4				* DM, MV			
5500	08-10	L6	6.7L	AS68RC	13.7/13	7.2/6.8				Mopar AS 68RC				SYN DM, DVI, MV			
	10-12	L6	6.7L	68RFE	17.5/16.6	N/A				Mopar ATF+4				* DM, MV			
	13-17	L6	6.4, 6.7L	68RFE	12/11.4	5/4.7				Mopar ATF+4				* DM, MV			
Ram Van	99-02	V6	3.9, V8 5.2L	36RH	6.8/6.4	4/3.8				Mopar ATF+4				* DM, MV			
Sprinter Van	03-06	L5	2.7L	NAG 1	8.1/7.7	5.3/5				Mopar 05127382AA				SYN DM, MV			
	07-09	V6	3.0, 3.5L	NAG 1	8.1/7.7	5.3/5				Mopar 05127382AA				SYN DM, MV			
Van/Wagon	89-95	V6	5.2, 5.9L	42RH, 42RE	10.2/9.6	4/3.8				Mopar ATF+4				* DM, MV			
	89-96	V8	5.2, 5.9L	46RH, 46RE	10.2/9.6	4/3.8				Mopar ATF+4				* DM, MV			
	97-98	V8	5.2, 5.9L	46RH, 46RE	11.4/10.8	4/3.8				Mopar ATF+4				* DM, MV			
Van/Wagon	99-02	V8	5.2, 5.9L	46RH, 46RE	10/9.5	4/3.8				Mopar ATF+4				* DM, MV			
Cargo Van	13-15			62TE	9/8.5	5.5/5.2				Mopar ATF+4				* DM, MV			
Voyager(Grand)	89-01	L4, V6	2.4, 3.0, 3.3L	31TH	8.9/8.4	4/3.8				Mopar ATF+4				* DM, MV			
SAAB																	
900	94-98	L4	2.3L	FA55	7.6/7.2	3.4/3.3				DEXRON III				DM, DVI			
9000	86-98	L4	2.3L	ZF 4HP18	8.9/8.4	3.4/3.3				DEXRON III				DM, DVI			
9-2	05-07	B4	2.5L B4	4EAT	9.8/9.3	N/A				DEXRON III, VI				DM, DVI			
	98-02	L4	2.0L	AW50-42LE	8/7.6	3.2/3				DEXRON III				DM, DVI			
9-3	03-06	L4	2.0L	FA57, FA55 (AW 50-55)	7.6/7.2	3.4/3.2				Saab 40-93-160-393				* DM, MV			
	06-12	L4, V6	2.0 (B207R), 2.8L (B284R)	AF40	7.6/7.2	N/A				Saab 93 165 147				SYN DM, DVI, MV			
	06-12	L4, V6	2.0 (B207R), 2.8L (B284R)	FA 57	7.4/7	3.1/2.9				Saab 40-93-160-393				* DM, MV			
9-5	98-01	L4, V6	2.3, 3.0L	AW50-42LE	8/7.6	3.2/3				DEXRON III				DM, DVI			
	02-04	L4	2.3L	FA57	7.6/7.2	N/A				Saab 40-93-160-393				* DM, MV			
	02-05	L4, V6	2.3, 3.0L	FA55 (AW 50-55)	7.6/7.2	3.4/3.2				Saab 40-93-160-393				* DM, MV			
9-7X	06-11	L4, V6	2.3, 3.0L	FA57	7.4/7	3.1/2.9				Saab 40-93-160-393				* DM, MV			
	05-06	L6, V8	4.2 (LL8), 5.3 (LT6)	4L60-E	11/10.6	5/4.7				DEXRON VI				MLV			
	07-09	L6, V8	4.2 (LL8), 5.3 (LT6), 6.0L (LS2)	4L60-E, 4L70E	11/10.6	5/4.7				DEXRON VI				MLV			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM DEXRON®/MERCON®
 DVI DEXRON® VI
 MV MERCON® V
 MLV MERCON® LV
 MULV MERCON® Ultra LV
 LG8 Lifeguard® 6

LG8
 DHP
 GFS
 *

Lifeguard® 8
 Dexron® HP
 Gear Fluid Supplement
 Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
 The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
SATURN																	
Aura	07-10	L4, V6	2.4, 3.5L	4T45-E, 6T70	12.9/12.2	7/6.6, 6.3/6				DEXRON VI				MLV			
	08-09	L4, V6	2.4, 3.5, 3.6L	6T70 (MH2)	9.5/7.4	6.3/5.5				DEXRON VI				MLV			
	08-09	L4, V6	2.4, 3.5, 3.6L	4T45-E BAS HYBRID	9.5/9	6.9/6.5				DEXRON VI				MLV			
Astra	08-09	L4, V6	2.4, 3.5, 3.6L	6T40 (MH8)	8.5/8	5.3/5				DEXRON VI				MLV			
	08-09	L4	1.6 (LDF) (LDU), 1.8L (2HO)	AF17-4	7.6/7.2	4.2/4				Saturn 22689186				* DM, MV			
Ion	03-07	L4	2.2L	AF33, AF23-5	N/A	4.2/4				Saturn 22689186				* DM, MV			
	05-07	L4	2.2L	4T40-E, 4T45-E	12.9/12.2	6.9/6.5				DEXRON VI				MLV			
Ion Quad Coupe L-Series	03-04	L4	2.2L	VT25-E (CVT)	8.5/8	N/A				Saturn 22688912 VTF				LUBEGARD CVT Fluid			
	00-05	L4	2.2, V6 3.0L	4T40-E, 4T45-E	12.9/12.2	6.9/6.5				DEXRON III				DM, DVI			
Outlook	07-09	V6	3.6L (LY7)	6T75 (MY9) (MH6)	9.5/7.4	6.3/6				DEXRON VI				MLV			
Relay	05-06	V6	3.5, 3.9L	4T40-E, 4T45-E, 4T65-E	13.4/12.7	7.4/7				DEXRON III, VI				DM, DVI			
	06-07	V6	3.5L	4T45-E, 4T65-E	13.4/12.7	7.4/7				DEXRON VI				MLV			
S-Series	91-99	N/A	N/A	N/A	7.4/7	4/3.8				DEXRON III				DM, DVI			
	00-02	L4	1.9L	TAAT	7.4/7	4/3.8				Saturn 21005966				SYN DM, DVI, MV			
Sky	07-09	L4	2.0 (LNF), 2.4L (LE5)	5L50-E	9.4/8.9	7.4/7				DEXRON VI				MLV			
	02-07	L4, V6	2.2, 3.0L	VT25-E (CVT)	6.9/6.5	N/A				Saturn 22688912 VTF				LUBEGARD CVT Fluid			
Vue	04-07	V6	3.0, 3.5L	5AT	9.1/8.6	4.8/4.5				Saturn 22689186				* DM, MV			
	05-07	L4	2.2L	4T45-E	12.9/12.2	6.9/6.5				DEXRON VI				MLV			
	08-09	L4	2.4L (LAT)	4T45-E HYBRID	9.5/9	6.9/6.5				DEXRON VI				MLV			
	08-09	L4	2.4L (LE9)	4T45-E (MN5)	9.5/9	6.9/6.5				DEXRON VI				MLV			
	08-09	V6	3.5 (LZ4), 3.6L (LCS) (LY7)	6T70 (MH2) (MH4)	9.5/7.4	6.3/5.5				DEXRON VI				MLV			
SCION																	
FRS	13-16	B4	2.0L	TX6A	7.9/2.1	2.1/2				Type WS				DVI, MLV			
iA	16	L4	1.5L	CW6A-EL	7.6/7.2	3.2/3				Type WS				DVI, MLV			
iQ	12-15	L4	1.3L (1NR-FE)	K41B	6.7/6.3	8/4				Toyota CVT Fluid TC				LUBEGARD CVT Fluid			
iM	16	L4	1.8L (2ZR)	K313 CVT	7.9/7.5	1.3/1.2				CVT Type FE				LUBEGARD CVT Fluid			
TC	05-06	L4	2.4L	U340-E	N/A	3.1/2.9				Toyota Type T-IV				* DM, MV			
	07-10	L4	2.4L (2AZ)	U241-E	8.2/7.8	3.1/2.9				Toyota Type WS				DVI, MLV			
XA	11-16	L4	2.5L (2AR-FE)	U760	6.9/6.5	2.9/2.7				Toyota Type WS				DVI, MLV			
	04-06	L4	1.5L (1NZ)	U241-E	8.2/7.8	3.1/2.9				Toyota Type T-IV				* DM, MV			
XB	04-07	L4	1.5L	U250-E	9.1/8.6	3.7/3.5				Toyota Type T-IV				* DM, MV			
	08-15	L4	2.4L (2AZ)	U241-E, U250-E	8.2/7.8	3.1/2.9				Toyota Type WS				DVI, MLV			
XD	08-14	L4	1.8L (2ZR)	U341-E	6.9/6.5	3.1/2.9				Toyota Type WS				DVI, MLV			
SMART																	
Fortwo	08-12	L3	1.0L	5-Speed	N/A	2.4/2.3				MB BOT328				SYN 75W-90			
	13-15	L3	1.0L	5-Speed	N/A	2.4/2.3				MB BOT328				SYN 75W-90			
SUBARU																	
Baja	03-06	B4	2.5L	4EAT	9.8/9.3	N/A				DEXRON III, VI				DM, DVI			
BRZ	13-17	B4	2.0L	TX6A	7.9/2.1	2.1/2				Type WS				DVI, MLV			
	13-14	H4	2.5L (H4SO)	CVT	13.1/12.4	N/A				Subaru CVTF				LUBEGARD CVT Fluid			
Crosstrek	13-17	H4	2.5L (H4SO)	CVT	12.6/11.9	N/A				Subaru CVTF for Linetronic				LUBEGARD CVT Fluid			
	98-02	B4	2.5L	4EAT	10/9.5	N/A				DEXRON III				DM, DVI			
Forester	01-05	B4	2.5L	4EAT	9.8/9.3	N/A				DEXRON III				DM, DVI			
	05-12	H4	2.5L (H4SO) (H4DOTC)	5EAT	10.1/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	06-07	H4	2.5L	5EAT	10.1/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	06-10	H4	2.5L (H4SO) (H4DOTC)	4EAT	9.8/9.3	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	11-12	H4	2.5L (H4SO)	CVT	13.2/12.5	N/A				Subaru CVTF				LUBEGARD CVT Fluid			
	13-14	H4	2.5L	5EAT	9.8/9.3	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	13-15	H4	2.5L	CVT	13.1/12.4	N/A				Subaru CVTF				LUBEGARD CVT Fluid			
	16-17	H4	2.5L	CVT	13.1/12.4	N/A				Subaru CVTF for Linetronic				LUBEGARD CVT Fluid			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Impreza	93-98	B4	1.8, 2.2, 2.5L	4EAT	8.3/7.9	N/A				DEXRON III				DM, DVI			
	99-08	B4	2.5L	4EAT	9.8/9.3	N/A				DEXRON III, VI				DM, DVI			
	06-10	H4	2.5L (H4SO) (H4DOTC)	4EAT	10, 9.5	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	11-14	H4	2.5L	CVT	13.2/12.5	N/A				Subaru CVTF for Linetronic				LUBEGARD CVT Fluid			
	12-14	H4	2.5L	5EAT	10.4/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	15-17	H4	2.5L	CVT	12.6/11.9	N/A				Subaru CVTF for Linetronic				LUBEGARD CVT Fluid			
Legacy	95-04	B4	2.0, 2.2, 2.5L	4EAT	8.3/7.9	2.6/2.5				DEXRON III				DM, DVI			
	97-04	B4	2.5L	N/A	10/9.5	N/A				DEXRON III				DM, DVI			
	03-08	B4	2.5L	4EAT	9.8/9.3	N/A				DEXRON III				DM, DVI			
	05-08	H4	2.5L (H4SO) (H4DOTC)	4EAT	10/9.5	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	05-09	H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10.4/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	09	H4	2.5L (H4SO)	4EAT	10/9.5	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	09	H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10.4/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	10-12	H4	2.5L (H4SO)	ECVT	13.2/12.5	N/A				Subaru SOA868V9245QT				LUBEGARD CVT Fluid			
	10-14	H6	3.6L (H6DO)	5EAT	10.4/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	15-17	H4	2.5L	CVT	12/11.4	N/A				Subaru CVTF for Linetronic				LUBEGARD CVT Fluid			
	15-17	H6	3.6L	CVT	13.4/12.7	N/A				Subaru High Torque CVT Oil				LUBEGARD CVT Fluid			
Outback	96-99	B4	2.5L	EC8, R4AXEL, 4EAT	10/9.5	2.6/2.5				DEXRON III				DM, DVI			
	00-05	B4	2.5L	4EAT	10/9.5	N/A				DEXRON III				DM, DVI			
	01-10	B4	2.5L B4	4EAT	9.8/9.3	N/A				DEXRON III				DM, DVI			
	05-09	H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10.4/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	05-09	H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10.4/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	10-14	H4	2.5L (H4SO)	ECVT	13.2/12.5	N/A				Subaru CVT SOA868V9245QT				LUBEGARD CVT Fluid			
	10-14	H6	3.6L (H6DO)	5EAT	10.4/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	15-17	H4	2.5L	CVT	12/11.4	N/A				Subaru CVTF for Linetronic				LUBEGARD CVT Fluid			
SVX	15-17	H6	3.6L	CVT	13.4/12.7	N/A				Subaru High Torque CVT Oil				LUBEGARD CVT Fluid			
	92-97	B6	3.0, 3.3L	N/A	10/9.5	2.6/2.5				DEXRON III				DM, DVI			
	06-07	H6	3.0L (EZ30)	5EAT	10.1/9.6	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
Tribeca B9	08-12	H6	3.6L (EZ36)	5EAT	10.4/9.8	N/A				Idemitsu ATF HP				SYN DM, DVI, MV			
	03-07	B4	2.5L Turbo	4EAT	10/9.5	N/A				DEXRON III, VI				DM, DVI			
WRX	15-17	H4	2.5L Turbo	CVT	13.1/12.4	N/A				Subaru High Torque CVT Oil				LUBEGARD CVT Fluid			

SUZUKI

Aerio	02-07	L4	2.3L	AW60-40LE	N/A	N/A				DEXRON III, VI				DM, DVI			
	05-07	L4	2.3L	AW50-42LE	7.3/6.9	4.2/4				Esso Type LT 71141				SYN DM, MV			
Esteem	95-02	L4	1.6L	AW60-40LE	N/A	N/A				DEXRON III				DM, DVI			
Equator	09-12	L4, V6	2.5 (QR25DE), 4.0L (VQ40DE)	JR507E, RE5R05A	10.8/10.3	N/A				Suzuki Matic-S				DVI, MLV			
Forenza	04-08	L4	2.0L	ZF 4HP16	7.3/6.9	4.2/4				Esso Type LT 71141				SYN DM, MV			
	99-05	L4, V6	1.6, 2.0, 2.5L	A44DE	7.8/7.4	3/2.8				DEXRON III				DM, DVI			
	06-09	V6	2.7L (H27A)	A750E/F	10.5/9.9	2.7/2.5				Suzuki 3317				SYN DM, MV			
Grand Vitara	09-12	L4, V6	2.4 (J24B), 3.2L (N32A)	6T70/6T75 (6 SPEED)	7.4/7, 9.5/9	4.2/4, 6.3/6				DEXRON VI				MLV			
	10	L4, V6	2.4 (J24B), 3.2L (N32A)	4AT	7.7/7.3	2.7/2.5				Suzuki 3317				SYN DM, MV			
	10	L4, V6	2.4 (J24B), 3.2L (N32A)	5AT	10.7/10.2	3.2/3				Suzuki 3317				SYN DM, MV			
Kizashi	10-12	L4	2.4L (J24B)	CVT	8.9/8.3	N/A				Suzuki CVT GREEN 1				LUBEGARD CVT Fluid			
Reno	05-07	L4	N/A	ZF 4HP	7.8/7.4	4.2/4				Esso Type LT 71141				SYN DM, MV			
Sidekick 2DR	89-02	L4	1.6L	3L30, TH180	5.4/5.1	3/2.8				DEXRON III				DM, DVI			
Sidekick 4DR	92-02	L4	1.6, L4 1.8L	03-72LE (A44DE)	6.7/6.3	2.7/2.6				DEXRON III				DM, DVI			
Swift	89-02	L4	1.3L	MX17	N/A	1.7/8				DEXRON III				DM, DVI			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM DEXRON®/MERCON®
 DVI DEXRON® VI
 MV MERCON® V
 MLV MERCON® LV
 MULV MERCON® Ultra LV
 LGB Lifeguard® 6

LGB
 DHP
 GFS
 *

Lifeguard® 8
 Dexron® HP
 Gear Fluid Supplement
 Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
SX4	07-09	L4	2.0L (J20A)	81-40-LE	7.7/7.3	4.8/4.5				DEXRON VI				MLV			
	07-10	L4	2.0L (J20B)	CVT	9.9/9.4	N/A				Suzuki CVT GREEN 1				LUBEGARD CVT Fluid			
Verona	11-12	L4	2.0L (J20B)	CVT	8.5/8	N/A				Suzuki CVT GREEN 1				LUBEGARD CVT Fluid			
	03	L6	2.5L	N/A	N/A	N/A				DEXRON III				DM, DVI			
	04-07	V6	2.5, 2.7L	ZF 4HP16	7.8/7.4	4.2/4				Esso Type LT 71141				SYN DM, MV			
Vitaro	99-07	L4, V6	2.3, 2.5L	A44DE	7.5/7.1	2.6/2.5				DEXRON III, VI				DM, DVI			
	05-06	V6	2.7L	A44DE	10.8/10.3	3.2/3				DEXRON III, VI				DM, DVI			
XL7	07-08	V6	3.6L (LY7)	AF 33-5 (M09) (M45)	8.2/7.8	4.3/4				GM 88900925				* DM, MV			
	09	V6	3.6L (LY7)	6T70	8.5/8	5.5/5				DEXRON VI				MLV			
X-90	95-98	L4	1.6L	03-72LE (A44DE)	6.7/6.3	2.7/2.6				DEXRON III				DM, DVI			
TOYOTA																	
86	17	H4	2.0L	TX6A	7.9/2.1	2.1/2				Type WS				DVI, MLV			
4-Runner	89-95	V6	4.0L	A340-E/F	7.6/7.2	1.7/1.6				DEXRON III				DVI, MLV			
	96-02	V6, V8	4.0, 4.7L	A340-E/F	7.6/7.2, 10.5/9.8	1.7/1.6, 2.1/2				Toyota Type T-IV				* DM, MV			
	03-05	V6, V8	4.0, 4.7L	A340F	13/12.3	2.1/2				Toyota Type T-IV				* DM, MV			
Avalon	04-10	V6, V8	4.0 (1GR), 4.7L (2UZ) (2TR)	A750-E/F	10.9/10.4	3.2/3				Toyota Type WS				DVI, MLV			
	10-17	V6	4.0 (1GR)	A750-E/F	11.3/10.7	1.8/1.7				Toyota Type WS				DVI, MLV			
	95-98	V6	3.0L	A541-E	8.5/8	3.7/3.5				Toyota Type WS				DVI, MLV			
	99-02	V6	3.0L	A541-E	8.5/8	5/4.7				DEXRON III				DM, DVI			
	03-07	V6	3.0L	A541-E	8.5/8	5/4.7				Toyota Type T-IV				* DM, MV			
Avalon Hybrid	05-08	V6	3.0L	U151-E	9.3/8.8	3.7/3.5				Toyota Type WS				DVI, MLV			
	08-17	L4, V6	2.5, 3.5L (2GR)	U660-E, U660F	6.9/6.5	3.4/3.2				Toyota Type WS				DVI, MLV			
	13-17	L4	2.5L	U660-E, U660F	6.9/6.5	3.4/3.2				Toyota Type WS				DVI, MLV			
Avanza	07-10	L4	1.5 (3SZ), 1.3L (K3)	A4Q	4.9/4.6	1.6/1.5				DEXRON VI				MLV			
	86-02	L4	1.8, 2.0, 2.2L	A140-E, L	5.9/5.6	2.6/2.5				DEXRON III				DM, DVI			
	94-98	V6	3.0L	A541-E	8.5/8	3.7/3.5				DEXRON III				DM, DVI			
	99-02	V6	3.0L	A541-E	8.5/8	5/4.7				DEXRON III				DM, DVI			
	02-04	L4	2.4L	U241-E	8.7/8.2	3.7/3.5				Toyota Type T-IV				* DM, MV			
	02-07	V6	3.0L	U140-E	9.7/9.2	4.3/4.1				Toyota Type T-IV				* DM, MV			
	03-07	V6	3.0L	A541-E	8.5/8	5/4.7				Toyota Type T-IV				* DM, MV			
	04-06	V6	3.3L (3MZ)	U151-E	9.3/8.8	3.7/3.5				Toyota Type T-IV				* DM, MV			
	05-09	L4	2.4L (2AZ)	U250-E	8.7/8.2	3.7/3.5				Toyota Type T-IV				* DM, MV			
	06	V6	3.0L (1MZ)	U151-E	8.7/8.2	3.4/3.2				Toyota Type T-IV				* DM, MV			
Camry	07-10	L4, V6	2.4 (2AZ), 3.3 (3MZ), 3.5L (2GR)	U660-E	6.9/6.5	3.4/3.2				Toyota Type WS				DVI, MLV			
	10-12	L4, V6	2.5 (2AR), 3.5L (2GR)	U760-E	6.9/6.5	3.4/3.2				Toyota Type WS				DVI, MLV			
	12-17	L4, V6	2.5 (2AR), 3.5L (2GR)	U660-E, U660F	6.9/6.5	3/2.8				Toyota Type WS				DVI, MLV			
	07-11	L4	2.4L (2AZ)	P311 HYBRID	4.3/4.1	N/A				Toyota Type WS				DVI, MLV			
	12-17	L4	2.4L (2AZ)	P311 HYBRID	4.3/4.1	N/A				Toyota Type WS				DVI, MLV			
Celica	00-05	L4	1.8L	U240-E, U341-E	8.8/7.6, 7.3/6.9	4.2/4, 3.1/2.9				Toyota Type T-IV				* DM, MV			
	94-99	L4	2.0L	A140-E	5.9/5.6	3.5/3.3				DEXRON III				DM, DVI			
Celica GT	00-05	L4	2.2L	U341-E	7.3/6.8	3.1/2.9				Toyota Type T-IV				* DM, MV			
Celica GTS	00-05	L4	2.4L	U240-E	7.3/6.8	3.1/2.9				Toyota Type T-IV				* DM, MV			
Celica ST	94-99	L4	2.2L	A246-E	8/7.6	2.5/2.4				DEXRON III				DM, DVI			
	84-01	L4	1.6, 1.8L	A131L	6.2/5.9	2.5/2.4				DEXRON III				DM, DVI			
Corolla	93-05	L4	1.6, 1.8L	A245-E	8/7.6	3.3/3.1				Toyota Type T-IV				* DM, MV			
	05-08	L4	1.8L (2ZR) (1ZZ)	U341-E	6.9/6.5	3/2.9				Toyota Type T-IV				* DM, MV			
	09-16	L4	1.8L (2ZR)	U341-E	6.9/6.5	3/2.9				Toyota Type WS				DVI, MLV			
	09-16	L4	2.4L (2AZ)	U250-E	8.6/8.1	3.7/3.5				Toyota Type WS				DVI, MLV			
Corolla, Corolla iM	14-17	L4	1.8L	K313	7.9/7.5	1.3/1.2				CVT type FE				LUBEGARD CVT Fluid			
	00-03	L4	1.5L	U340-E, U341-E	8.5/8	3.1/2.9				Toyota Type T-IV				* DM, MV			
Echo	03-07	L4	1.5L	U340-E, U341-E	7.2/6.8	3.1/2.9				Toyota Type T-IV				* DM, MV			
FJ Cruiser	07-14	V6	4.0L (1GR)	A750-E/F	10.9/10.4	3.2/2.6				Toyota Type WS				DVI, MLV			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF	
Hiace	06-10	L4	2.7 (2TR), 2.5 (1KD) (2KD), 3.0L (5L)	A343-E, A340-E	8.8/8.3	2.9/2.7				Toyota Type T-IV				* DM, MV				
Highlander	01-04	L4, V6	2.4, 3.3L	U140F	8.8/8.3	3.5/3.3				Toyota Type T-IV				* DM, MV				
	01-04	V6	3.0L	U140-E, U140F	9.5/9	4.1/3.9				Toyota Type T-IV				* DM, MV				
	02-07	L4	2.4L (2AZ)	U241-E, U140-E/F	8.7/8.2	3.7/3.5				Toyota Type T-IV				* DM, MV				
	04-08	V6	3.3 (3MZ), 3.5L (2GR)	U151-F/E	9.5/9	4.1/3.9				Toyota Type T-IV				* DM, MV				
Highlander Hybrid	08-10	V6	3.3 (3MZ), 3.5L (2GR)	U151-E, U151F	9.5/9	4.1/3.9				Toyota Type WS				DVI, MLV				
	09-10	L4	2.7L (1AR)	U760E	6.9/6.5	3/2.9				Toyota Type WS				DVI, MLV				
	09-17	V6	2.7, 3.5L	U760	7.1/6.7	3/2.8				Toyota Type WS				DVI, MLV				
	06-10	V6	3.3L (3MZ)	P310 HYBRID	4.4/4.2	3.7/3.5				Toyota Type WS				DVI, MLV				
Hilux	11-17	V6	3.3L (3MZ)	P310 HYBRID	4.9/4.6	N/A				Toyota Type WS				DVI, MLV				
	04-10	L4, L6	2.0, 2.7, 2.5, 3.0, 4.0L	A750-E/F	10.9/10.4	3.2/3				Toyota Type WS				DVI, MLV				
Land Cruiser	04-10	L4, L6	2.0, 2.7, 2.5, 3.0, 4.0L	A343-E, A340-F	8.8/8.3	2.9/2.7				Toyota Type T-IV				* DM, MV				
	95-97	V8	4.7L	A340F	11.6/11	2/1.9				DEXRON III				DM, DVI				
	98-00	V8	4.7L	A343F	12.3/11.7	3.7/3.5				DEXRON III				DM, DVI				
	01-02	V8	4.7L	A343F	12.3/11.7	2.1/2				DEXRON III				DM, DVI				
	03	V8	4.7L	A750F	5.7/5.4	3.2/3				Toyota Type T-IV				* DM, MV				
	04-11	V8	4.7 (2UZ), 5.7L (3UR)	A750F/E	10.9/10.4	3.2/3				Toyota Type WS				DVI, MLV				
	08-15	V8	5.7L (3UR)	AB60-E/F	12.6/11.9	2.1/2.1				Toyota Type WS				DVI, MLV				
	16-17	V8	5.7L (3UR)	AE80F	10.7/10.1	2.9/2.7				Toyota Type WS				DVI, MLV				
	Matrix	03-05	L4	1.8L	U341-E	2.2/2.1	N/A				Toyota Type T-IV				* DM, MV			
		03-05	L4	1.8L	A246-E	7.7/7.3	3.2/3				Toyota Type T-IV				* DM, MV			
03-05		L4	1.8L HO	U240-E	7.1/6.8	3.5/3.1				Toyota Type T-IV				* DM, MV				
03-08		L4	1.8L	MU4, MU5	7.6/7.2	3.3/3.1				Toyota Type T-IV				* DM, MV				
09-10		L4	2.4L (2AZ)	U140F	8.6/8.1	4.1/3.9				Toyota Type WS				DVI, MLV				
09-12		L4	2.4L (2AZ)	U250-E	7.9/7.5	3.7/3.5				Toyota Type WS				DVI, MLV				
Mirai	09-12	L4	1.8L (2ZR)	U341-E	6.9/6.5	3/2.9				Toyota Type WS				DVI, MLV				
	16-17		Electric motor	Q410	N/A	4.4/4.2				Toyota Type WS				DVI, MLV				
Paseo	92-98	L4	1.5L	A244-E	8.7/8.2	3.5/3.3				DEXRON III				DM, DVI				
	93-98	L4	2.7L	A340-E	7.6/7.2	2/1.9				DEXRON III				DM, DVI				
Pickup (T100)	93-98	V6	3.0, 3.4L	A340-E	7.6/7.2	2/1.9				DEXRON III				DM, DVI				
	93-98	L4	2.7L	A340F	8/7.6	2/1.9				DEXRON III				DM, DVI				
	93-98	V6	3.0, 3.4L	A340F	8/7.6	2/1.9				DEXRON III				DM, DVI				
	85-97	L4	2.4L	A43D	6.9/6.5	2.5/2.4				DEXRON III				DM, DVI				
	89-02	L4	2.4L	A340-E	7.6/7.2	2/1.9				DEXRON III				DM, DVI				
	89-02	V6	3.0, 3.4L	A340-E	7.6/7.2	2/1.9				DEXRON III				DM, DVI				
Pickup, Tacoma	95-04	L4	2.7L	A43D	6.9/6.5	2.5/2.4				DEXRON III				DM, DVI				
	95-04	V6	3.4L	A340F	10.5/9.8	2.1/2				DEXRON III				DM, DVI				
	04	V8	4.7L	A340F	10.7/10.1	2.1/2				DEXRON III				DM, DVI				
	04-05	L4	2.4L	A44D	6.9/6.5	2.5/2.4				DEXRON III				DM, DVI				
	05-07	V6	3.4L	A340-E	13/12.3	2.1/2				Toyota Type T-IV				* DM, MV				
	05-07	V8	4.7L	A750-E/F	5.5/5.3	3.2/3				Toyota Type WS				DVI, MLV				
	91-97	L4	2.4L	A46DE	6/5.7	2.5/2.4				DEXRON III				DM, DVI				
	93-97	L4	2.4L superchg	A340-E	7.6/7.2	2/1.9				DEXRON III				DM, DVI				
Previa	93-97	L4	2.4L superchg	A340F	8/7.6	2/1.9				DEXRON III				DM, DVI				
	01-03	L4	1.5L (1NZ)	P111 HYBRID	4.9/4.6	N/A				Toyota Type T-IV				* DM, MV				
	04-09	L4	1.5 (1NZ), 1.8L (2ZR)	P112 HYBRID	3.5/3.3	N/A				Toyota Type WS				DVI, MLV				
Prius	10-17	L4	1.8L	P410/P510	6.8/6.4	3.6/3.4				Toyota Type WS				DVI, MLV				
	16-17	L4	1.8L	P610	N/A	3.8/3.6				Toyota Type WS				DVI, MLV				
	Prius Parallel Hybrid	10-12	L4	1.8L (2ZR)	P410 HYBRID	3.6/3.4	N/A			Toyota Type WS				DVI, MLV				



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM DEXRON®/MERCON®
 DVI DEXRON® VI
 MV MERCON® V
 MLV MERCON® LV
 MULV MERCON® Ultra LV
 LGB Lifeguard® 6

LGB
 DHP
 GFS
 *

Lifeguard® 8
 Dexron® HP
 Gear Fluid Supplement
 Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
 The use of a synthetic base fluid is required.





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- or
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Base Fluid	68112	56032	69032
							60902	63010			61910	62005	63010		CVT	DCT	ATF
RAV4	96-97	L4	2.0L	A241-E	8.5/8	3.5/3.3				DEXRON III				DM, DVI			
	96-99	L4	2.0L	A540H	7.4/7	3.5/3.3				DEXRON III				DM, DVI			
	98-99	L4	2.0L	A247-E	8.7/8.2	3.5/3.3				DEXRON III				DM, DVI			
	01-05	L4	2.0L	U140-E/F	8.8/8.3	3.7/3.5				Toyota Type T-IV				* DM, MV			
	01-05	L4	2.4L	U241-E	9.1/8.6	3.7/3.5				Toyota Type T-IV				* DM, MV			
	06-07	L4	2.0L	U140-E/F	8.8/8.3	3.7/3.5				Toyota Type WS				DVI, MLV			
	06-08	L4	2.0, 2.4L	U140F, U241-E	8.6/8.1	3.7/3.5				Toyota Type WS				DVI, MLV			
	06-11	V6	3.5L (2GR)	U151-E/F	9.3/8.8	3.7/3.5				Toyota Type WS				DVI, MLV			
	06-11	L4	2.5L (2AR)	U140F	8.6/8.1	4.1/3.9				Toyota Type WS				DVI, MLV			
	09-11	L4	2.5L (2AR)	U241-E	8.7/8.2	3.7/3.5				Toyota Type WS				DVI, MLV			
RAV4 Hybrid	13-17	L4	2.5L (2AR)	U660, U760	6.9/6.5	2.9/2.7				Toyota Type WS				DVI, MLV			
	16-17	L4	2.5L (2AR)	P314	4.0/3.8	N/A				Toyota Type WS				DVI, MLV			
Rush	16-17	L4	2.5L (2AR)	Q211	1.9/1.8	N/A				Toyota Type WS				DVI, MLV			
	09-10	L4	1.5L (3SV)	A4Q	4.9/4.6	1.6/1.5				DEXRON VI				MLV			
Sequoia	00-04	V6	3.4L	A340-E	10.7/10.1	2/1/2				Toyota Type T-IV				* DM, MV			
	00-04	V6	3.4L	A340F	10.7/10.1	2/1/2				Toyota Type T-IV				* DM, MV			
	00-04	V8	4.7L	A340F	10.5/9.8	2/1/2				DEXRON III, VI				DM, DVI			
	00-04	V8	4.7L	A340-E	13/12.3	2/1/2				Toyota Type T-IV				* DM, MV			
	00-04	V8	4.7L	A340F	13/12.3	2/1/2				Toyota Type T-IV				* DM, MV			
	05-09	V6, V8	3.4, 4.7L (2UZ)	A750-E, A750F	10.9/10.4	3.2/3				Toyota Type WS				DVI, MLV			
	11-17	V8	5.7L (3UR)	AB60-E/F	11.6/11	2.2/2				Toyota Type WS				DVI, MLV			
	10-17	V8	4.6L (1UR)	A760-E/F	11.6/11	2.2/2				Toyota Type WS				DVI, MLV			
Sienna Van	98-00	V6	3.0L	A540-E/F	8.5/8	3.7/3.5				DEXRON III				DM, DVI			
	01-03	V6	3.0L	A541-E	8.5/8	5/4.7				Toyota Type T-IV				* DM, MV			
	04-06	V6	3.3L	U151-E/F	9.5/9	3.8/3.6				Toyota Type T-IV				* DM, MV			
	07-10	V6	3.3 (3MZ), 3.5L (2GR)	U151-E/F	9.3/8.8	3.7/3.5				Toyota Type WS				DVI, MLV			
	09-12	L4, V6	3.5 (2GR), 2.7L (1AR)	U760-E	6.9/6.5	3/2.8				Toyota Type WS				DVI, MLV			
	11-16	L4, V6	3.5 (2GR), 2.7L (1AR)	U660-E/F	6.9/6.5, 7.1/6.7	3/2.8				Toyota Type WS				DVI, MLV			
Sienna	17	V6	3.5L (2GR)	UA80E, U80F	8/7.6	3.2/3				Toyota Type WS				DVI, MLV			
Solara	98-01	L4	2.2L	A140-E/L	N/A	2.6/2.5				DEXRON III				DM, DVI			
	98-01	V6	3.0L	A140-E	8.5/8	3.7/3.5				DEXRON III				DM, DVI			
	98-03	V6	3.0L	A541-E	8.5/8	5/4.7				DEXRON III				DM, DVI			
Solara	02-03	V6	3.0L	A541-E	8.2/7.8	5/4.7				Toyota Type T-IV				* DM, MV			
	02-05	L4	2.4L	U241-E	8.7/8.2	3.7/3.5				Toyota Type T-IV				* DM, MV			
	04-06	V6	3.3L	U151-E	9.3/8.8	3.7/3.5				Toyota Type T-IV				* DM, MV			
	06	V6	3.0L	U250-E	8.7/8.2	3.7/3.5				Toyota Type T-IV				* DM, MV			
	07-08	L4	2.4L	U250-E	8.5/8	3.7/3.5				Toyota Type WS				DVI, MLV			
	07-08	V6	3.3L	U660-E	6.9/6.5	3/2.8				Toyota Type WS				DVI, MLV			
	93-98	L6	3.0L	A340-E	7.6/7.2	2/1.9				Toyota Type T-IV				* DM, MV			
Tacoma	93-98	L6	3.0L Turbo	A340-E	8.7/8.2	2/1.9				Toyota Type T-IV				* DM, MV			
	95-96	L4	2.4L	A340F	10.5/9.8	2/1/2				Toyota Type T-IV				* DM, MV			
	95-00	L4	2.4L	A43D	6.9/6.5	2.5/2.4				DEXRON III				DM, DVI			
	95-02	L4, V6	2.4, 3.0, 3.4L	A340-E	7.6/7.2	1.7/1.6				Toyota Type T-IV				* DM, MV			
	97-04	L4, V6	2.4, 3.0, 3.4L	A340F	10.7/10.1	2/1/2				DEXRON III				DM, DVI			
	03-07	L4, V6	2.4, 3.0, 3.4L	A340-E	7.6/7.2	1.7/1.6				Toyota Type T-IV				* DM, MV			
	05-08	L4, V6	2.4, 3.0, 3.4L	A340-E	13/12.3	2/1/2				Toyota Type T-IV				* DM, MV			
	05-08	V6	3.4L	A750-E, A750F	11.5/10.9	3.3/3				Toyota Type WS				DVI, MLV			
	05-15	V6	4.0L (1GR)	A750-E/F	11.5/10.9	3.3/3				Toyota Type WS				DVI, MLV			
Tacoma	06-15	L4	2.7L (2TR)	A340-E/F	10.7/10.1	2/1/2				Toyota Type T-IV				* DM, MV			
	16-17	L4, V6	2.7, 3.5L	AC60E, AC60F	10.5/9.9	3.3/3.1				Toyota Type WS				DVI, MLV			
Tercel	88-99	L4	1.5L	A132L	5.9/5.6	2.6/2.5				DEXRON III				DM, DVI			
	95-99	L4	1.5L	A242L	7.6/7.2	3.3/3.1				DEXRON III				DM, DVI			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
Tundra	00-04	V6	3.4L	A340-E	10.7/10.1	2.1/2				Toyota Type T-IV				* DM, MV			
	00-04	V8	4.7L	A340-E	13/12.3	2.1/2				Toyota Type T-IV				* DM, MV			
	00-04	V8	4.7L	A340F	13/12.3	2.1/2				Toyota Type T-IV				* DM, MV			
	05-08	V6, V8	3.4, 4.7L	A750-E, A750F	11.5/10.9	3.2/3				Toyota Type WS				DVI, MLV			
	09-10	V6, V8	4.0 (1GR), 4.6 (1UR), 5.7L (3UR)	A750-E, A750F	11.6/11	2.1/2				Toyota Type WS				DVI, MLV			
	11-17	V6, V8	4.0 (1GR), 4.6 (1UR), 5.7L (3UR)	A760-E, A760F	11.6/11, 12.3/11.6	3.2/3				Toyota Type WS				DVI, MLV			
Venza	09-10	L4, V6	2.7 (2TR), 3.5L (2GR)	U660-E	6.9/6.5	3/2.9				Toyota Type WS				DVI, MLV			
	09-12	L4, V6	2.7 (2TR), 3.5L (2GR)	U760-E/F	6.9/6.5	3/2.9				Toyota Type WS				DVI, MLV			
Yaris	06-08	L4	1.5L (1NZ)	U340-E, U341-E	7.2/6.8	3/2.9				Toyota Type WS				DVI, MLV			
	09-17	L4	1.5L (1NZ)	U340-E, U341-E	6.8/6.4	3/2.9				Toyota Type WS				DVI, MLV			
Yaris iA	17	L4	1.5L (1NZ)	CW6A-EL	7.6/7.2	3.2/3				Toyota Type WS				DVI, MLV			
VOLKSWAGEN																	
CC	09-10	L4, V6	2.0 (CBFA), 2.0 (CCTA), 3.6L (BLV)	09G	7.6/7.2	5.5/5.2				G 055 025 A2				* DM, MV			
	09-12	L4, V6	2.0 (CBFA), 2.0 (CCTA0), 3.6L (BLV)	09M	7.4/7	N/A				G 055 025 A2				* DM, MV			
	10-12	L4	2.0 (CBFA), 3.6L (BLV)	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	11-12	L4, V6	2.0 (CBFA), 2.0 (CCTA), 3.6L (BLV)	09G	7.5/7	N/A				G 055 540 A2				SYN DVI, DHP			
Eos	07-14	L4, V6	2.0 (CCTA) (CBFA), 3.2L (CBRA)	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	15-16	L4, V6	2.0, 3.6L	02E, 09D	7.3/6.9	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
Golf	04-07	L4	1.8, 1.8L TDI	09A	7.4/7	N/A				G 052 990 A2				SYN DVI, DHP			
	07-10	L4	2.0L (BEV)	09G	7.4/7	N/A				G 055 025 A2				* DM, MV			
Golf City	95-02	L4, V6	1.8, 1.9, 2.0, 2.8L	01M	5.6/5.3	3.2/3				Esso Type LT 71141				SYN DM, MV			
	06-10	L4	2.0 (CBFA) (BEV), 2.5L (CBTA)	09G	7.4/7	N/A				G 055 025 A2				* DM, MV			
Golf, GTI	10-14	L4	2.0L (CBFA) (CJAA) (CCTA)	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	10-14	L5	2.5L (CBUA)	09G	7.4/7	N/A				G 055 025 A2				* DM, MV			
	15-17	L4	1.8L	09G	7.4/7	N/A				G 055 540 A2				SYN DVI, DHP			
	15-17	L4	1.8L	02E, 09D	7.3/6.9	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
Jetta & Jetta Sportwagen	95-05	L4, V6	1.8, 1.9, 2.8, 2.9L	01M	5.6/5.3	3.2/3				Esso Type LT 71141				SYN DM, MV			
	01-07	V6	2.8, 3.0L	09A	7.4/7	N/A				G 052 990 A2				SYN DVI, DHP			
	04-08	L4, L5	2.5, 1.9L TDI	09G	6.8/6.4	4.8/4.5				G 055 025 A2				* DM, MV			
	08-10	L4	2.0L (CBEA) (CCTA) (CBFA)	09G	7.4/7	N/A				G 052 025 A2				SYN DM, DVI, MV			
	08-10	L5	2.5L (CBTA) (CBUA)	09G	7.4/7	N/A				G 052 025 A2				SYN DM, DVI, MV			
	08-14	L4, L5	2.0L (CCTA) (CBEA) (CBFA) (BPY)	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	10-11	L4	2.0L (CJAA)	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	11-14	L4, L5	2.5L (CBUA), 2.0L TDI	09G (GEN 1)	7.4/7	N/A				G 055 025 A2				* DM, MV			
Jetta & Jetta Sportwagen	11-14	L4, L5	2.5L (CBUA), 2.0L TDI	09G (GEN 2)	6.4/6.1	N/A				G 055 540 A2				SYN DVI, DHP			
	15-17	L4	1.8L	09G	7.4/7	N/A				G 055 540 A2				SYN DVI, DHP			
	15-17	L4	1.8L	02E, 09D	7.3/6.9	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
Jetta City	08-10	L4	2.0L (BEV)	09G	7.4/7	N/A				G 052 025 A2				SYN DM, DVI, MV			
	94-98	V6	2.8L	96	5.6/5.3	3.2/3				Esso Type LT 71141				SYN DM, MV			
New Beetle	98-05	L4	1.8, 2.0L	096/01M	5.6/5.3	3.2/3				Esso Type LT 71141				SYN DM, MV			
	04-08	L5	2.5, 1.9L TDI	09G	7.5/7	4.8/4.5				G 055 025 A2				* DM, MV			
	08-10	L5	2.5 (BPR), 2.5L (BPS)	09G	7.4/7	N/A				G 055 025 A2				* DM, MV			
	12-16	L4	2.0 TSI, 2.0 TDI	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	12-17	L5	2.5L (BPS)	09G	7.4/7	N/A				G 055 540 A2				SYN DVI, DHP			



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. **DO NOT OVERFILL.** Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- GFS Gear Fluid Supplement
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN





OEM ATF and Conversion Chart

Option 1 (when using the OEM recommended ATF)

- Lubegard Synthetic ATF Protectant (60902)
- or
- Lubegard Platinum (63010)



Option 2 (as an OEM fluid alternative)

- Lubegard HFM ATF Supplement (61910)
- or
- Lubegard MV ATF Supplement (62005)
- or
- Lubegard Platinum Universal ATF Protectant (63010)



Whole fluid option



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	Option 1		Use OEM Fluid	OEM Fluid Type	Option 2			Base Fluid	68112	56032	69032
							60902	63010			61910	62005	63010		CVT	DCT	ATF
Passat, Passat CC	95-97	V6	2.8L	01M	5.6/5.3	3.2/3				Esso Type LT 71141				SYN DM, MV			
	98-05	L4, V6	1.8, 2.0, 2.8L	01V	9.5/9	3.5/3.3				Esso Type LT 71141				SYN DM, MV			
	02-05	V8	4.0L	01V	9.5/9	3.2/2.7				Esso Type LT 71141				SYN DM, MV			
	06-09	L4, V6	2.0L (CCTA) (BPY)	09G, 09M	7.5/7	5.5/5.2				G 055 025 A2				* DM, MV			
	09	L4, V6	3.6L (BLV)	09M, 09G	7.4/7	N/A				G 055 025 A2				* DM, MV			
	09	L4	2.0L (CCTA) (CBFA)	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	12-14	L4	2.0L (CCTA)	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	12-17	V6	3.6L (BLV)	09M, 09G	7.4/7	N/A				G 055 540 A2				SYN DVI, DHP			
	15-17	L4	2.0L (CCTA)	02E, 09D	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
	04-06	V8	N/A	09L	10.4/9.8	N/A				Esso Type LT 71141				SYN DM, MV			
06	L4	2.0L	09G	7.4/7	N/A				G 055 025 A2				* DM, MV				
08-10	L4	2.0, 2.5L (CBTA) (CBUA)	09G	7.4/7	N/A				G 055 025 A2				* DM, MV				
Rabbit, Rabbit GTI	08-10	L4	2.0L (CBFA) (CCTA) (BPY)	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP			
08-10	V6	3.2L (BUB) (CBRA)	DSG, 02E	7.6/7.2	5.5/5.2				G 052 182 A2 (DSG)				SYN DVI, DHP				
Routan	09-12	V6	3.8 (CGUA), 4.0L (CGVA)	62TE (LGG1)	9/8.5	5.5/5.2				VW GUS 000162				* DM, DVI, MV			
Tiguan	08-15	L4	2.0L (CCTA)	09M	7.4/7	N/A				G 055 025 A2				* DM, MV			
	16-17	L4	2.0L	OC8 (8 SPEED)	11/10.4	N/A				G 055 540 A2				SYN DVI, DHP			
Touareg	04-07	V6/8/10	3.2, 4.2, 5.0L	ZF 6HP26A	9.5/9, 10.6/10.1	9/8.5, 10.1/9.6				Toyota Type T-IV				* DM, MV			
	10	V6	3.0 (CATA), 3.6L (BHK)	09D	12.7/12	N/A				G 055 025 A2				* DM, MV			
Touareg 2	07-10	V6, V8	3.0, 3.6 (BHK), 4.2 (BAR), 5.0L	09D	12.7/12	N/A				G 055 025 A2				* DM, MV			
Touareg 2	11-17	V6, V8	3.0, 3.6 (BHK), 4.2 (BAR), 5.0L	OC8 (8 SPEED)	11/10.4, 13.5/12.8	N/A				G 055 540 A2				SYN DVI, DHP			
VOLVO																	
40 Series	00-07	L4	1.9L	AW50-42LE	8/7.6	3.2/3				DEXRON III, VI				DM, DVI			
60 Series	01-07	L4	2.3, 2.4L	AW50-55	8/7.6	3.2/3				Volvo 1161540-8				* DM, MV			
70 Series	98-01	L4, L5	2.3, 2.4L	AW50-42LE	8/7.6	3.2/3				DEXRON III				DM, DVI			
70 Series	01-07	L4, L5	2.3, 2.4L	AW50-55	8/7.6	3.2/3				Volvo 1161540-8				* DM, MV			
80 Series	99-01	L6	2.5, 2.9L	AW50-42LE, 4T65-E	8/7.6	3.2/3				DEXRON III				DM, DVI			
850	93-97	L5	2.4, 2.3L	AW50-40	7.9/7.5	4.1/3.9				DEXRON III				DM, DVI			
90 Series	98-02	L6	3.0L	AW30/AW 34	8.4/8	3.2/3				DEXRON III				DM, DVI			
940	91-97	L4	2.3L	AW03-72L	6.9/6.5	2.6/2.5				DEXRON III				DM, DVI			
940	91-97	L4	2.3L Turbo	AW03-71L	7.9/7.5	4.1/3.9				DEXRON III				DM, DVI			
960	93-97	L6	2.9L	AW 30-40LE	7.9/7.5	4.1/3.9				DEXRON III				DM, DVI			
C30	08-10	L5	2.5L	AW55-50SN	8.2/7.7	3.2/3				Volvo 1161540-8				* DM, MV			
	10-13	L5	2.5L	AW55-50SN, AW55-51, AW50/51	8.1/7.7	N/A				Volvo 1161540-8				* DM, MV			
C70, S70, V70	98-05	L4	2.3, 2.4, 2.5L	AW42AED, AW50-42	8/7.6	3.2/3				Volvo 1161540-8				* DM, MV			
C70	05-10	L5	2.5L	AW55-50SN	8.2/7.7	3.2/3				Volvo 1161540-8				* DM, MV			
	10-13	L5	2.5L	AW55-50, AW55-51, AW50/51	8.1/7.7	N/A				Volvo 1161540-8				* DM, MV			
S40, V40, V50	99-08	L4	2.3, 2.4, 2.5L	AW42AED, AW50-42	8/7.6	3.2/3				Volvo 1161540-8				* DM, MV			
S40	05-11	L5	2.4, 2.5L	AW55-50SN, AW55-50, AW55-51SN	8.2/7.7	3.2/3				Volvo 1161540-8				* DM, MV			
S60, S70, S80	01-07	L4	2.3, 2.4, 2.5L	AW55-50	8/7.6	3.2/3				Volvo 1161540-8				* DM, MV			
S60, S60R	04-05	L5	2.5L	AW55-50	7.6/7.2	N/A				Volvo 1161540-8				* DM, MV			
S60R	07-08	L5	2.5L	TF80SC	7.1/6.7	N/A				Volvo 1161540-8				* DM, MV			

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	60902	63010	Use OEM Fluid	OEM Fluid Type	61910	62005	63010	Base Fluid	68112 CVT	56032 DCT	69032 ATF
S60	01-03	L5	2.3, 2.4L	AW55-50SN	7.9/7.5	3.2/3				Volvo 1161540-8				* DM, MV			
	05-09	L5	2.4, 2.5L	AW55-50SN, AW55-50	8.2/7.7	3.2/3				Volvo 1161540-8				* DM, MV			
	11-14	L5	2.5L	AW TF80SC (GEN II)	5.8/5.5	N/A				Volvo 31 256 774				SYN DVI, DHP			
	12-14	L5	2.5L	AW TF80SC (GEN II)	7.4/7	N/A				Volvo 31 256 774				SYN DVI, DHP			
S80 Series	15-17	L4, V6	2.0, 2.5, 3.0L	TF80SC, TG81SC	7.4/7	N/A				Volvo 31 256 774				SYN DVI, DHP			
	99-04	L5	2.4, 2.5L	AW50-42LE	8/7.6	3.2/3				Volvo 1161540-8				* DM, MV			
S80	99-02	L5	2.5L	4T65-E	7.9/7.5	N/A				DEXRON III				DM, DVI			
	99-04	L5	2.5L	AW50-42LE	7.9/7.5	N/A				Volvo 1161540-8				* DM, MV			
	04-06	L5	2.5L	AW55-50	7.5/7.1	N/A				Volvo 1161540-8				* DM, MV			
	07	L5	2.5L	AW55-51	7.1/6.7	N/A				Volvo 1161540-8				* DM, MV			
	07-09	L6, V8	3.0, 4.4L	AW TF80SC	7.1/6.7	N/A				Volvo 1161540-8				* DM, MV			
	10	L6, V8	3.0, 4.4L	AW TF80SC (GEN II)	5.8/5	N/A				Volvo 1161540-8				* DM, MV			
	11-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	5.8/5.5	N/A				Volvo 31 256 774				SYN DVI, DHP			
	12-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	7.4/7	N/A				Volvo 31 256 774				SYN DVI, DHP			
	15-17	L4, V6	2.0, 3.0, 3.7L	TF80SC, TG81SC	7.4/7	N/A				Volvo 31 256 774				SYN DVI, DHP			
V50	05-11	L5	2.4, 2.5L	AW55-50SN, AW55-50	8.2/7.7	3.2/3				Volvo 1161540-8				* DM, MV			
V60	15-17	L4, V6	2.0, 2.5, 3.0L	TF80SC, TG81SC	7.4/7	N/A				Volvo 31 256 774				SYN DVI, DHP			
V70 R	06-07	L5	2.5L	TF80SC	7.1/6.7	N/A				Volvo 1161540-8				* DM, MV			
V70	08-10	L6	3.2L	AW TF80SC	7.5/7.1	N/A				Volvo 1161540-8				* DM, MV			
	10	L6	3.2L	AW TF80SC	5.8/5.5	N/A				Volvo 1161540-8				* DM, MV			
XC60	11-14	L6	3.2L	AW TF80SC (GEN II)	7.4/7.1	N/A				Volvo 31 256 774				SYN DVI, DHP			
	15-17	L4	2.0, 2.5, 3.0L	TF80SC, TG81SC	7.4/7	N/A				Volvo 31 256 774				SYN DVI, DHP			
XC70	03-07	L5	2.5L	AW55-50	7.9/7.5	N/A				Volvo 1161540-8				* DM, MV			
	08-10	L6	3.0, 3.2L	AW TF80SC	7.1/6.7	N/A				Volvo 1161540-8				* DM, MV			
	11-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	5.8/5.5	N/A				Volvo 31 256 774				SYN DVI, DHP			
	12-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	7.4/7	N/A				Volvo 31 256 774				SYN DVI, DHP			
XC90	15-17	L4	2.0, 3.0, 3.2L	TF80SC, TG81SC	7.4/7	N/A				Volvo 31 256 774				SYN DVI, DHP			
	04-05	L6	2.9L	4T65-EV	12.5/11.9	N/A				DEXRON III				DM, DVI			
	06-07	L5	2.5L	AW55-50	7.5/7.1	N/A				Volvo 1161540-8				* DM, MV			
	07-10	L6, V8	3.2, 4.4L	AW TF80SC	7.1/6.7	N/A				Volvo 1161540-8				* DM, MV			
	11-14	L6, V8	3.2, 4.4L	AW TF80SC (GEN II)	7.1/6.7	N/A				Volvo 31 256 774				SYN DVI, DHP			
15-17	L6, V8	3.2, 4.4L	TG81SC	7/6.6	N/A				Volvo 31 256 774				SYN DVI, DHP				



Directions: Add 1 oz. LUBEGARD® per quart of ATF. With engine running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILLI. All trademarks are owned by their respective companies.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM DEXRON®/MERCON®
 DVI DEXRON® VI
 MV MERCON® V
 MLV MERCON® LV
 MULV MERCON® Ultra LV
 LG8 Lifeguard® 6

LG8
 DHP
 GFS
 *

Lifeguard® 8
 Dexron® HP
 Gear Fluid Supplement
 Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.





FOR THE RIGHT FLUID AND THE RIGHT SOLUTIONS



Automatic Transmission Fluid Protectant
Used, endorsed, and recommended by multiple OEM's to protect transmissions and reduce warranty claims
PART # 60902



Automatic Transmission Supplement for Ford Applications (M-V ATF Supplement)
Converts Dex/Mer ATF to perform like Mercon® V ATF & corrects additive depletion and shifting problems for all Ford fluids *except Type F
PART # 62005



Platinum® High Performance Automatic Transmission Fluid Protectant
The best product for anti-wear protection! Saves time, space, money and eliminates the guesswork! Use to enhance base ATF to perform like OEM specific ATFs. Can be used in place of any application that calls for 60902, 61910 or 62005
PART # 63010



Highly Friction Modified ATF Supplement
Converts base ATF to perform like highly friction modified OEM ATFs such as ATF+4, Honda Z-1 & DW-1 and SP III.
PART # 61910



Complete™ CVT Fluid
Meets/exceeds OEM fluid requirements eliminating the need to stock multiple CVT fluids
PART # 68112



Complete™ Multi-Vehicle Dual Clutch Transmission Fluid
The service solution for over 99% of all wet clutch applications
PART # 56032



Complete™ Full Synthetic ATF Fluid
Recommended for all automatic transmissions that require a fully formulated low viscosity ATF with exceptional performance and uncompromising protection
PART # 69032

THE WORLD'S FINEST LUBRICANTS



INTERNATIONAL LUBRICANTS, INC. 7930 OCCIDENTAL SOUTH, SEATTLE, WA 98108
WEST: PH 1-800-333-LUBE (5823) OR 206-762-5343 FAX 206-762-7989
EAST: PH 1-800-458-5487 OR 330-769-8484 FAX 330-769-8483 • WWW.LUBEGARD.COM